

SS-183 7/96

PERMIT TO BE
PRINTED OR TYPED

COPY Remminder Lot 6000 Map 19 Panel

STATE OF WEST VIRGINIA
HAMPSHIRE Co HEALTH DEPARTMENT
ON-SITE SEWAGE DISPOSAL SYSTEM PERMIT

Permit No.: ST-14-03-77

Tax Map _____ Parcel # _____
County Road No.: _____

Owner: BILLY G. HART
Address: RT 1 Box 163A2
PAW PAW WV 25434

Certified Installer: SELF
Address: _____

You are hereby issued a permit to: ☒ install, or ☐ modify an on-site sewage disposal system located:
MARTINSBURG GRADE RD.

Facility: RESIDENCE Design Flow: 3BR Lot Size: 28 Sq. Ft. (Acres) Water Source: WELL TO
BASED UPON REVIEW OF THE INFORMATION OF YOUR SUBMITTED APPLICATION, DATED 8/31/02, AND THE PROPER
INSTALLATION OF THE HEREIN DESCRIBED SYSTEM, THE SYSTEM SHALL BE IN COMPLIANCE WITH APPLICABLE WEST VIRGINIA SEWAGE
SYSTEM RULES AND DESIGN STANDARDS.

The sewage system shall consist of a:

- ☒ Septic tank - Capacity: 1000 gallons or more, Constructed of: CONCRETE.
☒ Soil disposal system with a minimum equivalency of 900 square feet of conventional gravel trench area.
Depth to the bottom of the trench or bed installation shall be: 24-36 inches from original ground surface.
☒ Gravel system: Lengths of lines: 100, 100, 100, _____, _____, _____ feet, Width: 36 inches
☐ Chamber system: Number of units: _____, Length of lines: _____, _____, _____, _____ units,
Manufacturer of chamber: _____
☐ Bed system: ☐ Gravel, ☐ Chamber; Length: _____ feet, Width: _____ feet.
☐ Other: X
Diversion Ditch if needed _____ 36" Chamber System

This permit is non-transferable and automatically expires 12 months after issue date.

This permit is NULL and VOID when official inspection reveals conditions different than those stipulated on the permit or facts are later found that would indicate non-compliance with applicable rules.

All systems must be inspected and approved prior to being covered with earth or placed into use.

The applicant or his agent must notify this department: 72 hours or more prior to planned inspection time.


9/16/02

Issue Date

Sketch of system:

10,000
SQUARE FOOT
RESERVE
AREA
REQUIRED

NOT TO SCALE



Draw Arrow
Toward North

WELL
TO
BE



MARTINSBURG GRADE RD.

Additional specifications

Phil. I. D. R.