







LAMPERTS YAR		ELEVATIONS PLAN	
119 MAIN STREET RIDGE LAND, WI 1		PLANS SPECIALLY DESIGNED FOR TIM AND MICHELLE GOLDEN	
DATE: 10/10/07		RIDGE040701	
SCALE: 1/4" = 1'-0"		DATE: 10/10/07	
DRAWN BY: C.D.		CHECKED BY: C.D.	
REVIEWED BY: C.D.		DATE: 10/10/07	
PROJECT NO.		PAGE NO.	
4 OF 6			

FOR DUPLICATES CALL:
CHRIS DONICA
LAMPERTS RIDGE LAND
1-715-949-1805

- GENERAL NOTES:
- DO NOT SCALE DRAWING
 - THE CONTRACTOR SHALL VERIFY ALL DIMENSIONS
 - ACTUAL TRUSS DESIGN SHALL BE BY MANUFACTURER OR TRUSS DESIGNER
 - ALL DETAILS NOT SHOWN SHALL BE THE RESPONSIBILITY OF THE OWNER AND CONTRACTOR.
 - RUMORING, ELECTRICAL, SITE GRADING, AND HVAC DESIGN BY OTHERS.







FOR DUPLICATES CALL:
CHRIS DONICA
LAMPERTS RIDGELAND
1-715-949-1805

LAMPERTS YARD		TIM AND MICHELLE GOLDEN		RIDGE040209	
119 MAIN STREET W RIDGELAND, WI 54		PLANS SPECIALLY DESIGNED FOR		DATE: 04/03/09	
SHEET: 14/02		SCALE: 1/4" = 1'-0"		DRAWN BY: C.D.	
CHECKED BY: C.D.		PROJECT NO: 040209		SHEET NO: 14/02	
5 OF 6					

GENERAL NOTES:
-DO NOT HOLD UP DRAINAGE
-THE CONTRACTOR SHALL VERIFY
ALL DIMENSIONS
-ACTUAL THIS DESIGN SHALL BE BY
MANUFACTURER OF THESE DESIGN
ALL DIMENSIONS SHALL BE
THE RESPONSIBILITY OF THE OWNER
AND CONTRACTOR
-VERIFY ELECTRICAL, SITE GRADING
AND HVAC DESIGN BY OTHERS



BIRDSEYE DETAIL
SCALE: 1/8"=1'





MISSING 6" Foyer Closet door
 3" Foyer door

GENERAL NOTES:
 -DO NOT SCALE DRAWING

FOR DUPLICATES CALL:
 CHRIS DONICA
 LAMPERTS RIDGELAND
 1-718-949-1808

2ND FLOOR PLAN
 1460 SQ. FT.
 SCALE: 1/4" = 1'-0"





1. This drawing is to provide the contractor with the proper foundation dimensions. It is *not* to be used for construction. Foundation construction is to be in accordance with the approved plans. The contractor is to be responsible for the foundation to accept the installation of a bed treated wood sill.
2. All foundation/footings should be on undisturbed soil at a minimum depth of 48" below grade for typical frost bearing. However, local codes may require a greater depth. It is the responsibility of the contractor to check the local building codes for footing depth and it is the responsibility of the contractor to build the footings in accordance with all the appropriate codes and with the topography.
3. When waterproofing or/and drain is to be required or is chosen to be installed, they must be installed per local code (i.e., Wisconsin D625)

FOR DUPLICATES CALL:
CHRIS DONICA
LAMPERT'S RIDGELAND
1-715-949-1805