WATER WELL REPORT STATE OF OREGON

RECEIVED

JUN 10 1981

WATER RESOURCES DEPTate Permit No.

SALEM, OREGON (10) LOCATION OF WELL: (1) OWNER: Larry Burnham Driller's well number County r. 8E Address Route 2, Box 555 L 4 Section 21 T. 34S NW State OR 97624 Chiloquin Blk Tax Lot # Subdivision Address at well location: (2) TYPE OF WORK (check): Deepening Reconditioning □ Abandon \square (11) WATER LEVEL: Completed well. If abandonment, describe material and procedure in Item 12. Depth at which water was first found (3) TYPE OF WELL: (4) PROPOSED USE (check): Static level ft. below land surface. Date 5_18_81 105 Domestic Industrial Artesian pressure lbs. per square inch. Date Rotary Air XI Driven Rotary Mud 🗆 Irrigation Test Well Other Dug \Box Withdrawal Reinjection (12) WELL LOG: Bored Thermal: П ft. Depth of completed well 170 Depth drilled 179 (5) CASING INSTALLED: Steel Plastic Formation: Describe color, texture, grain size and structure of materials; and show Threaded Welded \Box thickness and nature of each stratum and aquifer penetrated, with at least one entry ..250..... for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata." Diam. from ft. Gauge LINER INSTALLED: MATERIAL From SWL То Clay and boulders 0 8 8 30 Red-brown conglomerate (6) PERFORATIONS: Perforated?

Yes No 30 34 Brown lava rock Type of perforator used 34 42 Black rock Size of perforations in by 42 56 Red lava & clay perforations from ft. to ft. Black rock 56 78 perforations from ft. to ft. Red lava & clay 78 125 perforations from ft. to..... ft. Fractured red & brown rock 125 140 105 (7) SCREENS: 140 Red cinders & lava 105 Well screen installed? ☐ Yes X No 774 179 Manufacturer's Name Black rock Type Model No. Drawdown is amount water level is lowered (8) WELL TESTS: below static level s a pump test made? 🗆 Yes 🕱 No If yes, by whom? ft. drawdown after gal./min. with hrs. Air test-60 GPM w/drill stem @ 170' gal./min. with drill stem at 140 ft. hrs Air test 20 ft. drawdown after Bailer test gal./min. with sian flow 630 Depth artesian flow encountered perature of water . ft, 1981 Completed 5-18-Work started 5-15 1981 Date well drilling machine moved off of well 5-18-1987 (9) CONSTRUCTION: Special standards: Yes
No X Well seal—Material used Cement - 5% Bentonite **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date 2-22-, 1981...

[Drilling Matchine Operator] Diameter of well bore to bottom of seal in. Machine Operator's License No. 1388 How was cement grout placed? pump. ed. from. bottom. of..... Water Well Contractor's Certification: casing up to ground surface. This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Norm Sevey Well Drilling, Inc. Plugs Size: location ft. Was a drive shoe used? ☐ Yes 🛛 No 5619 Did any strata contain unusable water? 🗆 🔀 No depth of strata Type of Water? Method of sealing strata off Size of gravel: Was well gravel packed? ☐ Yes 😾 No

Gravel placed from ft. to ft.