

Cornerstone Brokerage, LLC, PO Box 284 Bullard, TX 75757 Donald Straley



TEXAS ASSOCIATION OF REALTORSO

-Sax 903 581 4001

SELLER'S DISCLOSURE NOTICE

©TEXES ASSOCIATION OF REALTORS®, Inc. 2014

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

518 CR 2503

CONCERNING THE PROPERTY AT .		W. M	ineola, T	K 75773			
THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE							
DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER							
MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER							IER
AGENT.							
Seller Dis not occupying the	Property. If	unoccupied (by Sei	ller), how long	since Seller has occupied the	Pro	oper	1v?
	_ or ☐nev	er occupied the Pro	perty	, , , , , , , , , , , , , , , , , , , ,		J	٠, .
Section 1. The Property has the Ite	ms marked	helow: (Mark Yes	(Y) No (N)	or Unknown (H))			
This notice does not establish the					. γ.		
Item Y M U	Item		YNU	Item	Ťγ	N	11
Cable TV Wiring		opane Gas:	V	Pump: sump grinder	十一	-	
Carbon Monoxide Det.		munity (Captive)		Rain Gutters	Aj.		
Ceiling Fans	-LP on P			Range/Stove	P		
Cooktop	Hot Tub	ioperty		Roof/Attic Vents	1	-	~~~
Dishwasher	Intercom	System		Sauna	+	2/	
Disposal	Microway			Smoke Detector	1		
Emergency Escape	Outdoor	·		Smoke Detector – Hearing	1	\vdash	
Ladder(s)	04(400)	φr		Impaired			
1	Patio/De	okina			+		
Exhaust Fans	Plumbing			Spa Track Companies	+-		
	Pool	j dystem	 	Trash Compactor	+	V	
Fire Detection Equip.		• 1		TV Antenna	<u></u>	+	
French Brain	PoolEqu	ipment		Washer/Pryer Hookup	1		
Gas Fixtures	Pool Mai	nt. Accessories	1	Window Screens	V		
Natural Gas Lines	Pool Hea	iter		Public Sewer System			
14.0	UMY	A1024	۸ مامائلم ۸				
Item Central A/C		© electric □ gas	number of u	al Information			
		number of units:	number of u	III(S			
Evaporative Coolers						~~~~	
Wall/Window AC Units	 	number of units: _			*********		
Attic Fan(s)	V///	if yes, describe:					
Central Heat		Stelectric gas number of units: if yes, describe: 2 Fire places have Blowers					
Other Heat Special Firepl				ctric gas other:	CC	2	
Oven ¥2	1.	Mwood Mgas lo					
Fireplace & Chimney X.7				Other.			\dashv
Carport			ot attached				
Garage x 3			ot attached	number of remotes: 3			\dashv
Garage Door Openers							
Satellite Dish & Controls				1,0,			-
Security System		owned Teas		21	R		strin.
Water Heater 75							
Water Softener							
Underground Lawn Sprinkler Septic / On-Site Sewer Facility 🔏 🕏					407		=
10)							
(TAR-1406) 01-01-14 Initialed by: Buyer:, and Seller:, Page 1 of 5							

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Frazer, Michigan

Fext

48026 WWW.Zlplodix.com

I Lee

Concerning the Property	at					CR 2				
					QLA.	<u>, TA</u>	75773		···	····
Water supply provided by	: city well	MUD	□Vco	-op 🗍 ı	unkna) nwc	other:		~~~	
Was the Property built be	fore 1978? ☐ ye	es 🖫 no	∏ uı	nknown						
yes complete sig	n, and attach TA	R-1906 ∞r	ocernir	na lead-h	ased	naint	hazarde)			
	1 11 1 1 1 1				uuuu	ШШ				
Roof Type:C	0051 te		Age:	1	9	40	<u> </u>		(annrovi	mata)
Roof Type:	vering on the Pr	roperty (shi	nales	or roof co	overin	ng plac	Z Ced over evisting	chinales or ra	of covo	rinate)
ges no unkno	wn _					a bicc	ogg prei exigini	simgles or to	or cove	mg):
Ara Hall (Calles)										
Are you (Seller) aware of	arry or the items	ilsted in thi	s Seci	ion 1 tha	it are	not in	working conditio	n, that have d	efects,	or are
need of repair?	wno iryes, de	iscride (atta	ich add	ditional s	heets	if nec	cessary):		- CO-	
	***************************************		·		***		***************************************			
	· · · · · · · · · · · · · · · · · · ·	Tax 46 (2007)				144			·~	
_		43,23,4				N 00%	**************************************		A-1-	
Section 2. Are you (Sel	ller) aware of an	ny defects	or ma	lfunction	ns in	any o	of the following?	: (Mark Yes (Y) if yo	u are
aware and No (N) if you :	are not aware.)									
Item	YNI	ltem			Υ	N,	Item		1,	YN
Basement	· · ·	Floors			††	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Sidewalks			YN
Ceilings		Foundation	/ Slah	(e)	+	1		^		
Doors		nterior Wall		(3)	++		Walls / Fence Windows	8		-
Driveways		Ighting Fix								10
Electrical Systems		Plumbing Sy			+	N	Other Structur	ral Component	ts	
	~	Roof	yatem	<u> </u>	+	- /				\dashv
Exterior Malle		1001							J.	
If the answer to any of the	items in Section									
	items in Section									
If the answer to any of the Section 3. Are you (Sellyou are not aware.)	items in Section	y of the fo	llowir	ng condi	tions	: (Mai			nd No ((N) If
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition	items in Section	y of the fo	llowir	ng condi	tions	: (Mai	rk Yes (Y) if you		nd No ((N) If
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring	items in Section	y of the fo	llowir	Con	tions dition	: (Mai	rk Yes (Y) if you dation Repairs		nd No ((N) If
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components	items in Section	y of the fo	llowir	Con Prev Prev	tions dition vious	r (Mai	rk Yes (Y) if you dation Repairs Repairs		nd No ((N) If
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring	items in Section	y of the fo	llowir Y N	Con Prev Prev Othe	ditions vious vious er Stru	n Found Roof I	rk Yes (Y) if you dation Repairs		nd No ((N) If
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat	items in Section ler) aware of an wilt	y of the fo	llowir Y N	Con Prev Prev Othe Rad Sett	ditions vious vious er Stru on Ga	n Found Roof Fuctura	rk Yes (Y) if you dation Repairs Repairs		nd No ((N) If
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hab Fault Lines Hazardous or Toxic Wast	items in Section ler) aware of an wilt	y of the fo	ellowir Y N	Con Prev Othe Rad Sett	ditions vious vious er Stru on Ga ling Move	n Found Roof F uctura as	rk Yes (Y) if you dation Repairs Repairs Il Repairs		nd No ((N) If
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast	items in Section ler) aware of an wilt wilt wilt	y of the fo	llowir Y N	Con Prev Othe Rad Sett Soil Sub	ditions vious vious on Ga ling Move surface	n Found Roof I uctura as ement ce Stri	rk Yes (Y) if you dation Repairs Repairs Il Repairs		nd No ((N) If
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S	items in Section ler) aware of an wilt wilt wilt	y of the fo	ollowir Y N	Con Prev Othe Rad Sett Soil Sub	ditions vious vious er Stru on Ga ling Move surface	r (Mai Found Roof I uctura as ement ce Stri und S	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks		nd No ((E) = (Z)
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill	items in Section ler) aware of an wilt wilt bitat on Property te prings	y of the fo	ellowir Y N	Con Prev Othe Rad Sett Soil Sub Und	ditions vious vious on Ga ling Move surface ergrov	r (Mai Found Roof I uctura as ement ce Stri und Si Ease	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments		nd No ((E) =
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S	items in Section ler) aware of an wilt wilt wilt prings d-Based Pt. Haza	y of the fo	ollowir Y N	Con Prev Othe Rad Sett Soil Sub Und Unp	ditions vious vious on Ga ling Move surface ergrov latted	r Found Found Roof I uctura as ement ce Stri und Si Ease ed Ease	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements		nd No ((E) = (Z)
If the answer to any of the Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hab Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead	items in Section ler) aware of an wilt wilt wilt prings d-Based Pt. Haza Property	ards	ollowir Y N	Con Prev Othe Rad Sett Soil Sub Und Unp Unre	ditions vious vious on Ga ling Move surface ergroi latted	r Found Found Roof I uctura as ement ce Stri und Si Ease ed Ease	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements syde insulation		nd No ((E) =
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hab Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachin Located in 100-year Flood	items in Section Ier) aware of an wilt wilt wilt prings d-Based Pt. Haze Property ng on others' pro	ards	ollowir Y N	Con Prev Othe Rad Sett Soil Sub: Und Unp Unree Wate Wetl	ditions vious er Stru on Ga ling Move surface ergroi latted ecorde a-form ar Per ands	r (Mai Found Roof I uctura as ement ce Stri und Si Ease ed Ease ad Ease aldeh netrati	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements syde insulation		nd No ((E) =
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hate Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachin Located in 100-year Flood Located in Floodway	items in Section ler) aware of an wilt wilt wilt prings d-Based Pt. Haze Property ng on others' proj dplain	ards	ollowir Y N	Con Prev Othe Rad Sett Soil Sub: Und Unp Unrea Wate Wetl Woo	ditions vious vious er Stru on Ga ling Move surface ergroid atted a-form ar Per ands d Rot	r (Mai Found Roof I uctura as ement ce Stri und Si Ease ed Ease ed Ease ed Ease ed Ease ed Ease	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements yde Insulation ion operty	I are aware a	nd No ((E) (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachin Located in 100-year Flood Located in Floodway Present Flood Ins. Covers	items in Section ler) aware of an wilt wilt wilt prings d-Based Pt. Haze Property ng on others' proj dplain age	ards	ollowir Y N N N N N N N N N N N N N N N N N N	Con Prev Othe Rad Sett Soil Sub Und Unp Unre Wate Wetl Woo	ditions vious vious er Stru on Ga ling Move surface ergroi latted ecorde a-form er Pei ands d Rot va infe	r Found Found Roof Fuctural as ement ce Striund Si Ease ed Ease aldeh netrati on Protestation	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements lyde Insulation ion operty	I are aware a	nd No ((E) (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hab Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachir Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414)	items in Section fer) aware of an wilt wilt bitat on Property te prings d-Based Pt. Haze Property ng on others' proj dplain age	ards	ollowir Y N	Con Prev Othe Rad Sett Soil Sub: Und Unpl Urea Wate Wetl Woo Activ	ditions vious vious er Stru on Ga ling Move surface ergrov latted acorde a-form ar Per ands d Rot ve infer	n Found Found Roof I uctura as ement ce Struund Si Ease ed Ease aldeh netrati on Protestation	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements yde Insulation ion operty on of termites or octs (WDI)	are aware a	nd No ((E) (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachin Located in 100-year Flood Located in Floodway Present Flood Ins. Covers	items in Section fer) aware of an wilt wilt bitat on Property te prings d-Based Pt. Haze Property ng on others' proj dplain age	ards	ollowir Y N N N N N N N N N N N N N N N N N N	Con Prev Othe Rad Sett Soil Sub: Und Unpl Urea Wate Wetl Woo Activ	ditions vious vious er Stru on Ga ling Move surface ergrov latted acorde a-form ar Per ands d Rot ve infer	n Found Found Roof I uctura as ement ce Struund Si Ease ed Ease aldeh netrati on Protestation	rk Yes (Y) if you dation Repairs Repairs Il Repairs ucture or Pits torage Tanks ments sements lyde Insulation ion operty	are aware a	nd No ((E) Z \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hab Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachir Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414)	items in Section ler) aware of an wilt	ards	ollowir Y N	Con Prev Othe Rad Sett Soil Sub Und Unp Unre Wate Wetl Woo Activ dest Prev	ditions vious vious er Stru on Ga ling Move surface ergror latted acorde a-form ar Per ands d Rot ve infer	r (Mai Found Roof I uctura as ement ce Stri und Si Ease ed Ease aldeh netrati on Protestation g Insection	dation Repairs	are aware a	nd No ((E) (Z (Z (Z (Z (Z (Z (Z (Z (Z (Z
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachir Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding onto the Located in Historic Districe	items in Section fer) aware of an wilt	ards	ollowir Y Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Con Prev Othe Rad Setti Soil Sub: Und Unpi Urea Wate Woo Activ dest Prev Prev	ditions vious vious er Stru on Ga ling Move surface ergrov latted ecorde a-form er Per ands d Rot ve infer roying lous lous f	r (Mai Found Roof Fuctural as ement be Striund Si Ease ed Ease aldeh netration Pro- testation g Insections for Pro- testations	dation Repairs Repairs Repairs I Repairs Ucture or Pits torage Tanks ments sements yde Insulation ion operty on of termites or octs (WDI)	other wood	nd No ((E) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Leae Encroachments onto the Improvements encroachir Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding onto the Located in Historic Distric Historic Property Designa	items in Section fer) aware of an wilt	ards	ollowir Y Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Con Prev Prev Othe Rad Setti Soil Sub: Und Unpi Urea Wate Wetl Woo Activ dest Prev Prev Term	ditions vious vious er Stru on Ga ling Move surface ergrov latted acorde a-form ar Per ands d Rot ve infer roying lous lious fi	r (Mai	dation Repairs Repairs Repairs I Repairs Ucture or Pits torage Tanks ments sements yde Insulation ion operty on of termites or octs (WDI) In The Immites or WDI damage damage needing	other wood repaired	nd No ((E) (E) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
Section 3. Are you (Sellyou are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oak Endangered Species/Hat Fault Lines Hazardous or Toxic Wast Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lead Encroachments onto the Improvements encroachir Located in 100-year Flood Located in Floodway Present Flood Ins. Covera (If yes, attach TAR-1414) Previous Flooding onto the Located in Historic Districe	items in Section fer) aware of an wilt	ards	ollowir Y Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Con Prev Prev Othe Rad Setti Soil Sub: Und Unpi Urea Wate Woo Activ dest Prev Prev Term Sing	ditions vious vious er Stru on Ga ling Move surface ergrov latted acorde a-form ar Per ands d Rot ve infer roying lous lious fi	r (Mai	dation Repairs Repairs Repairs I Repairs Ucture or Pits torage Tanks ments sements yde Insulation ion operty on of termites or octs (WDI)	other wood repaired	nd No ((E) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z) (Z

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipl.onix.com

J Lee

518 CR 2503

Co	Concerning the Property at		Mineola, TX 75773				
If t	he ans	swer to any of the items in	Section 3 is yes, explain (attach additional sheets if necessary):				
-		*A single blockable	e main drain may cause a suction entrapment hazard for ал individual.				
Wh	ich h	as not been previously	e of any item, equipment, or system in or on the Property that is in need of repair, disclosed in this notice? ☐ yes ☑ no If yes, explain (attach additional sheets if				
		~~~					
not	ction ( t awar	5. Are you (Seller) awar e.)	e of any of the following (Mark Yes (Y) if you are aware. Mark No (N) If you are				
<u>Y</u>	N/	∠ Room additions, structur ∕in compliance with buildir	al modifications, or other alterations or repalrs made without necessary permits or not ng codes in effect at the time.				
	I	Homeowners' association	na or maintenance feet or accocements. If yee, complete the following:				
		Manager's name: Fees or assessments Any unpaid fees or as	Phone:  are: \$ per and are: ☐ mandatory ☐ voluntary sessment for the Property? ☐ yes (\$) ☐ no nore than one association, provide information about the other associations below or his notice.				
	<b>9</b>	with others. If yes, comple	ties such as pools, tennis courts, walkways, or other) co-owned in undivided interest ate the following: s for common facilities charged?  yes no If yes, describe:				
	IJ∕	Any notices of violations Property	of deed restrictions or governmental ordinances affecting the condition or use of the				
	Ø	Any lawsuits or other leg to: divorce, foreclosure, h	al proceedings directly or indirectly affecting the Property. (Includes, but is not limited eirship, bankruptcy, and taxes.)				
		Any death on the Propert the condition of the Prope	y except for those deaths caused by: natural causes, suicide, or accident unrelated to				
J	<b>a</b> /	Any condition on the Prop	erty which materially affects the health or safety of an individual.				
J	<b>©</b>	hazards such as asbestos If yes, attach any cert	s, other than routine maintenance, made to the Property to remediate environmental s, radon, lead-based paint, urea-formaldehyde, or mold. ificates or other documentation identifying the extent of the remediation (for example, ediation or other remediation).				
J	<b>9</b>	Any rainwater harvesting public water supply as an	system located on the property that is larger than 500 gallons and that uses a auxiliary water source.				
]		The Property is located retailer.	in a propane gas system service area owned by a propane distribution system				

(TAR-1406) 01-01-14

Initialed by: Buyer: _____, and Seller:

Page 3 of 5

Concerning the Pro	perty at	518 CR 2503 <u>Minaola, TX 7</u> 5773	
If the answer to any	of the items in t	Section 5 is yes, explain (attach additional sheets if necessary):	
2007			
	_		
Section 6. Seller	has Mhas	not attached a survey of the Property.	
regularly provide i	usbections and	rs, have you (Seller) received any written inspection repor I who are either licensed as inspectors or otherwise permittes, attach copies and complete the following:	ts from persons who ted by law to perform
Inspection Date	Туре	Name of Inspector	No. of Pages
Pro	perty. A buyer	ly on the above-cited reports as a reflection of the current of should obtain inspections from inspectors chosen by the b	condition of the buyer.
☑Homestead ☐Wildlife Mana	gement	G	
		Unknown	
Section 9. Have provider? ☐ yes	you (Seller) ☑no	ever filed a claim for damage to the Property w	vith any insurance
nsurance claim or	a settlement or	er received proceeds for a claim for damage to the Prope award in a legal proceeding) and not used the proceeds to B. Tho If yes, explain:	make the repairs for
equirements of Ch	apter 766 of the	ve working smoke detectors installed in accordance with Health and Safety Code?*	the smoke detector or unknown, explain.
*Chapter 766	of the Health a	and Safety Code requires one-family or two-family dwellings to	have working
which the dw know the buil	elling is located,	accordance with the requirements of the building code in effect including performance, location, and power source requirements ements in effect in your area, you may check unknown above cinformation.	s. If you do not
of the buyer's evidence of the the buyer ma specifies the	family who will te hearing impali kes a written re locations for inst	o install smoke detectors for the hearing impaired if: (1) the buyer reside in the dwelling is hearing-impaired; (2) the buyer gives the ment from a licensed physician; and (3) within 10 days after the equest for the seller to install smoke detectors for the hearing callation. The parties may agree who will bear the cost of install smoke detectors to install.	e seller written effective date, a-impaired and
		10	

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipl.ogix com

__ and Seller:_

Initialed by: Buyer: ____, __

(TAR-1406) 01-01-14

Page 4 of 5

## 518 CR 2503

Conc	erning the Property at	Minaola, TX	75773
Selle broke	r acknowledges that the statements in this notice are true er(s), has instructed or influenced Seller to provide inaccu	irate information of	to omit any material information.
Gian	ature of Seller Date	Signature of Selle	r Date
_	ed Name: JUhn Let 1905	Printed Name:	·
ADD	ITIONAL NOTICES TO BUYER:		
(1)	The Texas Department of Public Safety maintains a da registered sex offenders are located in certain zip code For Information concerning past criminal activity in department.	areas. To search	the database, visit <u>www.txdps.state.tx.us</u> .
(2)	If the property is located in a coastal area that is seawar mean high tide bordering the Gulf of Mexico, the prop Protection Act (Chapter 61 or 63, Natural Resources C dune protection permit may be required for repairs or authority over construction adjacent to public beaches for	oerty may ba subj ode, respectively) improvements. Co	ect to the Open Beaches Act or the Dune and a beachfront construction certificate or ontact the local government with ordinance
(3)	If you are basing your offers on square footage, mondependently measured to verify any reported informati	easurements, or t on.	ooundaries, you should have those items
(4)	The following providers currently provide service to the		
	Electric: Swepe	phone #:	
		1 (	
	Sewer'	phone #:	and-6000000000
	Sewer: New Hope	phone #:	
	Caple:		
	Trash:		
	Not well Ones	phone #:	
	Dhana Campany ATTT	phone #:	
	Phone Company: ATTT Propane: A.R. Galg	phone #:	
(5)	This Seller's Disclosure Notice was completed by Seller as true and correct and have no reason to believe it to AN INSPECTOR OF YOUR CHOICE INSPECT THE PR	as of the date sig	ned. The brokers have relied on this notice
The	undersigned Buyer ackπowledges receipt of the foregoing	g notice.	
Sign	ature of Buyer Date	Signature of Buye	er Date
Print	ed Name:	Printed Name:	