

## TEXAS ASSOCIATION OF REALTORS

## **SELLER'S DISCLOSURE NOTICE**

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE	PR	OPE	RT	Y AT	360	O.R. 4216			acksonville	Texas	76766		_
THIS NOTICE IS A DAS OF THE DATE WARRANTIES THE ESELLER'S AGENTS,	3U.	JINE YER	MA	Y W	ELI ISH	LER AND IS NOT TO OBTAIN. IT IS	Α	SUBST	THE CONDITION	OF THE PR	ROPI	ER	N
Seller is is not the Property? is not Section 1. The Property This notice does not e	ert	v ha	s th	e ite	ms	marked below: (N	)r L Nark	l never	occupied the Prop	perty			
Item	I		U	-								-	
Cable TV Wiring		N	U	Ite		(N-1/1 D)	Y	NU	Item		Y	100000	
Carbon Monoxide Det.	1	1,	-		t Tu	nes (Nat/LP)	+	1	Pump: 🗆 sump	□ grinder		X	L
Ceiling Fans	1	X	-	_			+	1	Rain Gutters			X	
Cooktop	1	12	-			om System	-		Range/Stove		X		
Dishwasher	1	1	-			vave	X		Roof/Attic Vents	3	1		
Disposal	r	12	-	_	-	or Grill	-	1	Sauna			4	
	-	1	-			Decking		1	Smoke Detecto		火		
Ladder(s)	ape Plumbing System			1		Smoke Detecto Impaired	r - Hearing		x				
Exhaust Fans	1			Poo	A COLUMN TWO			2	Spa			1	
Fences	X					quipment		4	Trash Compact	or		x	
Fire Detection Equip.		X		Pod	ol M	aint. Accessories		4	TV Antenna	-		X	
French Drain		1		Pod	HIG	eater		E	Washer/Dryer H	lookun	又		-
Gas Fixtures		1		Pub	olic	Sewer System		k	Window Screen		V		
Item	_		1	N	U	Addition	al la	nforme	tion				
Central A/C			X		1	De electric ☐ gas			of units:	the contraction on employments are a factorized for the con-			
Evaporative Coolers				X		number of units:		IUITIDEI	Of Utilits.			_	_
Wall/Window AC Units				X		number of units:							_
Attic Fan(s)				X		if yes, describe:							_
Central Heat			X	-		⊉ electric □ gas		number	of units: /			_	_
Other Heat				×		if yes describe:		lumber	or units: /			_	
Oven				Tu		number of ovens:	_		O electric O	CD - 41		_	
Fireplace & Chimney				7		□ wood □ gas l		D mor	electric gas	otner:		_	
Carport			7			attached no	uys	U IIIO	ck u otner:			_	_
Garage			1		- 1								
Garage Door Openers	_		+	1	-	attached I not attached							
Satellite Dish & Controls			k	-		number of units: number of remotes:							
Security System	_	_	13									_	
Water Heater	-	_	1			owned leas							
Water Softener			1	10		□ electric □ gas	u	mer:	number	of units:			
Underground Lawn Spri	nki	or	-	1		owned lease	ed fi						
Septic / On-Site Sewer I			1			automatic m			eas covered:				
Water cumply provided by	a	HILLY	1		-17	if yes, attach Inform	nati	on Abo	ut On-Site Sewer	Facility (TAR	-140	07)	
Water supply provided b (TAR-1406) 1-01-10	y.	Initia	aled b	y. Se	<b>ell</b> eller	MUD A co-op	d Bu	<b>inknow</b> yer:	n 🖸 other:	Pag	<b>e</b> 1 o	of 5	

Roof Type: Metal Standing Sean: Is there an overlay roof covering on the Proper	)6 cc	oncer _ Age	ning lead	d-base	ed paint hazards).	oxim	ate)
covering)?  yes  no  unknown	ty (s	shingi	les or ro	of cov	ering placed over existing shingle	es o	r roc
Are you (Seller) aware of any of the items list defects, or are need of repair?   yes   into	ed in	n this	Section scribe (a	1 tha	at are not in working condition, fadditional sheets if necessary):	that	hav
Section 2. Are you (Seller) aware of any d (Y) if you are aware and No (N) if you are no	efec	it <b>s</b> 0	r malfur	ction	s in any of the following?: (N	lark	Ye
	t aw	416./					
111			Y	N	Item	Y	N
1.00.0	/ ()	-h/-\	-	K	Sidewalks	+	1
		ad(s)		1	Walls / Fences	-	1
The state of the s		_		X	Windows	_	1
				_	Other Structural Components	$\perp$	X
	ysie	ms	_	1		_	1
Exterior Walls Roof							
Section 3. Are you (Seller) aware of any or	f the	e foll		ch add	ions: (Mark Yes (Y) if you ar	e a\	vare
Section 3. Are you (Seller) aware of any or and No (N) if you are not aware.)  Condition			lowing o	ondit	tions: (Mark Yes (Y) if you ar		
Condition	f the	N	lowing o	ondit			N
Condition Aluminum Wiring			Cond	eondit	oundation Repairs		N
Condition Aluminum Wiring Asbestos Components		N	Cond Previo	ition ous Fo	oundation Repairs		N
Condition Aluminum Wiring Asbestos Components Diseased Trees:   oak wilt		N X X	Cond Previo	ition ous Fo	oundation Repairs		NA
Condition Aluminum Wiring Asbestos Components		N X X	Cond Previo Previo Other Rador	ition ous Fo ous Ro	oundation Repairs		N 4 A a
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt CE Endangered Species/Habitat on Property		N X X	Cond Previo Previo Other Rador Settlin	ition ous Fo ous Ro Struci	oundation Repairs Dof Repairs tural Repairs		N 4 A a
Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt a Endangered Species/Habitat on Property Fault Lines		N X X	Cond Previo Previo Other Rador Settlin Soil M	ition ous Fo ous Ro Struct of Gas overni	oundation Repairs oof Repairs tural Repairs ent		NAXAOAA
Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt a Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste	Y	Nスメメメメン	Cond Previo Other Rador Settlin Soil M Subsu	ition ous Fo ous Ro Struct Gas g overna	oundation Repairs oof Repairs tural Repairs ent Structure or Pits		N 4 X A O A A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt Dendangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs	Y	トメメメメメンメ	Cond Previo Other Rador Settlin Soil M Subsu	ition ous Fo ous Ro Struci n Gas ovem	oundation Repairs pof Repairs tural Repairs ent Structure or Pits d Storage Tanks		N 4 X A O A A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt Dendangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage	Y	N メ メ メ メ メ メ メ メ メ メ メ メ よ シ ム し ム し ム し に の に る 。 に る に る 。 に る 。 に る 。 に る に る に る 。 に る 。 に る 。 に る に る に る に る に る に る に る 。 に 。 る 。 に る 。 に る 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 に 。 る 。 る 。 る 。 る 。 。 る 。 る 。 る 。 る 。 。 。 。 。 。 。 。 。 。	Cond Previo Other Rador Settlin Soil M Subsu Under Unplate	ition ous Fo ous Ro Struci n Gas ovem ovem orface groun tted E	ent Structure or Pits d Storage Tanks asements		N 4 X A O A A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt a Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards	Y	トメメメメメンシャンへ	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrece	ition ous Fo ous Ro Struci n Gas g overni nface groun ited Ei orded	ent Structure or Pits d Storage Tanks asements Easements		N A A O A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt a Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property	Y	N メ メ メ メ メ メ ム ス ム ム ム ム ム ム ム ム ム ム ム ム ム	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f	ition ous Fo ous Ro Struci Gas overni orace groun ited Ei orded ormal	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation		N 4 X A O A A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt a Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards	Y	N メ メ メ メ メ ス ス ス ス ス ス ス ス ス ス ス ス ス	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water	ition ous Fo ous Ro Struci Gas overni orace groun ited Ei orded ormal	ent Structure or Pits d Storage Tanks assements Easements dehyde Insulation tration		N 4 X A O A A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt Dendangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in 100-year Floodplain Located in Floodway	Y	N メ メ ス ス ス ス ス ス ス ス ス ス ス ス ス	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrece Urea-f Water	ition ous Fo ous Ro Struct Gas overninace groun itted Ea orded ormal Pene	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation		N A A O A A
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt DEndangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in 100-year Floodplain Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414)	Y	N メ メ メ メ メ ス ス ス ス ス ス ス ス ス ス ス ス ス	Cond Previo Other Rador Settlin Soil M Subsu Under Unplai Unrec Urea-f Water Wetlar Wood Active	ition ous Fo ous Ro Struci n Gas overn overn ited E orded ormal Pene nds on Rot infest	ent Structure or Pits d Storage Tanks assements Easements dehyde Insulation tration		NAXAOAA
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt Dendangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in 100-year Floodplain Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the Structures	Y	NXXXXXXXXXXXXXXXXXX	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water Wetlar Wood Active destro	ition ous Fo ous Ro Struci n Gas g overni inface groun itted Ei orded ormal Pene nds or Rot infest ying ir	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation tration Property		NASAOAA AOAAAA
Condition Aluminum Wiring Asbestos Components Diseased Trees: a oak wilt a Endangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in 100-year Floodplain Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the Structures Previous Flooding onto the Property	Y	NXXXXXXXXXXXXXXXXXX	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water Wetlar Wood Active destro	ition ous Fo ous Ro Struci or Gas g overni ifface groun ited Ei orded ormal Pene nds or Rot infest ying ir us trea	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation tration i Property  tation of termites or other wood insects (WDI)		NASAOAA AOAAAAA
Condition Aluminum Wiring Asbestos Components Diseased Trees: Oak wilt Dendangered Species/Habitat on Property Fault Lines Hazardous or Toxic Waste Improper Drainage Intermittent or Weather Springs Landfill Lead-Based Paint or Lead-Based Pt. Hazards Encroachments onto the Property Improvements encroaching on others' property Located in 100-year Floodplain Located in Floodway Present Flood Ins. Coverage (If yes, attach TAR-1414) Previous Flooding into the Structures	Y	NXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Cond Previo Other Rador Settlin Soil M Subsu Under Unplat Unrec Urea-f Water Wetlar Wood Active destro Previo	ition ous Foous Ro Struci or Gas overni orded ormal Pene orded ormal infest ying ir us tre us ten	ent Structure or Pits d Storage Tanks asements Easements dehyde Insulation tration i Property  tation of termites or other wood asects (WDI) atment for termites or WDI		NASAOAA AOAAAA

1 /2/	4	J.
1-319	TIM	7

\_ and Buyer: \_\_\_

Page 2 of 5

Concer	ning the Property at \$80 C.H. 421	5	Jacksonville	Texas	75766
If the	answer to any of the item	s in Section 3 is yes, e	xplain (attach additional s	sheets if necessary	):
	V				
need (	on 4. Are you (Seller) a of repair, which has no additional sheets if nece	t been previousiv dis	sclosed in this notice?	□ ves /□rno	rty that is
ou ar	n 5. Are you (Seller) a	ware of any of the fol	lowing (Mark Yes (Y) If	you are aware. M	lark No (N
	Room additions, struct permits or not in complete.	ctural modifications, o	r other alterations or re les in effect at the time.	pairs made withou	ut necess
מכ	name of association	n:	ees or assessments. If ye		
	If the Property is in	assessinent for the Pro	Phone: er and operty?	1 1100	
) Ā	interest with others. If y	ves, complete the follow	ennis courts, walkways, owing: us charged?  uyes unc		
	Any notices of violation use of the Property.	ns of deed restrictions	or governmental ordina	nces affecting the	condition
2	Any lawsuits or other le not limited to: divorce, for	egal proceedings directoreclosure, heirship, ba	tly or indirectly affecting ankruptcy, and taxes.)	the Property. (Inc	ludes, but
a contraction	Any death on the Propunrelated to the condition	erty except for those on of the Property.	deaths caused by: natur	al causes, suicide,	or accide
a	Any condition on the Pre	operty which materially	affects the health or safe	ety of an individual.	
<b>12</b> C	Any repairs or treatme environmental hazards If yes, attach any	ents, other than routing such as asbestos, rado certificates or other	ne maintenance, made on, lead-based paint, urea documentation identify d remediation or other rea	to the Property to	o remedia
he an	swer to any of the items is				
AR-1406	5) 1-01-10 Initialed	by: Seller 45/	H and Buyer		Page 3 of 5

Section 6.	Seller	☐ has	M has not	attached a survey of the Property.

Section 7. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise

Section 9. Have you (Seller) ever received proceeds for a claim for contample, an insurance claim or a settlement or award in a legal proceeding or make the repairs for which the claim was made? I yes Arno If yes, expected in the claim was made? I yes Arno If y			Name of Inspector	Туре	nspection Date
A buyer should obtain inspections from inspectors chosen by section 8. Check any tax exemption(s) which you (Seller) currently claim Homestead Senior Citizen Disabled Disable					
A buyer should obtain inspections from inspectors chosen by section 8. Check any tax exemption(s) which you (Seller) currently claim Homestead Senior Citizen Disabled Disable					
A buyer should obtain inspections from inspectors chosen by section 8. Check any tax exemption(s) which you (Seller) currently claim Homestead Senior Citizen Disabled Disable					
□ Wildlife Management □ Agricultural □ Disabled □ Disabled □ Other: □ Unknown  ection 9. Have you (Seller) ever received proceeds for a claim for cample, an insurance claim or a settlement or award in a legal proceeding make the repairs for which the claim was made? □ yes ા yes proceeding the complex of the property have working smoke detectors installed in the complex of Chapter 766 of the Health and Safety Code?* ☑ unknown, explain. (Attach additional sheets if necessary):  "Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	rrent condition of the Proper the buyer.	a reflection of the current con- inspectors chosen by the buye	n the above-cited reports as uld obtain inspections from	nould not rely on A buyer shou	ote: A buyer st
□ Wildlife Management □ Agricultural □ Disabled V □ Unknown  ection 9. Have you (Selier) ever received proceeds for a claim for complete, an insurance claim or a settlement or award in a legal proceeding make the repairs for which the claim was made? □ yes ② no If yes, expection 10. Does the property have working smoke detectors installed in elector requirements of Chapter 766 of the Health and Safety Code?* ☑ unknown, explain. (Attach additional sheets if necessary):  "Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	or the Property:			ck any tax exer	ection 8. Che
xample, an insurance claim or a settlement or award in a legal proceeding make the repairs for which the claim was made? ☐ yes ②Fno If yes, expection 10. Does the property have working smoke detectors installed in etector requirements of Chapter 766 of the Health and Safety Code?* ☑ runknown, explain. (Attach additional sheets if necessary):  **Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	eteran	☐ Disabled Veteran			☐ Wildlife Mai
example, an insurance claim or a settlement or award in a legal proceeding or make the repairs for which the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ② Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ③ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes, expected in the claim was made? ☐ yes ⑥ Fno If yes ⑥ F	amage to the Property (	for a claim for damage to	ever received proceeds	vou (Selier)	ection 9. Have
ection 10. Does the property have working smoke detectors installed in etector requirements of Chapter 766 of the Health and Safety Code?* All on the code of the Health and Safety Code? The code of the Health and Safety Code? The code of the Health and Safety Code? The code of the Health and Safety Code requires one-family or two-family dwellings to	and not used the proceed	a legal proceeding) and no	r a settlement or award in	rance claim or	xample, an insu
ection 10. Does the property have working smoke detectors installed in etector requirements of Chapter 766 of the Health and Safety Code?* (Attach additional sheets if necessary):  *Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	ain:	es (Pro If ves. explain:	he claim was made? D v	irs for which t	make the repa
etector requirements of Chapter 766 of the Health and Safety Code?* I unknown, explain. (Attach additional sheets if necessary):  *Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to		oo on ho h you, explain.	,		
etector requirements of Chapter 766 of the Health and Safety Code?* I unknown, explain. (Attach additional sheets if necessary):  *Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to					
efector requirements of Chapter 766 of the Health and Safety Code?* Annual Safety Code?* Unknown, explain. (Attach additional sheets if necessary):  "Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to					
efector requirements of Chapter 766 of the Health and Safety Code?* Annual Safety Code?* Unknown, explain. (Attach additional sheets if necessary):  "Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to					
etector requirements of Chapter 766 of the Health and Safety Code?* I unknown, explain. (Attach additional sheets if necessary):  "Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	accordance with the smol	tectors installed in accorda	have working smoke de	s the property	action 10. Doe
"Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	20001001100 Will the Sillor	Safety Code?* X unknown	ter 766 of the Health and		etector requires
*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	nknown I no II voe If r		TO THE PROPERTY CANAL	ments of Chap	unknown ovols
*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	nknown 🔲 no 🗀 yes. If i		litional sheets if necessary)	ments of Chapt	UIIMIUWII, CADIC
*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to	nknown 🛘 no 🗖 yes. If i	:	fitional sheets if necessary)	ments of Chapt	undiown, expia
Chapter 700 of the health and Salety Code requires one-tamily or two-tamily dwellings to	nknown 🖸 no 🖸 yes. If i	:	litional sheets if necessary)	ments of Chapt	unikilown, expir
installed in accordance with the requirements of the building code in effect in the area in		):	litional sheets if necessary)	ments of Chap ain. (Attach add	
including performance, location, and power source requirements. If you do not know the buil	have working smoke detectors	or two-family dwellings to have worki	litional sheets if necessary)  afety Code requires one-family of	ments of Chap hin. (Attach add the Health and Sa	*Chapter 766 of
in your area, you may check unknown above or contact your local building official for more info	have working smoke detectors which the dwelling is located, ling code requirements in effect	or two-family dwellings to have worki e in effect in the area in which the	ditional sheets if necessary)  afety Code requires one-family of the building code of power source requirements. If	the Health and Sardance with the re	*Chapter 766 of installed in acco including perform
A huver may require a seller to install smake detectors for the bearing imposing the All the to	have working smoke detectors which the dwelling is located, ling code requirements in effect	or two-family dwellings to have worki e in effect in the area in which the	ditional sheets if necessary)  afety Code requires one-family of the building code of power source requirements. If	the Health and Sardance with the re	*Chapter 766 of installed in acco including perform
A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the but	have working smoke detectors which the dwelling is located, ling code requirements in effect rmation.	or two-family dwellings to have worki e in effect in the area in which the you do not know the building code re iliding official for more information.	ditional sheets if necessary)  afety Code requires one-family of the building code of the building code of power source requirements. If we above or contact your local but	the Health and Sardance with the relation, and may check unknown	*Chapter 766 of installed in acco including perform in your area, you
	have working smoke detectors which the dwelling is located, ling code requirements in effect rmation.	or two-family dwellings to have working in effect in the area in which the you do not know the building code resiliding official for more information.	ditional sheets if necessary)  afety Code requires one-family of the building code of power source requirements. If we above or contact your local building smoke detectors for the hear	the Health and Sardance with the relation, and may check unknown	*Chapter 766 of installed in acco including perform in your area, you A buyer may req
family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer	have working smoke detectors which the dwelling is located, ling code requirements in effect rmation.  yer or a member of the buyer's written evidence of the hearing	or two-family dwellings to have working in effect in the area in which the ayou do not know the building code resiliding official for more information.  The impaired if: (1) the buyer or a meaning impaired if: (1) the buyer gives the seller written evident.	ditional sheets if necessary)  afety Code requires one-family of the building code of the building to the hear above or contact your local build smoke detectors for the hear ling is hearing-impaired; (2) the	the Health and Sardance with the re nance, location, and may check unknown	"Chapter 766 of installed in acco including perform in your area, you A buyer may req family who will r

Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.

Printed Name: Samuel Haag

Printed Name: Julie Haag

(TAR-1406) 1-01-10

Initialed by Seller \$97 . XOH

Page 4 of 5

Texas

## **ADDITIONAL NOTICES TO BUYER:**

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (4) The following providers currently provide service to the property:

Electric: * TX U	phone #: 800 - 242-9113
Sewer: N/A	phone #:
Water: Afton Grove Water Supply	phone #:903-689-1899
Cable: N/A	phone #:
Trash: The 6-Non	phone #: 503-189-5468
Natural Gas:wa	phone #:
Phone Company; Verizon	phone #:800-483-4000
Propane: N/A	phone #:

(5)relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

	Date		Date
Printed Name:		Printed Name:	