



4/14/88 Paid \$100.00 *Sanford*
APPLICATION FOR AN IMPROVEMENT PERMIT *cap 1148*

1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

Mecklenburg County services are available
without regard to ethnic origin, sex, or disability.

(OFFICE USE ONLY)

FILE: 20963

TC: _____

SERIAL: No 15979

☒ CRT

JOB LOCATION

① ADDRESS: 6245 STEPHENS ROAD ② FILE: BOOK 4873 PAGE 280
STREET NO. STREET
③ JURISDICTION: LEMLEY TOWNSHIP HATRISV, NC ④ TAX PARCEL NO.: PART OF 013-101-22
⑤ SUBDIVISION: _____ ⑥ LOT: TRACT 4 ⑦ BLOCK: BOOK 5472 PAGE 0483

OWNER

⑧ NAME: DAVID SANDRA WAYNE LOVE AND WIFE,
(FIRST) (MIDDLE) (LAST)
⑨ MAILING ADDRESS: 43-A BROWN DRIVE
⑩ CITY: BELMONT ⑪ STATE: N.C. ⑫ ZIP: 28012
⑬ PHONE: (WORK) 704 547-5098 ⑭ (HOME) 704 825-6941

REQUEST

This request is for a(n):

- ⑮ ☒ New permit SIR No. 20963
SERIAL No. 5699
DATED 6-19-84
⑯ ☐ Repair or alteration permit
⑰ ☐ Authorization for mobile home exchange
⑱ ☐ Other (specify) _____

DESIGN CRITERIA

System will serve:

- ⑲ ☒ Residence ⑳ ☐ Mobile home
㉑ Number of bedrooms? 4
㉒ Maximum occupancy? 4
㉓ Basement? ☐ yes ☒ no
㉔ ☐ Business or place of public assembly
㉕ Type? _____
㉖ Maximum number of employees? _____
㉗ Maximum number of seats? _____

WATER SUPPLY

㉘ Water supply from (present or proposed):

- A ☒ Individual well
B ☐ Municipal system
C ☐ Community well
D ☐ Community system

IMPROVEMENT PERMIT

The undersigned, an authorized agent of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH, certifies that the Department has approved the Request for the Job Location contained in this document. This approval is granted in accordance with the provisions of Laws And Rules For Sanitary Sewage Collection, Treatment And Disposal in effect at the time of issuance of the permit and is subject to the following provisions:
... No work shall be conducted on the septic tank system until an Installation, Construction, Alteration and/or Repair permit is issued by this Department.
... This permit is not transferable, and shall become null and void 36 months from the date of issuance.

㉙ The undersigned, owner of the property described above as the "JOB LOCATION" has read the foregoing application, acknowledges that the contents of same are true, and authorizes agents of the MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH to enter onto the property for the purpose of processing this request.

Signed: David Wayne Love Sandra H. Love

Date: 04-12-88

Jacky J. Hester, RC 4/19/88
Environmental Health Director Date
James 4-20-88
Director or Authorized Section Head Date

This permit must be signed by the Director of Environmental Health or an authorized section head in order to be valid.

CERTIFICATE OF COMPLETION/OPERATION PERMIT



1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILED

20963

DATE:

11/22/88

TC:

013-101-01

DL

CRT

SERIAL

№ 11580

Name of Owner

David Wayne Love

Juris.:

Address of Property

6245 Stephens Rd

Inspection Data:

Tank Material

PCC

Total Length of Drainfield

535'

Number of Lines

5 @ 107'

Cover Depth

12"

Water Supply Source

well

Distance to Water Source

> 50'

Excavation Inspected

11/22/88

Tank(s) Inspected

11/22/88

Wash Line Inspected

—

High Water Alarm Inspected

—

Design:

1988, 1500ST, CON, 1605SFT, 126, CTR# 22

The undersigned has inspected the Septic Tank System described above, and certifies it has been

☒ installed or constructed

☐ altered or repaired

☐ in accordance with the permit issued

☒ as detailed in the plot above

and meets the provisions of 10 NCAC 10A .1900, "Laws And Rules For Sanitary Sewage Collection, Treatment, And Disposal" in effect on the date of issuance of the permit. The issuance of this

☒ Certificate of Completion

☐ Operation Permit

does not in any way guarantee that the system will operate properly or relieve any person now or hereafter owning, controlling, or using such system from any liability resulting from the failure of the system to operate properly. This document is issued subject to those restrictions and conditions shown on the permit(s) and the provisions of 10 NCAC 10A .1900 in addition to those listed below under "COMMENTS." This document shall be null and void if any information contained in the application is untrue or if any additions are made to the property which would increase the requirements for said system.

COMMENTS:

System designed for a 4-bedroom house

Karela W Johnson
Environmentalist

SPONS
10-10-10

Cecil
2-4
10-4-87


Site

Macklenburg
2-4
10-4-87

Site

Stephens Rd

Date Received 5-4-84



SIR No. 20963

T.C. RD 013-101-01

Map Date _____


MECKLENBURG COUNTY
DEPARTMENT OF ENVIRONMENTAL HEALTH

APPLICATION FOR SOIL INVESTIGATION

1) NAME OF OWNER Kidd William Puett
LAST FIRST MIDDLE
2) ADDRESS OF OWNER Route 4, Box 199, Huntersville, N.C. ZIP 28078
3) PHONE NO Home 875-2381 Office _____
4) LOCATION OF PROPERTY Stephens Road
STREET OR COUNTY ROAD
5) SUBDIVISION _____ LOT NO. Tract 4 BLOCK NO. _____
MAP BOOK NO UnRecorded PAGE NO. _____
6) DEED REFERENCE DEED BOOK _____ PAGE NO. _____

Application is hereby made to the Mecklenburg County Department of Environmental Health for the conduct of a soil investigation and an on site inspection of the lot hereinabove described for the purpose of determining if the lot is suitable for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge

Please See Attached Survey Map



7) ACCURATELY DIAGRAM & DIMENSION LOT

William P. Kidd
OWNER

Serial No. 5699

SIR No. 20963


Date Issued 6-12-74

T. C. No. PO 013-101-01

Map Date L

MECKLENBURG COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH SOIL INVESTIGATION REPORT

NAME OF OWNER Sidd, William P.
LAST FIRST MIDDLE
 ADDRESS OF OWNER St. 4, Box 129, Huntersville, NC ZIP 28076
 LOCATION OF PROPERTY Stevens Road
STREET OR COUNTY ROAD
 SUBDIVISION Tract 4 LOT NO. Tract 4 BLOCK NO.



This is to certify that a soil investigation and on-site investigation was made by the Mecklenburg County Department of Environmental Health on the lot described above. The said investigation was conducted on that portion of the lot as indicated on the above plot. **PROVISIONALLY SUITABLE**

The permeability rate determined by the investigation was . The said lot is approved for the installation of an individual septic tank wastewater treatment system with subsurface, soil absorption effluent discharge subject to the following terms and conditions:

1. A permit to install, construct, alter or repair the system shall be obtained from the Mecklenburg County Department of Environmental Health prior to the beginning of any construction of buildings or of the wastewater treatment system on the said lot.
2. The size of the septic tank wastewater treatment system which must be installed will be determined by the Mecklenburg County Department of Environmental Health prior to installation of the system, based on the permeability rate obtained above, and on the size and type of building constructed thereon.
3. This approval is valid only if the system is installed in the area of the lot indicated as acceptable for system installation on the above plot.
4. This approval is valid only if grading, filling or a contract for digging the pitting of a well is performed on the lot which in the opinion of the Mecklenburg County Department of Environmental Health renders the area indicated as acceptable for system installation suitable for installation, construction, alteration or repair of such a system.

This approval is granted based on the laws of the State of North Carolina and the rules and regulations of the North Carolina Department of Human Resources, Division of Health Services and the Mecklenburg County Health Commission which were in effect on the date of issuance and is void if at any time in the future, prior to completion of the system, these laws, rules and regulations are changed such that this approval would not have been granted had the new or revised laws, rules, and regulations been in effect on the issue date.

Wilfred Ramsey
Soil Scientist

B. D. Harrison
+ Environmental Health Director or
Authorized Section Head

EHD-5-76

Environmental Health Department's Copy

DEPARTMENT OF
ENVIRONMENTAL HEALTH
MECKLENBURG COUNTY,
NORTH CAROLINA

SITE EVALUATION

S.I.R. NO. 20963

T.C. NO. P.O. 013-101-01

(Ground Absorption Sewage Disposal)

OWNER: William Kidd PLAT NO: _____
ADDRESS: R-4 Box 199 LOT SIZE: 12.16
Waverly 23073
LOCATION OF SITE: Stephen Rd Tract 4

FACTORS	Site 1		Site 2	
	AREA 1	AREA 2	AREA 3	AREA 4
1. SLOPE (%)	S PS 2-4 U	S PS U	S PS 2-4 U	S PS U
2. SOIL TEXTURE (12-36 inches) Sandy, Loamy, Clayey (Note 2-1 Clay)	S PS mixed clay U	S PS U	S PS clayey U	S PS U
3. SOIL STRUCTURE (12-36 inches)	S PS weak blocky U	S PS U	S PS blocky U	S PS U
4. SOIL DEPTH (inches)	S PS 12-16" U	S PS U	S PS 40-45" U	S PS U
5. RESTRICTIVE HORIZONS (Inches) (Impervious strata, Rock)	S PS None U	S PS U	S PS None U	S PS U
6. SOIL DRAINAGE/GROUNDWATER (external and internal)	S PS good U	S PS U	S PS Adequate U	S PS U
7. OTHER (Specify)	S PS U	S PS U	S PS U	S PS U
8. SOIL GROUP	IVA		IVA	
9. SITE CLASSIFICATION	Unsuitable		P. Suitable	
10. SOIL SERIES	Mecklenburg		Cecil	

S - Suitable PS - Provisionally Suitable U - Unsuitable

**See Diagram on Back (includes: soil areas, property lines, roads, streams, gullies, wet areas, fill areas, wells, water bodies, slopes)

Recommendations/Comments: P. Suitable layer 4" - 15" inches

Described by: W. B. Ramsey
Title: Site Engineer

Date: 6-18-84

4



PROPOSED PLOT PLAN


1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

FILE: 20963

TC: _____

Draw in and name all roads adjoining the property. Draw in and accurately dimension the lot concerned. Accurately indicate property boundaries, proposed and/or existing structures and driveways, underground utilities, and wells and springs within 100 feet of the proposed building or drainfield.

DAVIS 1435-133



Signed: David Wayne Love Lander H. Love

Date: 04-12-88


INSTALLATION, CONSTRUCTION, ALTERATION, AND/OR REPAIR PERMIT



1200 BLYTHE BOULEVARD
CHARLOTTE, NC 28203
PHONE (704) 376-4603

20963
FILE: 20693 DATE: 11-1-88
TC: PO. 013-101-01
SERIAL NO 12327

Permission is hereby given to ✓ Install or Construct, Alter or Repair the individual septic tank wastewater treatment system with subsurface, soil absorption, effluent discharge as specified herein at the described location. This permit is granted based upon the information supplied in the application dated 11-12-88. All work shall be completed on or before 12-1-88, after which date this permit shall be null and void. The system shall meet all of the construction requirements of 10 NCAC 10A .1900 which are in effect on the date of the granting of this permit. A Certificate of Completion or an Operation Permit must be obtained from the Mecklenburg County Department of Environmental Health before any system can be covered up or placed into service. The issuance of this permit does not in any way guarantee that the system anticipated to be constructed will operate properly, or relieve any person now or hereafter owning, controlling or using such system from any liability resulting from the failure of the system to operate properly.



PLOT OF SYSTEM

Liquid Capacity of Septic Tank 1500 gallons
Liquid Capacity of Dosing Tank gallons
Tank Construction Concrete
Absorption and/or Nitrification Lines:
Trench Width 3 feet
Total Line Length 533 feet
Number of Lines 5
Depth of Stone 12 inches
Distance from House 10 feet
Distance from Property Line 10+ feet
Distance from Well 100+ feet

NAME OF OWNER William Kidd
LOCATION OF PROPERTY 6445 Stephen Rd
Comments:

SDaniel, Jr
Division or Section Head

W. B. Ramsey
Environmentalist

* If this permit is for the installation or construction of a new system, it must be signed by the division or a section head of the Department of Environmental Health in order to be valid. Only the signature of the Environmentalist is required where an existing system is being altered or repaired.