

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2014

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which

Notice to a buyer off or ben	e e	xce	ed th	e m	inimum disclosures re	quirec	by th	ne Code.		
CONCERNING THE P	ROPERT	ΥA	T 4	12 5	Sikes Rd, Bellville, TX	774	18-97	782		
AS OF THE DATE S	SIGNED E UYER MA	3Y (Y V	SEI VIS	LE H T	R AND IS NOT A O OBTAIN. IT IS N	SUE	3STI	HE CONDITION OF THE PRO TUTE FOR ANY INSPECTION ARRANTY OF ANY KIND BY S	NS	OR
the Property? $\boxed{412 \text{ s}}$	ikes rd bellverty has th	rille ne i	tx 7'	7418 s m	or narked below: (Ma	⊔ne rk Ye	ver o	r), how long since Seller has o occupied the Property), No (N), or Unknown (U).)		
This notice does not es	stablish the	iter	ns to	be	conveyed. The contr	act wi	II dete	ermine which items will & will not o		
Item	YNU	1	tem			YN	U	Item		NU
Cable TV Wiring					TO DUTTO CICIO			Pump: ☐ sump ☐ grinder		
Carbon Monoxide Det.		-	LP	Cor				Rain Gutters		
Ceiling Fans		-	LP	on l				Range/Stove		
Cooktop		1	Hot	Tub				Roof/Attic Vents		
Dishwasher			nter	cor	n System			Sauna		
Disposal			Microwave		ave	\square		Smoke Detector	\square	
Emergency Escape			Outo	oob	r Grill			Smoke Detector - Hearing		
Ladder(s)								Impaired	-	100
Exhaust Fans		T	Patie	o/D	ecking			Spa		
Fences								Trash Compactor		
Fire Detection Equip.		-	200		<u> </u>			TV Antenna		
French Drain		_			juipment			Washer/Dryer Hookup	\square	
Gas Fixtures								Window Screens	\square	
Natural Gas Lines								Public Sewer System		
Tratara dao Emiss										
Item		Υ	N	U	Additiona					
Central A/C		\square			☑ electric ☐ gas	nu	mber	r of units: 2		
Evaporative Coolers			\square		number of units:					
Wall/Window AC Units	3		Ø		number of units:					
Attic Fan(s)			if yes, describe:							
Central Heat		$\overline{\mathbf{Q}}$			☑ electric ☐ gas	nu	mbe	r of units: 2		
Other Heat			Ø		if yes describe:					
Oven		Ø			number of ovens:	1		☑ electric ☐ gas ☐ other:		
Fireplace & Chimney					☑ wood □gas lo	gas logs mock other:				
Carport		Ħ	N	П	attached no	ot attached				
		Ø	Ħ	Ħ	☑ attached ☐ no					
Garage Door Openors		_	片	금	1 ('1			number of remotes: 1		
Garage Door Openers			片	片	owned Dlease	ed fro				
Satellite Dish & Contro	J15	N	분	片	owned leas			receiv		
Security System		닏	M	님				number of units:		
Water Heater			-	닏	☑ electric ☐gas			Turnoer or arms.		
Water Softener		닏		-	owned leas			reas covered:	_	
Underground Lawn Sp			-	무	automatic m	matic	n Ah	out On-Site Sewer Facility (TA	R-14	407)
Septic / On-Site Sewe	r Facility	\square			ir yes, attach infor	iiialio	II AD	Out Oil-Site Sewel 1 admity (174		.07)
								W		

and Seller: (TAR-1406) 01-01-14

Water supply provide Was the Property bui (If yes, complete,	It befo	re 197	78? ☑ yes □	no	u ncerr	nknown ning lead			paint hazards).		
Roof Type: metal					Age	: 6			(approx	im	
Is there an overlay ro	of cov	ering	on the Property	/ (sh	ingle	es or roc	f cove	erir	ng placed over existing shingles	3 0	ļ
covering)? yes	Z no	unl	known								
							E 12				
Are you (Seller) awa	re of	any of	the items liste	d in	this	Section	1 tha	at a	are not in working condition, th	at	
defects, or are need	of repa	air? 🛚]yes ☑no If	yes	, des	scribe (a	ttach	add	ditional sheets if necessary):		j
oven is a new ge prof	ile cor	nvectio	on oven. The co	ok to	op is	also bra	nd ne	w.			
	SE 20	3 3		2 3							
Section 2. Are you (Y) if you are aware	(Sell and N	ler) av No (N)	vare of any de if you are not	awa	ts or are.)	r malfun	ction	ıs ı	in any of the following?: (Ma	11 K	١
11	Υ	N	Item			Υ	N	Γ	Item	1	
Item	┵			-					Sidewalks	Ē	
Basement	브		Floors	Cla	h/a\			_	Walls / Fences	Ė	=
Ceilings		-	Foundation /		ib(S)			_	Windows	늄	
Doors	ᆜᄇ		Interior Walls						Other Structural Components	늗	
Driveways			Lighting Fixt					-	Other Structural Components		
Electrical Systems			Plumbing Sy	/ster	ms			-		苊	
Exterior Walls			Roof				\square	L			
Section 3. Are you	ı (Sel	ler) av	ware of any of						ons: (Mark Yes (Y) if you are) a	
	ı (Sel	ler) av	ware of any of								
Section 3. Are you	ı (Sel	ler) av	ware of any of		e fol	lowing o	condi	itio	ons: (Mark Yes (Y) if you are		
Section 3. Are you and No (N) if you ar	ı (Sel	ler) av	ware of any of	f the	e fol	Conc	cond lition ous F	itio	ons: (Mark Yes (Y) if you are	,	
Section 3. Are you and No (N) if you are Condition Aluminum Wiring	ı (Sel e not	ler) av	ware of any of	f the	e fol	Conc	condi lition ous F ous F	itio	ons: (Mark Yes (Y) if you are ndation Repairs of Repairs	, []	
Section 3. Are you and No (N) if you ar	ı (Sel e not	ler) av	ware of any of	f the	N W	Conc Previ Previ Othe	lition ous F ous F	itio	ons: (Mark Yes (Y) if you are	, []	
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees:	u (Sel e not ats	ler) av	ware of any of	f the	e fol	Conc Previ Previ Othe Rado	lition ous F ous F r Stru	itio	ons: (Mark Yes (Y) if you are ndation Repairs of Repairs	, []	
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen	u (Sel e not ats	ler) av	ware of any of	Y	e fol	Conc Previ Previ Othe Rado Settli	condi lition ous F ous F r Stru in Gas	itio Four Roo retu	ons: (Mark Yes (Y) if you are ndation Repairs of Repairs ural Repairs	, []	
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: Endangered Species	u (Sel e not ats ak wil	ler) av aware	ware of any of	Y	N N N N N N N N N N N N N N N N N N N	Conc Previ Previ Othe Rado Settli Soil N	lition ous F ous F r Stru n Gas ng Mover	itio	ndation Repairs of Repairs oral Repairs	, []	
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: Endangered Species Fault Lines Hazardous or Toxic N	u (Sel e not ats ak wil	ler) av aware	ware of any of	Y	N W W W W W W W W W W W W W W W W W W W	Conc Previ Previ Othe Rado Settli Soil M	lition ous F ous F r Stru n Gas ng Mover urface	itio	ndation Repairs of Repairs oral Repairs ont	, []	
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage	u (Sel e not ats ak wil s/Habii	ler) av	ware of any of	Y		Conc Previ Othe Rado Settli Soil M Subs	lition ous F ous F r Stru in Gas ng Mover urface	itio	ndation Repairs of Repairs aral Repairs of the structure or Pits Storage Tanks		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage Intermittent or Weath	u (Sel e not ats ak wil s/Habii	ler) av	ware of any of	Y		Conc Previ Othe Rado Settli Soil M Subs Unde	lition ous F ous F r Stru in Gas ng Mover urface irgrou	itio	ndation Repairs of Repairs ral Repairs of Structure or Pits Storage Tanks sements		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage Intermittent or Weath Landfill	u (Sel e not oak wil i/Habit Waste	ler) av aware	ware of any of	Y O		Conc Previ Previ Othe Rado Settli Soil N Subs Unde Unpla	dition ous F ous F r Stru in Gai ng Mover urface ergrou atted corde	Found Sound East	ndation Repairs of Repairs and Repairs		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage Intermittent or Weath	u (Sel e not ats bak will b/Habit Waste ner Sp	ler) av aware	ware of any of	Y O O O O O O O O		Conc Previ Previ Othe Rado Settli Soil N Subs Unde Unpla Unre	lition ous F ous F r Struen Gas ng Mover urface ergrou atted corde	itio	ndation Repairs of Repairs ral Repairs rat Repairs Structure or Pits Storage Tanks sements Easements ehyde Insulation		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vingroper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto	u (Sel e not ats ak wil Waste her Sp	ler) av aware It tat on Prings -Basee	ware of any of	Y O		Conc Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate	dition ous Fous Fred Struck ous Fred Struck on Gase of Mover urface orgroue atted corder former Pen	itio Four	ndation Repairs of Repairs oral Repairs oral Repairs Structure or Pits Storage Tanks sements ehyde Insulation ration		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encro	u (Sel e not ents bak wil b/Habii Waste ner Sp Lead the P aching	ler) avared awared tat on erings	ware of any of	Y O		Conc Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate	dition ous Fous Fr ous Fr ous Fr ous Fr ous Gas ng Mover urface argrou atted corde forms or Pen	itio Four Roo Interest Sand East East East East Interest Sand East Interest Sand Inter	ndation Repairs of Repairs ral Repairs rat Repairs Structure or Pits Storage Tanks sements Easements ehyde Insulation		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Ville Improper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encro Located in 100-year	u (Sel e not e not eak will //Habit Waste ner Sp Lead the P aching	ler) avared awared tat on erings	ware of any of	Y O		Conc Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate Wetla	dition ous Fous Fr ous Fr ous Fr ous Fr ous Fr ous Gas dover urface dited corde formands of different formands of different formands of different formands of	itio Found Roo ictu s mer e S und Eased E alde netr on	ndation Repairs of Repairs of Repairs of Repairs of Repairs of Structure or Pits Storage Tanks sements Easements ehyde Insulation ration Property		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic No Improper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encro Located in 100-year Located in Floodway	u (Selle not	ler) av aware It tat on Propert g on o plain	ware of any of	Y O		Conc Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate Wetla	dition ous Fous Fr ous Fr ous Fr ous Fr ous Fr ous Gas dover urface dited corde formands of different formands of different formands of different formands of	itio Found Roo ictu s mer e S und Eased E alde netr on	ndation Repairs of Repairs oral Repairs oral Repairs Structure or Pits Storage Tanks sements ehyde Insulation ration		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encrous Located in 100-year Located in Floodway Present Flood Ins. C	waste Lead the Paching Flood overa	ler) av aware It tat on Propert g on o plain	ware of any of	Y O		Conc Previ Previ Othe Rado Settli Soil N Subs Unde Unpla Unre Urea Wate Wood Activ	lition ous F ous F r Stru n Gas ng Mover urface rgrou atted corde forma r Pen ands of d Rot e infe	mer e S aldonetron	ndation Repairs of Rep		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vimproper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encrous Located in 100-year Located in Floodway Present Flood Ins. C (If yes, attach TAR-1	waste Lead the Paching Flood overa 414)	ler) avared awared lt	ware of any of e.) Property d Pt. Hazards y thers' property	Y O O O O O O O O O O O O O O O O O O O		Conc Previ Previ Othe Rado Settli Soil N Subs Unde Unpla Unre Urea Wate Wood Activ	lition ous F ous F r Stru n Gas ng Mover urface rgrou atted corde forma r Pen ands of d Rot e infe	mer e S aldonetron	ndation Repairs of Rep		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Component Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Vingroper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encrous Located in 100-year Located in Floodway Present Flood Ins. Could great the Country of	waste her Sp Lead the P aching Flood overa 414) to the	ler) av aware It tat on Propert g on o plain ge Struct	ware of any of e.) Property d Pt. Hazards y thers' property	Y O O O O O O O O O O O O O O O O O O O		Conc Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate Wetla Wood Activ destr Previ	dition ous Fous Fr ous Fr ous Fr ous Fr ous Fr ous Gas ng Mover urface rgrou atted corde forms ands of d Rot e infe oying ous ti	itio Found Roo ictu s mer e S alde alde netr on esta j ins	ndation Repairs of Rep		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic No Improper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encrous Located in 100-year Located in Floodway Present Flood Ins. Control (If yes, attach TAR-1) Previous Flooding in Previous Flooding or	u (Selle not ats bak will b/Habi b/Habi brer Sp Lead the P aching Flood overa 414) to the nto the	ler) av aware It tat on Propert g on o plain ge Struct e Prop	ware of any of e.) Property d Pt. Hazards y thers' property	Y		Conc Previ Previ Othe Rado Settli Soil N Subs Unde Unpla Unre Wetla Wood Activ destr Previ	d Rot e infectors to sous to s	itio Roo Ictu Is Improve Baldonetr In on Ictu Is Is In on Ictu Is	ndation Repairs of Repairs of Repairs of Repairs of Repairs of Structure or Pits Storage Tanks sements easements ehyde Insulation ration Property ation of termites or other wood sects (WDI) of the wood of the wood sects (WDI)		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic Number Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encrous Located in 100-year Located in Floodway Present Flood Ins. County (If yes, attach TAR-1) Previous Flooding or Located in Historic D	waste ner Sp Lead the Paching Flood overa 414) to the bistrict	ler) av aware It tat on Propert g on o plain ge Struct	ware of any of e.) Property d Pt. Hazards y thers' property	the Y		Conce Previ Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate Wood Activ destr Previ Previ	d Rot e inferous trous t	itio Roo Ictu Is Improve Baldonetr In on Ictu Is Is In on Ictu Is Is In on Ictu Is	ndation Repairs of Repairs of Repairs of Repairs of Repairs of Structure or Pits Storage Tanks sements easements ehyde Insulation ration Property ation of termites or other wood sects (WDI) of the wood of the wood sects (WDI) of the or WDI damage repaired of the wood of the wood sects (WDI) of the wood of the wood sects (WDI)		
Section 3. Are you and No (N) if you are Condition Aluminum Wiring Asbestos Componen Diseased Trees: One Endangered Species Fault Lines Hazardous or Toxic No Improper Drainage Intermittent or Weath Landfill Lead-Based Paint or Encroachments onto Improvements encrous Located in 100-year Located in Floodway Present Flood Ins. Control (If yes, attach TAR-1) Previous Flooding in Previous Flooding or	waste Lead the Paching Flood overa 414) to the patients the bistrict signat	ler) av aware lt Laton ltat on le ltat on ltat on le ltat on	ware of any of e.) Property d Pt. Hazards y thers' property tures erty	Y		Conce Previ Othe Rado Settli Soil M Subs Unde Unpla Unre Urea Wate Wetla Wood Activ destr Previ Previ Previ	d Rot e inferous trious from the course of t	itio Roo Ictu Is Imperimentation Roo Ictu Is Imperimentation Ictu Is Imperimentation Ictu Is Indiana Ictu Is Is Indiana Ictu Is	ndation Repairs of Repairs of Repairs of Repairs of Repairs of Structure or Pits Storage Tanks sements easements ehyde Insulation ration Property ation of termites or other wood sects (WDI) of the wood of the wood sects (WDI)		

Initialed by: Buyer: _____,

and Seller:



Initialed by: Buyer: _____, and Seller: _____, ____

	ny of the items	in Section 5 is yes, explain (attach addit	ional sheets if necessary):
Section 7. With	in the last 4	years, have you (Seller) received a de inspections and who are either linspections? yes no If yes, attach	iny written inspection reports icensed as inspectors or othe
Inspection Date	Туре	Name of Inspector	No. of P
	750		
Other:			known
Section 9. Have provider? ye	e you (Selle s 🗹 no e you (Sellei urance claim	ever filed a claim for damage to) ever received proceeds for a clai or a settlement or award in a legal pro	the Property with any insum for damage to the Propertoceeding) and not used the pro
Section 9. Have provider? ye Section 10. Have example, an instead to make the repair.	e you (Selle s ☑ no e you (Selle urance claim airs for which es the proper	ever filed a claim for damage to) ever received proceeds for a clai or a settlement or award in a legal pro the claim was made? yes no If ty have working smoke detectors insorter 766 of the Health and Safety Cod	talled in accordance with the start of the property with any insumant of the property of the
Section 9. Have provider? ye Section 10. Have example, an instead to make the repair.	e you (Selle s ☑ no e you (Selle urance claim airs for which es the proper	r) ever filed a claim for damage to) ever received proceeds for a clai or a settlement or award in a legal pro the claim was made? ☐ yes ☑ no If	talled in accordance with the start of the property with any insumant of the property of the
Section 9. Have provider? ye Section 10. Have example, an installed in accompled	e you (Sellers of no e you (Seller urance claim airs for which es the proper ments of Chain. (Attach a f the Health and ordance with the mance location.	ever filed a claim for damage to) ever received proceeds for a clai or a settlement or award in a legal pro the claim was made? yes no If ty have working smoke detectors insorter 766 of the Health and Safety Cod	talled in accordance with the state?* \(\sqrt{\text{unknown}} \) unknown \(\sqrt{\text{ordance}} \) no \(\sqrt{\text{yes}} \) wered smoked detectors

Initialed by: Buyer: ____, and Seller: ____, PCP 02/02/15 8:17/PM CST

Concerning the F	Property at 41	2 Sikes Rd	, Bellville, TX	77418-9782
------------------	----------------	------------	-----------------	------------

Seller acknowledges that the statements in this notice are including the broker(s), has instructed or influenced Sel	true to the best of Seller's belief and ler to provide inaccurate information	d that no person, n or to omit any
material information.	2000 2000 200	
Stant I	Russell C Parks	dotloop verified 02/02/15 8:17PM CST G5ZQ-0U0O-9MWN-SGCK
Signature of Seller Date	Signature of Seller	Date
Printed Name: Shawn R Parks	Printed Name: Russell C Parks	
ADDITIONAL NOTICES TO BUYER:		
(1) The Texas Department of Public Safety maintains a determine if registered sex offenders are located in c www.txdps.state.tx.us. For information concerning pa contact the local police department.	ertain zip code areas. To search tr	ne database, visit
(2) If the property is located in a coastal area that is seaw feet of the mean high tide bordering the Gulf of Mexic Act or the Dune Protection Act (Chapter 61 or 63, Nat construction certificate or dune protection permit may local government with ordinance authority over of information.	to, the property may be subject to the tural Resources Code, respectively) be required for repairs or improvement to public be	and a beachfront ents. Contact the eaches for more
(3) If you are basing your offers on square footage, me items independently measured to verify any reported in	easurements, or boundaries, you shormation.	nould have those
(4) The following providers currently provide service to the	e property:	
Electric:san bernard electric co-op	phone #	
Sewer:conventional	phone #	
Water:well	phone #	
Cable:direct tv	phone #	
Trash:	phone #	
Natural Gas:	phone #:	
Phone Company:	phone #:	
Propane:	phone #:	
(5) This Seller's Disclosure Notice was completed by Sel this notice as true and correct and have no reason ENCOURAGED TO HAVE AN INSPECTOR OF YOU The undersigned Buyer acknowledges receipt of the foregoing the second s	R CHOICE INSPECT THE PROPER	rate. TOO AND
Signature of Buyer Date	Signature of Buyer	Date
Printed Name:	Printed Name:	

dotloop signature verification:



INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED. ©Texas Association of REALTORS®, Inc., 2004

A. DESCRIPTION OF ON	-SITE SEWER FACILITY O	ON PROPERTY:	
	System: ☑ Septic Tank	☐Aerobic Treatment	□Unknown
(2) Type of Distribution	System: conventional		Unknown
(3) Approximate Locati	on of Drain Field or Distribu	ition System: back section of property	Unknown
(4) Installer:			
(5) Approximate Age: 1) years		Unknown
B. MAINTENANCE INFO	RMATION:		
(1) Is Seller aware of a yes, name of mainte	ny maintenance contract in enance contract in	effect for the on-site sewer facility?	☐Yes ☑No If
Phone:	acts must be in effect to d	ontract expiration date: operate aerobic treatment and certain	n non-standard" on-
	<i>/</i> :		
	, ny tanks were last pumped	? 2010	
(2) Approximate date a		17 A 19 20007 Fe	□Yes ☑ No
(2) Approximate date a(3) Is Seller aware of a	ny tanks were last pumped	17 A 19 20007 Fe	□Yes ☑No
(2) Approximate date a (3) Is Seller aware of a If yes, explain:	ny tanks were last pumped	17 A 19 20007 Fe	□Yes ☑No
(2) Approximate date a (3) Is Seller aware of a If yes, explain: (4) Does Seller have m	ny tanks were last pumped	the on-site sewer facility? ormation available for review?	
 (2) Approximate date a (3) Is Seller aware of a If yes, explain: (4) Does Seller have m C. PLANNING MATERIAL (1) The following items planning materia 	ny tanks were last pumped ny defect or malfunction in anufacturer or warranty info S, PERMITS, AND CONT concerning the on-site sew ls	the on-site sewer facility? ormation available for review? RACTS: ver facility are attached:	□Yes ☑ No
(2) Approximate date a (3) Is Seller aware of a If yes, explain: (4) Does Seller have m C. PLANNING MATERIAL (1) The following items planning materia maintenance con (2) "Planning materials	ny tanks were last pumped ny defect or malfunction in anufacturer or warranty info S, PERMITS, AND CONT concerning the on-site sew Is permit for original in tract manufacturer infor "" are the supporting mat	the on-site sewer facility? ormation available for review? RACTS: ver facility are attached: installation	OSSF was installed
(2) Approximate date a (3) Is Seller aware of a lf yes, explain: (4) Does Seller have m C. PLANNING MATERIAL (1) The following items planning material maintenance con (2) "Planning materials submitted to the pe	ny tanks were last pumped ny defect or malfunction in anufacturer or warranty info S, PERMITS, AND CONT concerning the on-site sew ls	the on-site sewer facility? ormation available for review? RACTS: ver facility are attached: installation	□Yes ☑No OSSF was installed wer facility that are sewer facility.

Information about	On-Site Sewer	Facility	concerning
-------------------	---------------	----------	------------

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

Facility	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1–2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

Maur		Russell C Parks	dotloop verified 02/02/15 8:18PM CST ANWR-67X6-R5PE-BK7E
Signature of Seller	Date	Signature of Seller	Date
-/			
Receipt acknowledged by:			
Signature of Buyer	Date	Signature of Buyer	Date