

FOR SALE

131.89 Acres

Cultivated and Pasture Land

Eddy, Falls County, TX 76524

\$ 355,444

For a virtual tour and investment offering go to: www.texasfarmandranchrealty.com/sales.htm



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

A DBA of Dube's Commercial, Inc. TREC# 484723

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Property Highlights
131.89 Acres, Eddy, Falls County, Texas

Location – The property is located two miles off IH 35 on CR 451 (Old Blevins Road) southeast of Eddy, Texas. The property is 20 minutes from Waco and less than 2 hours from DFW. The property is also 1 ½ hour from University of Texas, Austin, Texas and 1 hour 40 minutes from Texas A&M University, Bryan-College Station, Texas.

Acres – 131.89 MOL acres according to the Falls County Appraisal District.

Improvements – The property is entirely fenced. There is one wooden barn with split level hay lofts, corn cribs, and other storage rooms.

Water – The City of Eddy has service in the area. Access to water will require a meeting between Buyer and the City of Eddy.

Electricity – TXU services the area and there is currently no existing meter on the property. However, an electric service line runs from the front of the property to the barn, which is located in the mid-section of the property.

Soil – Please refer to the USDA Soil Map located in this brochure for soil types. Flood information is available on the report as well.

Minerals – There are no minerals to convey with the property.

Topography – The land is mostly flat, with some gently rolling hills. There are many old Oak, Elm, and Pecan trees. There are two creek draws on the property.

Current Use – Privately owned and is used for farmland. Approximately 105 ac. is cultivated.

Ground Cover – Approximately 105 ac. currently in cultivation for oats. The remainder is native grasses and trees.

Easements – Seller does not have a survey on the property. An abstract of title will need to be performed to determine if any easements exist.

Showings - By appointment only. If applicable, buyers who are represented by an agent/broker must have its agent/broker present at the initial showing.

Price - \$2,695.00/acre - \$355,444.00



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Property Pictures



131.89 Acres

Property Tax Plat



bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Property Aerial View



**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Property Aerial View




**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Aerial of Water Well Nearest Property




**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Map Aerial



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

10/11/2013
Page 1 of 3



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

A DBA of Dube's Commercial, Inc. TREC# 484723

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type Legend

Falls County, Texas (TX145)			
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
3	Altoga soils, 3 to 5 percent slopes, eroded	12.4	9.4%
4	Altoga soils, 5 to 12 percent slopes, eroded	11.5	8.6%
35	Houston Black clay, 1 to 3 percent slopes	25.0	18.9%
38	Lott silty clay, 1 to 3 percent slopes	7.2	5.5%
39	Lott silty clay, 3 to 5 percent slopes	67.0	50.5%
59	Tinn clay, frequently flooded	9.5	7.1%
Totals for Area of Interest		132.6	100.0%



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type - 3

3—Altoga soils, 3 to 5 percent slopes, eroded. This map unit consists of deep, well drained, gently sloping soils on uplands. Texture of the surface layer varies in an irregular pattern from silty clay to clay loam. In places water erosion has removed the original surface layer, and many areas are dissected by shallow gullies about 100 feet apart. Slopes are convex. Most areas are about 40 acres in size.

A typical unit is about 53 percent Altoga silty clay loam; 37 percent Altoga clay loam; and 10 percent Austin, Heiden, and Lewisville soils. Austin and Heiden soils are in less sloping parts of the landscape, and Lewisville soils are intermingled with them.

Typically, these soils have a surface layer of light yellowish brown, moderately alkaline silty clay about 6 inches thick. Between depths of 6 and 40 inches is moderately alkaline silty clay that is light yellowish brown above 20 inches and very pale brown below. Soft bodies of calcium carbonate are throughout this layer. The underlying layer, to a depth of 80 inches, is light yellowish brown, moderately alkaline silty clay that has brownish yellow mottles.

These soils are easy to work throughout a wide range of moisture conditions. When dry, they are hard and will clod when plowed. Permeability is moderate, and available water capacity is high. Roots easily penetrate the deep root zone. Runoff is medium, and the hazard of water erosion is moderately severe. The lime content is high, and as a result iron chlorosis occurs in sensitive plants.

These soils have medium potential for crops. Low natural fertility is a limitation to use. The main crops are grain sorghum and small grain. The major objectives of management are controlling erosion and improving fertility and tilth. Growing high-residue crops and terracing help control erosion and maintain soil tilth.

The potential for pasture is high. Such improved grasses as bermudagrass, kleingrass, and weeping lovegrass are well suited to this soil. Fertilization, weed control, and controlled grazing are management practices that are needed to produce good yields.

These soils have high potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of scattered elm, hackberry, and oak trees.

These soils have low potential for most urban uses. The most restricted limitations are shrinking and swelling with changes in moisture, slow percolation, and high corrosivity to uncoated steel. Potential for recreation is medium. The clayey surface layer is the most restrictive limitation. Potential for both openland and rangeland wildlife habitat is medium. Capability subclass IIe; Clay Loam range site.



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type - 4

4—Altoga soils, 5 to 12 percent slopes, eroded. This map unit consists of deep, well drained, sloping to strongly sloping soils on uplands. Texture of the surface layer varies in an irregular pattern from silty clay to clay loam. Most areas of this map unit have shallow gullies 100 to 200 feet apart. These gullies can be crossed by farm machinery. Slopes are convex. Most areas are about 30 acres in size.

A typical area of this map unit is about 50 percent Altoga silty clay loam; 40 percent Altoga clay loam; and 10 percent Austin, Heiden, and Lewisville soils. Austin and Heiden soils are on less sloping parts of the landscape, and Lewisville soils are intermingled with them.

Typically, these soils have a surface layer of pale brown, moderately alkaline silty clay about 5 inches thick. Below the surface layer, to a depth of 25 inches, is very pale brown, moderately alkaline silty clay. Between depths of 25 and 40 inches is very pale brown, moderately alkaline silty clay. The underlying layer, to a depth of 80 inches, is very pale brown, moderately alkaline silty clay that has light brownish gray mottles.

The soils can be worked throughout a wide range of moisture conditions, but hard clods result if they are plowed when dry. Permeability is moderate, and available water capacity is high. Tilth is generally good. The root zone is deep and easily penetrated by roots. Runoff is medium. The hazard of erosion is severe. The high content of lime causes iron chlorosis in sensitive plants.

These soils have low potential for crops and pasture. Their main limitations for these uses are slope and the problem of controlling erosion. Potential for range is high. The climax plant community is a mixture of tall and mid grasses and an overstory of scattered elm, hackberry, and oak trees.

Potential of these soils for urban use is low. These soils are limited for this use by shrinking and swelling with changes in moisture, slope, and corrosivity to uncoated steel. Potential for recreation is medium because of the clayey surface layer and slope. Potential for both open-land rangeland wildlife habitat is medium. Capability subclass VIe; Clay Loam range site.



—“Stewards of Land”
A DBA of Dube’s Commercial, Inc. TREC# 484723

Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type - 35

35—Houston Black clay, 1 to 3 percent slopes. This deep, moderately well drained, gently sloping soil is on smooth ridges on foot slopes of uplands. Slopes are convex. Areas are long and narrow to broad in shape and range from 10 to 50 acres in size.

The soil has a surface layer of very dark gray, moderately alkaline clay to a depth of 28 inches. The next layer is dark gray, moderately alkaline clay to a depth of 48 inches. Between depths of 48 and 67 inches is olive gray, moderately alkaline clay. The underlying layer, to a depth of 80 inches, is olive yellow and light brownish gray, moderately alkaline clay that has brownish yellow mottles.

This soil is difficult to work. When wet, it is sticky; when dry, it is hard and clods when plowed. Dense plow-pan layers are common in cultivated areas. Permeability is very slow, and available water capacity is high. The root zone is deep, but penetration by roots is slow. Runoff is medium. The hazard of water erosion is moderate.

Included with this soil in mapping are small areas of Branyon, Burleson, and Heiden soils. The Branyon soils are on stream terraces. The Burleson and Heiden soils have no particular pattern of occurrence. The included soils make up 10 to 20 percent of this map unit.

This soil is used mainly for crops. The potential for growing crops is high. Cotton and grain sorghum are the main crops, but corn and small grain are also grown. The main objectives of management are controlling erosion and improving tilth. Growing crops that produce large amounts of residue or growing deep-rooted legumes help control erosion and maintain the tilth.

This soil has high potential for pasture. It is well suited to improved bermudagrass, kleingrass, and King Ranch bluestem. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has high potential for range, but very few acres are used for this purpose. The climax plant community is tall grasses and an overstory of a few large live oak, elm, and hackberry trees along the drainageways.

This soil has low potential for most urban uses. Its most restrictive limitations are shrinking and swelling

with changes in moisture, corrosivity to uncoated steel, low strength, and slow percolation.

The potential for recreation is low. The clayey surface layer and the very slow permeability are the most restrictive limitations for this use. Potential for both openland and rangeland wildlife habitat is medium. Capability subclass IIe; Blackland range site.

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type - 38

38—Lott silty clay, 1 to 3 percent slopes. This deep, well drained, gently sloping soil is on uplands. Slopes are convex. Areas range from 10 to 200 acres in size.

This soil has a surface layer of dark grayish brown, moderately alkaline silty clay about 15 inches thick. The subsoil, to a depth of 47 inches, is moderately alkaline silty clay. It is brown to a depth of 30 inches and pale brown below. The underlying layer, to a depth of 80 inches, is mottled light gray, white, and yellow, chalky marl that has a few chalk fragments in the upper part.

This soil has good tilth and is easily worked. Permeability is moderately slow, and available water capacity is medium. The root zone is deep and easily penetrated by roots. Runoff is medium. The hazard of water erosion is moderate.

Included with this soil in mapping are a few intermingled areas of Austin, Houston Black, and Heiden soils. The included soils make up about 10 to 20 percent of this map unit.

This soil has high potential for production of crops. The major crops are cotton and grain sorghum, but corn and small grain are also grown. The major objectives of management are controlling erosion and improving tilth. Terracing and growing crops that produce large amounts of residue or deep-rooted legumes help control erosion and maintain the tilth.

This soil has high potential for pasture. It is well suited to coastal bermudagrass, kleingrass, and weeping lovegrass. Pasture management includes fertilization, weed control, and controlled grazing.

This soil has high potential for range. The climax plant community is a mixture of tall and mid grasses; an overstory of hackberry, elm, and pecan trees along drainageways, and scattered oak trees.

This soil has low potential for most urban uses. Its most restrictive limitation is shrinking and swelling with changes in moisture, low strength, and corrosivity to uncoated steel. The potential for recreation is low. The clayey surface layer is the most restrictive limitation to this use. Potential for openland wildlife habitat is high, and potential for rangeland wildlife habitat is medium. Capability subclass IIe; Clay Loam range site.



— "Stewards of Land" —
A DBA of Dube's Commercial, Inc. TREC# 484723

Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type - 39

39—Lott silty clay, 3 to 5 percent slopes. This deep, well drained, gently sloping soil is on uplands. Slopes are convex. Areas are in long narrow bands, and the soil slopes to natural drainageways. Areas range from 10 to 50 acres in size.

This soil has a surface layer of dark grayish brown, moderately alkaline silty clay about 14 inches thick. The subsoil, to a depth of 45 inches, is moderately alkaline silty clay. It is pale brown to a depth of 32 inches and light yellowish brown below. The underlying layer, to a depth of 80 inches, is mottled yellow and very pale brown, chalky marl.

This soil has good tilth and can be easily worked. Permeability is moderately slow, and the available water capacity is medium. The root zone is deep and easily penetrated by roots. This soil has medium runoff. The hazard of water erosion is moderate.

Included with this soil in mapping are a few intermingled areas of Austin, Heiden, and Lewisville soils. The included soils make up about 10 to 20 percent of this map unit.

This soil has medium potential for production of crops, but it is limited for this use by slope and size of the area. The major crops are grain sorghum and small grain, but cotton and corn are also grown. The management objectives are controlling erosion, and improving fertility and soil tilth. Terracing and growing crops that produce large amounts of residue or deep-rooted legumes help to control erosion and maintain tilth.

This soil has high potential for pasture. It is well suited to coastal bermudagrass, kleingrass, and weeping lovegrass. Fertilization, weed control, and controlled grazing are needed to properly manage pastures.

This soil has high potential for range. The climax plant community is a mixture of tall and mid grasses; hackberry, elm, and pecan trees along drainageways; and scattered oak trees.

This soil has low potential for most urban uses. Its most restrictive limitations are shrinking and swelling with changes in moisture, low strength, corrosivity to uncoated steel, and slow percolation. The potential for recreation is low. The clayey surface layer is the most restrictive limitation for this use. Potential for openland wildlife habitat is high, and potential for rangeland wildlife habitat is medium. Capability subclass IIIe; Clay Loam range site.



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

—“Stewards of Land”
A DBA of Dube’s Commercial, Inc. TREC# 484723

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

Soil Type - 59

59—Trinity clay, frequently flooded. This deep, somewhat poorly drained, nearly level soil is on flood plains of minor streams. It is flooded two or three times a year; flooding lasts from several hours to one day. These areas have plane to slightly concave slopes of 0 to 1 percent. The areas are in long, narrow bands paralleling the stream channel. Individual areas are 50 to about 500 acres in size.

The soil has a surface layer of dark gray, moderately alkaline clay about 47 inches thick. Between depths of 47 and 67 inches is gray, moderately alkaline clay. The underlying layer, to a depth of 80 inches, is olive gray, moderately alkaline clay.

Permeability is very slow, and available water capacity is high. The root zone is deep, but the clayey material restricts root penetration. Runoff is very slow. The hazard of water erosion is slight.

Included with this soil in mapping are a few areas of Trinity soils that are not flooded annually. Also included are a few intermingled areas of Ovan and Gowen soils. The included soils make up about 10 to 20 percent of this map unit.

This soil has low potential for production of crops, recreation, and urban uses. It is limited for this use by flooding, which can be overcome only by major flood control. The clayey surface layer also restricts some urban and recreation uses.

This soil has high potential for pasture. It is well suited to improved bermudagrass, common bermudagrass, johnsongrass, and kleingrass. Proper management includes fertilization, weed control, and controlled grazing.

This soil has medium potential for range production. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, elm, hackberry, cottonwood, and black willow trees adjacent to the stream.

This soil has medium potential for both openland and rangeland wildlife habitat. Capability subclass Vw; Clayey Bottomland range site.



— "Stewards of Land"
A DBA of Dube's Commercial, Inc. TREC# 484723

Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)


bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

FOR
SALE

131.89 Acres

Eddy, Falls County, TX 76524

Property Location to Major Aquifers of Texas



TEXAS
FARM & RANCH REALTY

—“Stewards of Land”—
A DBA of Dube's Commercial, Inc. TREC# 484723

Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com

**FOR
SALE**

131.89 Acres

Eddy, Falls County, TX 76524

CONFIDENTIALITY & DISCLAIMER

The information contained in the following Investment Brochure is proprietary and strictly confidential. It is intended to be reviewed only by the party receiving it from Dube's Commercial, Inc., DBA Texas Farm and Ranch Realty and should not be made available to any other person or entity without the written consent of Dube's Commercial, Inc., DBA Texas Farm and Ranch Realty. This Investment Brochure has been prepared to provide summary information to prospective investors, and to establish only a preliminary level of interest in the subject property. The information contained herein is not a substitute for a thorough due diligence investigation. Dube's Commercial, Inc., DBA Texas Farm and Ranch Realty makes no warranty or representation, with respect to the income or expenses for the subject property, the future projected financial performance of the property, the size and square footage of the property and improvements, the presence or absence of contaminating substances, PCB's or asbestos, the compliance with State and Federal regulations, the physical condition of the improvements thereon, or the financial condition or business prospects, or any buyer's plans or intentions to continue its ownership of the subject property. The information contained in this Investment Brochure has been obtained from sources we believe to be reliable; however, Dube's Commercial, Inc., DBA Texas Farm and Ranch Realty makes no warranty or representation whatsoever regarding the accuracy or completeness of the information provided.



Bob Dube 254-803-5263 (LAND) 512-423-6670 (mobile)

bob@texasfarmandranchrealty.com www.texasfarmandranchrealty.com



Information About Brokerage Services

Before working with a real estate broker, you should know that the duties of a broker depend on whom the broker represents. If you are a prospective seller or landlord (owner) or a prospective buyer or tenant (buyer), you should know that the broker who lists the property for sale or lease is the owner's agent. A broker who acts as a subagent represents the owner in cooperation with the listing broker. A broker who acts as a buyer's agent represents the buyer. A broker may act as an intermediary between the parties if the parties consent in writing. A broker can assist you in locating a property, preparing a contract or lease, or obtaining financing without representing you. A broker is obligated by law to treat you honestly.

IF THE BROKER REPRESENTS THE OWNER:

The broker becomes the owner's agent by entering into an agreement with the owner, usually through a written - listing agreement, or by agreeing to act as a subagent by accepting an offer of subagency from the listing broker. A subagent may work in a different real estate office. A listing broker or subagent can assist the buyer but does not represent the buyer and must place the interests of the owner first. The buyer should not tell the owner's agent anything the buyer would not want the owner to know because an owner's agent must disclose to the owner any material information known to the agent.

IF THE BROKER REPRESENTS THE BUYER:

The broker becomes the buyer's agent by entering into an agreement to represent the buyer, usually through a written buyer representation agreement. A buyer's agent can assist the owner but does not represent the owner and must place the interests of the buyer first. The owner should not tell a buyer's agent anything the owner would not want the buyer to know because a buyer's agent must disclose to the buyer any material information known to the agent.

IF THE BROKER ACTS AS AN INTERMEDIARY:

A broker may act as an intermediary between the parties if the broker complies with The Texas Real Estate License Act. The broker must obtain the written consent of each party to the transaction to act as an

intermediary. The written consent must state who will pay the broker and, in conspicuous bold or underlined print, set forth the broker's obligations as an intermediary. The broker is required to treat each party honestly and fairly and to comply with The Texas Real Estate License Act. A broker who acts as an intermediary in a transaction:

(1) shall treat all parties honestly;

(2) may not disclose that the owner will accept a price less than the asking price unless authorized in writing to do so by the owner;

(3) may not disclose that the buyer will pay a price greater than the price submitted in a written offer unless authorized in writing to do so by the buyer; and

(4) may not disclose any confidential information or any information that a party specifically instructs the broker in writing not to disclose unless authorized in writing to disclose the information or required to do so by The Texas Real Estate License Act or a court order or if the information materially relates to the condition of the property.

With the parties' consent, a broker acting as an intermediary between the parties may appoint a person who is licensed under The Texas Real Estate License Act and associated with the broker to communicate with and carry out instructions of one party and another person who is licensed under that Act and associated with the broker to communicate with and carry out instructions of the other party.

If you choose to have a broker represent you, you should enter into a written agreement with the broker that clearly establishes the broker's obligations and your obligations. The agreement should state how and by whom the broker will be paid. You have the right to choose the type of representation, if any, you wish to receive. Your payment of a fee to a broker does not necessarily establish that the broker represents you. If you have any questions regarding the duties and responsibilities of the broker, you should resolve those questions before proceeding.

Real estate licensee asks that you acknowledge receipt of this information about brokerage services for the licensee's records.

Buyer, Seller, Landlord or Tenant

Date

Texas Real Estate Brokers and Salespersons are licensed and regulated by the Texas Real Estate Commission (TREC). If you have a question or complaint regarding a real estate licensee, you should contact TREC at P.O. Box 12188, Austin, Texas 78711-2188, 512-936-3000 (<http://www.trec.texas.gov>)

(TAR-2501) 10-10-11

TREC No. OP-K

Dube's Commercial Inc 401 Congress Austin, TX 78701
Phone: (512)423-6670

Fax: (512)671-8011

Robert Dube

Untitled

Produced with ZipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipLogix.com