


PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



Basis of Bearing:

The Basis of Bearing for this survey is the North line of the NW/4 of Section 32, (N 89°58'54" E-Assumed) as shown hereon.

NOTES:

1) This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

2) Except area within the existing creek line, monuments have been set at all property corners of individual tracts shown hereon.

LEGEND:

- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET (MAGNETIC NAIL)

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
 P.O. Box 10249
 Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
 Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852


CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

See Sheet No. 2 for Certification.

S.F. 5/5/10

RPS# 4552-J.D. SARVER (OVERVIEW)

Sheet 1 of 2



LOCATION MAP

NOT TO SCALE

LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Northwest Corner of said NW/4; Thence South 89°58'54" East, on the North line of said NW/4 a distance of 299.27 feet to the Point of Beginning; Thence continuing on said North line, South 89°58'54" East, a distance of 2024.58 feet; Thence leaving said North line, South 00°01'35" W, a distance of 2639.10 feet to a point on the South line of said NW/4; Thence North 89°56'43" W, on said South line, a distance of 2314.37 feet to a point being the Southwest Corner of said NW/4; Thence on the West line of said NW/4, North 00°10'46" West, a distance of 1787.04 feet; Thence South 89°58'54" East a distance of 299.27 feet; Thence North 00°10'46" West, a distance of 850.61 feet to the Point of Beginning; Containing an area of 5,864,099 square feet or 134.6212 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:

J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA

P.O.C.
FND. 5/8" I.P.
NW COR. NW/4
SEC. 32, T23N-R7W

P.O.B.

E0400 ROAD

FND. 3/8" I.P.
W/LS 887 CAP.
NE COR. NW/4
32, T23N-R7W

NORTH LINE OF THE NW/4
(SECTION LINE)

PIPELINE ESMT
--(BOOK 973, PAGE 471)

N. IMO ROAD

WEST LINE OF THE NW/4 (SECTION LINE)

R/W LINE
THIS AREA
NOT INCLUDED

TRACT "A"
666,241 SQ. FT.
15.2948 ACRES

EXISTING
POND

C/2 CREEK

C/L
CREEK

FND. BENT 40d NAIL
SW COR. NW/4
SEC. 32, T23N-R7W

Basis of Bearing:

The Basis of Bearing for this survey is the North line of the NW/4 of Section 32, (N 89°58'54" E-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
P.O. Box 10249
Enid, OK 73701



SCALE : 1" = 200'



LEGEND:

- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET
(MAGNETIC NAIL)

See Sheet No. 2 for Certification.

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT A)


CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011.

Sheet 1 of 2



RED PLAINS
SURVEYING COMPANY

6744 Malrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Northwest Corner of said NW/4; Thence South 89°58'54" East, on the North line of said NW/4 a distance of 299.27 feet to the Point of Beginning; Thence continuing on said North line, South 89°58'54" East, a distance of 350.56 feet; Thence leaving said North line, South 00°01'35" W, a distance of 1224.72 feet; Thence South 51°55'54" W, a distance of 437.80 feet; Thence North 89°58'25" West, a distance of 299.91 feet to a point on the West line of said NW/4; Thence North 00°10'46" W, on said West line, a distance of 644.13 feet; Thence leaving said West line, South 89°58'54" E, a distance of 299.27 feet; Thence North 00°10'46" W, a distance of 850.61 feet to the Point of Beginning; Containing an area of 666,241 square feet or 15.2948 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:

J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY **A PART OF THE NW/4 OF SECTION 32, T23N-R7W** **GARFIELD COUNTY, OKLAHOMA**

P.O.C.
 FND. 5/8" I.P.
 NW COR. NW/4
 SEC. 32, T23N-R7W

N. IMO ROAD

1494.74' S 00°10'46" E
 WEST LINE OF THE NW/4 (SECTION LINE)

549.94' N 00°10'46" W
 33.0' STATUTORY R/W LINE

P.O.B.

S 89°58'25" E
 299.91'

TRACT "B"
 493,461 SQ. FT.
 11.3283 ACRES

N 51°55'54" E 437.80'

S 89°58'25" E
 150.00'

S 03°12'42" W
 165.30'

S 11°53'11" W
 235.08'

S 01°54'30" W
 185.04'

S 07°43'16" E
 137.54'

S 17°58'43" E
 109.06'

781.16'

N 89°58'25" W

C/L CREEK

C/L CREEK

EXISTING POND

C/L CREEK

FND. BENT 40d NAIL
 SW COR. NW/4
 SEC. 32, T23N-R7W

Basis of Bearing:

The Basis of Bearing for this survey is the West line of the NW/4 of Section 32, (S 00°10'46" E-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
 P.O. Box 10249
 Enid, OK 73701



SCALE : 1" = 200'



LEGEND:

- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET (MAGNETIC NAIL)

See Sheet No. 2 for Certification.




CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT B)

Sheet 1 of 2

Q:\SURVEYOR\SURVEY\01001 - WORK ORDERS 2010\4552 JD Sarver\4552-JD SARVER V2.dwg, 9/23/2010 11:56:45 AM



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Northwest Corner of said NW/4; Thence South $00^{\circ}10'46''$ East, on the West line of said NW/4, a distance of 1494.74 feet to the Point of Beginning; Thence leaving said West line, South $89^{\circ}58'25''$ East, a distance of 299.91 feet; Thence North $51^{\circ}55'54''$ East, a distance of 437.80 feet; Thence South $89^{\circ}58'25''$ E, a distance of 150.00 feet; Thence South $03^{\circ}12'42''$ West, a distance of 165.30 feet; Thence South $11^{\circ}53'11''$ West, a distance of 235.08 feet; Thence South $01^{\circ}54'30''$ West, a distance of 185.04 feet; Thence South $07^{\circ}43'16''$ East, a distance of 137.54 feet; Thence South $17^{\circ}58'43''$ East, a distance of 109.06 feet; Thence North $89^{\circ}58'25''$ West, a distance of 781.16 feet to a point on the West line of said NW/4; Thence North $00^{\circ}10'46''$ West, on said West line, a distance of 549.94 feet to the Point of Beginning; Containing an area of 493,461 square feet or 11.3283 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:

J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA

P.O.C.
 FND. 5/8" I.P.
 NW COR. NW/4
 SEC. 32, T23N-R7W

N. IMO ROAD

S 00°10'46" E
 (SECTION LINE)
 2044.68'

N 00°10'46" W
 592.96'
 33.0' STATUTORY R/W LINE

P.O.B.

S 89°58'25" E 781.16'

TRACT "C"
 499,563 SQ. FT.
 11.4684 ACRES

874.15'

N 89°56'43" W

EXISTING POND

C/L CREEK

C/L CREEK

C/L CREEK

S 17°58'43" E
 184.01'

S 12°39'40" E
 123.05'

S 07°23'23" W
 132.83'

S 09°35'43" E
 168.99'

FND. BENT 40d NAIL
 SW COR. NW/4
 SEC. 32, T23N-R7W

Basis of Bearing:

The Basis of Bearing for this survey is the West line of the NW/4 of Section 32, (S 00°10'46" E-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
 P.O. Box 10249
 Enid, OK 73701



SCALE : 1" = 200'



LEGEND:

- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET (MAGNETIC NAIL)



6744 Melrose Lane Telephone: (405) 603-7842
 Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011


See Sheet No. 2 for Certification.

S.E. 5/5/10

RPS# 4552-J.D. SARVER (TRACT C)

Sheet 1 of 2

Q:\SURVEYOR\SURVEY\01001 - WORK ORDERS 2010\4552-JD SARVER\4552-JD SARVER V2.dwg, 9/23/2010 11:57:04 AM



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Northwest Corner of said NW/4; Thence South 00°10'46" East, on the West line of said NW/4, a distance of 2044.68 feet to the Point of Beginning; Thence leaving said West line, South 89°58'25" East, a distance of 781.16 feet; Thence South 17°58'43" East, a distance of 184.01 feet; Thence South 12°39'40" East, a distance of 123.05 feet; Thence South 07°23'23" West, a distance of 132.83 feet; Thence South 09°35'43" East, a distance of 168.99 feet to a point on the South line of said NW/4; Thence North 89°56'43" West, on said South line, a distance of 874.15 feet to a point being the Southwest Corner of said NW/4; Thence North 00°10'46" West, on the West line of said NW/4, a distance of 592.96 feet to the Point of Beginning; Containing an area of 499,563 square feet or 11.4684 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:



J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Molrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



LEGEND:

- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET (MAGNETIC NAIL)

See Sheet No. 2 for Certification.

S.F. 5/5/10


RPS# 4552-J.D. SARVER (TRACT D)

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

Sheet 1 of 2

RED PLAINS
SURVEYING COMPANY

6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Southeast Corner of said NW/4; Thence North 89°56'43" West, on the South line of said NW/4, a distance of 330.63 feet to the Point of Beginning; Thence continuing on said South line, North 89°56'43" West, a distance of 1440.22 feet; Thence leaving said South line, North 09°35'43" West, a distance of 168.99 feet; Thence North 07°23'23" East, a distance of 132.83 feet; Thence North 12°39'40" West, a distance of 123.05 feet; Thence North 17°58'43" West, a distance of 184.01 feet; Thence South 89°58'25" East, a distance of 1535.35 feet; Thence South 00°01'35" West, a distance of 583.42 feet to the Point of Beginning; Containing an area of 874,715 square feet or 20.0807 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:


J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



Basis of Bearing:

The Basis of Bearing for this survey is the South line of the NW/4 of Section 32, (N 89°56'43" W-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
 P.O. Box 10249, Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
 Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

SCALE : 1" = 300'



LEGEND:


- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET (MAGNETIC NAIL)

See Sheet No. 2 for Certification.

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT E)

Sheet 1 of 2



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Southeast Corner of said NW/4; Thence North 89°56'43" West, on the South line of said NW/4, a distance of 330.63 feet; Thence leaving said South line, North 00°01'35" East, a distance of 583.42 feet to the Point of Beginning; Thence North 89°58'25" West, a distance of 1535.35 feet; Thence North 17°58'43" West, a distance of 109.06 feet; Thence North 07°43'16" West, a distance of 137.54 feet; Thence South 89°58'25" East, a distance of 1587.60 feet; Thence South 00°01'35" West, a distance of 240.00 feet to the Point of Beginning; Containing an area of 376,089 square feet or 8.6338 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon, is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:


J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



Basis of Bearing:

The Basis of Bearing for this survey is the South line of the NW/4 of Section 32, (N 89°56'43" W-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
P.O. Box 10249, Enid, OK 73701



6744 Milrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011


See Sheet No. 2 for Certification.

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT F)

Sheet 1 of 2

Q:\SURVEYOR\SURVEY\J01001 - WORK ORDERS 2010\4552 JD Sarver\4552-JD SARVER V2.dwg, 9/23/2010 11:58:08 AM



LOCATION MAP

NOT TO SCALE

LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Southeast Corner of said NW/4; Thence North $89^{\circ}56'43''$ West, on the South line of said NW/4, a distance of 330.63 feet; Thence leaving said South line, North $00^{\circ}01'35''$ East, a distance of 834.10 feet to the Point of Beginning; Thence North $89^{\circ}58'25''$ West, a distance of 1587.60 feet; Thence North $01^{\circ}54'30''$ East, a distance of 185.04 feet; Thence North $11^{\circ}53'11''$ East, a distance of 235.08 feet; Thence South $89^{\circ}58'25''$ East, a distance of 1533.21 feet; Thence South $00^{\circ}01'35''$ West, a distance of 415.00 feet to the Point of Beginning; Containing an area of 651,336 square feet or 14.9526 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:


J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 803-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 803-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



Basis of Bearing:

The Basis of Bearing for this survey is the South line of the NW/4 of Section 32, (N 89°56'43" W-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
P.O. Box 10249, Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011


See Sheet No. 2 for Certification.

S.E. 5/5/10

RPS# 4552-J.D. SARVER (TRACT G)

Sheet 1 of 2

Q:\SURVEY\OR\SURVEY\01001 - WORK ORDERS\2010\4552-JD Sarver\4552-JD Sarver V2.dwg, 9/23/2010 11:58:25 AM



LOCATION MAP

NOT TO SCALE

LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Southeast Corner of said NW/4; Thence North 89°56'43" West, on the South line of said NW/4, a distance of 330.63 feet; Thence leaving said South line, North 00°01'35" East, a distance of 1249.10 feet to the Point of Beginning; Thence North 89°58'25" West, a distance of 1533.21 feet; Thence North 03°12'42" East, a distance of 165.30 feet; Thence North 49°36'41" East, a distance of 117.84 feet; Thence South 77°01'06" East, a distance of 91.22 feet; Thence North 88°49'15" East, a distance of 59.49 feet; Thence North 29°06'50" East, a distance of 232.02 feet; Thence South 89°58'25" East, a distance of 1173.14 feet; Thence South 00°01'35" West, a distance of 425.00 feet to the Point of Beginning; Containing an area of 587,815 square feet or 13.4944 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:


J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Malvern Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



EAST LINE OF THE NW/4 (1/4 SECTION LINE)

FND. BENT 40d NAIL
SW COR. NW/4
SEC. 32, T23N-R7W

P.O.C.
SET 60d NAIL
IN POST
SE COR. NW/4
SEC. 32, T23N-R7W

Basis of Bearing:

The Basis of Bearing for this survey is the South line of the NW/4 of Section 32, (N 89°56'43" W-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
P.O. Box 10249, Enid, OK 73701

SCALE : 1" = 300'



LEGEND:

- - IRON PIN FOUND
- - 1/2" IRON PIN SET
- ⊙ - P-K NAIL SET (MAGNETIC NAIL)

See Sheet No. 2 for Certification.



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852


CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT H)

Sheet 1 of 2

Q:\SURVEY\101001 - WORK ORDERS 2010\4552-JD Sarver\4552-JD SARVER V2.dwg, 9/23/2010 11:58:46 AM



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Southeast Corner of said NW/4; Thence North $89^{\circ}56'43''$ West, on the South line of said NW/4, a distance of 330.63 feet; Thence leaving said South line, North $00^{\circ}01'35''$ East, a distance of 1674.10 feet to the Point of Beginning; Thence North $89^{\circ}58'25''$ West, a distance of 1173.14 feet; Thence North $36^{\circ}21'54''$ East, a distance of 157.27 feet; Thence North $48^{\circ}46'36''$ East, a distance of 94.72 feet; Thence North $23^{\circ}13'41''$ East, a distance of 267.49 feet; Thence South $89^{\circ}58'25''$ East, a distance of 903.35 feet; Thence South $00^{\circ}01'35''$ West, a distance of 435.00 feet to the Point of Beginning; Containing an area of 442,993 square feet or 10.1697 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:


J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Melrose Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



Basis of Bearing:

The Basis of Bearing for this survey is the North line of the NW/4 of Section 32, (N 89°58'54" E-Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
P.O. Box 10249, Enid, OK 73701



6744 Malvern Lane Telephone: (405) 603-7942
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852


CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

See Sheet No. 2 for Certification.

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT I)

Sheet 1 of 2



LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Northeast Corner of said NW/4; Thence North 89°58'54" West, on the North line of said NW/4, a distance of 331.98 feet to the Point of Beginning; Thence leaving said North line, South 00°01'35" West, a distance of 530.00 feet; Thence North 89°58'25" West, a distance of 903.35 feet; Thence North 15°51'59" East, a distance of 150.23 feet; Thence North 23°42'03" East, a distance of 140.69 feet; Thence North 01°19'51" East, a distance of 256.57 feet to a point on the North line of said NW/4; Thence on said North line, South 89°58'54" East, a distance of 800.01 feet to the Point of Beginning; Containing an area of 441,074 square feet or 10.1257 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:


J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Malross Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011

PLAT OF SURVEY
A PART OF THE NW/4 OF SECTION 32, T23N-R7W
GARFIELD COUNTY, OKLAHOMA



Basis of Bearing:

The Basis of Bearing for this survey is the North line of the NW/4 of Section 32, (N 89°58'54" E--Assumed) as shown hereon.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

Prepared for:

J.D. Sarver
 P.O. Box 10249, Enid, OK 73701



8744 Melrose Lane Telephone: (405) 603-7842
 Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011


See Sheet No. 2 for Certification.

S.F. 5/5/10

RPS# 4552-J.D. SARVER (TRACT J)

Sheet 1 of 2

Q:\SURVEY\SURVEY\01001 - WORK ORDERS\2010\4552 JD Sarver\4552-JD Sarver V2.dwg, 9/23/2010 11:59:28 AM



LOCATION MAP

NOT TO SCALE

LEGAL DESCRIPTION:

A tract of land being a portion of the Northwest Quarter (NW/4) of Section Thirty-two (32), Township Twenty-three (23) North, Range Seven (7) West of the Indian Meridian, Garfield County, Oklahoma; said tract of land being more particularly described by metes and bounds as follows:

Commencing at the Northwest Corner of said NW/4; Thence South 89°58'54" East, on the North line of said NW/4, a distance of 649.83 feet to the Point of Beginning; Thence continuing on said North line, South 89°58'54" East, a distance of 874.01 feet; Thence leaving said North line, South 01°19'51" West, a distance of 256.57 feet; Thence South 23°42'03" West, a distance of 140.69 feet; Thence South 15°51'59" West, a distance of 150.23 feet; Thence South 23°13'41" West, a distance of 267.49 feet; Thence South 48°46'36" West, a distance of 94.72 feet; Thence South 36°21'54" West, a distance of 157.27 feet; Thence South 29°06'50" West, a distance of 232.02 feet; Thence South 88°49'15" West, a distance of 59.49 feet; Thence North 77°01'06" West, a distance of 91.22 feet; Thence South 49°36'41" West, a distance of 91.22 feet; Thence South 49°36'41" West, a distance of 117.84 feet; Thence North 89°58'25" West, a distance of 150.00 feet; Thence North 00°01'35" East, a distance of 1224.72 feet to the Point of Beginning; Containing an area of 830,812 square feet or 19.0728 acres, more or less.

Surveyor Certification:

I, James M. Powers, do hereby certify that I am a Licensed Professional Land Surveyor and that the map hereon represents a survey made under my supervision on the 27th day of April, 2010, and that all monuments as shown thereon actually exist and their relative positions are correctly shown. This survey conforms to the regulations for Land Boundary Surveys, as adopted by the Oklahoma State Board of Licensure for Professional Engineers and Professional Land Surveyors. All distances shown hereon fall within the positional tolerances as defined by the Oklahoma State Minimum Standards, unless noted otherwise.


JAMES M. POWERS RPLS #1484

4/27/2010

DATE OF FIELD WORK

9/23/2010

DATE OF LAST REVISION



NOTE:

Per a Title Opinion dated March 4, 2010 and prepared by Mitchell & DeClerck, P.L.L.C., there are easements that may or may not affect the subject property. However, no documents pertaining to said easements were provided, therefore, the affect of said easement could not be determined.

NOTE:

This plat of survey shown hereon is prepared solely for the parties listed hereon and of this date may not be used for any subsequent loan closing, reference, or other transactions.

Prepared for:

J.D. Sarver
P.O. Box 10249
Enid, OK 73701



6744 Malvern Lane Telephone: (405) 603-7842
Oklahoma City, Oklahoma, 73127 FAX: (405) 603-7852

CERTIFICATE OF AUTHORIZATION NO. 3948 EXPIRES JUNE 30, 2011