

## Hampshire County Health Department

HC 71, Box 9

Augusta, WV 26704

(304) 496-9640 Fax: (304) 96-9650

October 16, 2007

Hampshire County Planning Commission  
P. O. Box 883  
Romney, WV 26757

Dear Sirs;

This office has reviewed a plat of survey for Gary Hobbs to approve a lot located at Short Mountain Heights, Lot 15, and further referenced as Tax District 9, Tax Map 4, Parcel 140, Deed book 347, Page 429. This lot consists of 2.01 acres. All lots require a percolation test and a sewage disposal area of 10,000 square feet where no development or structures other than the septic system shall be permitted. This lot is to be developed with an individual well and septic system to serve a single family dwelling.

Percolation test results are within limits as set forth by West Virginia CSR 16-1. Six foot soil observation holes indicate no restrictions due to water table or shallow bedrock within the designated sewage disposal area except as noted on the Health Department subdivision application.

The plat of survey dated October 16, 2007 is hereby approved by the Hampshire County Health Department for a Class II sewage system. Any changes or revisions to the Health Department stamped and signed plat, or subsequent final plats approved based upon the approved plat, will make this approval null and void.

This approval is not a permit for individual water systems or individual sewer systems. Applications for permits must be made separately to the Hampshire County Health Department.

Sincerely,  
Jim Kinder R.S.



cc: Gary Hobbs