

JOHNS FARM

Unity Township, Piatt County, Illinois

FERTILITY DATA		Tract 1	Tract 2 & Tract 3
	рН	6.0	6.3
	Phosphorus	69	63
	Potassium	358	348

On Tract 1 soil samples were taken in July 2010 by Ag Answers. In the fall of 2011 an average of 1.8 tons per acre of limestone was applied.

On Tracts 2 and 3, soil samples were taken in October 2010 by Ag Answers. In the Fall of 2011 an average of 1 ton per acre of limestone was applied.

YIELD HISTORY

Year	Corn Bu/Ac.	Soybeans Bu/Ac.
2007	203.5	_
2008	_	46.7
2009	163.5	_
2010	_	67.0
2011	175.6	_
2012	_	44.0

Yields were obtained from the farm operator.

DRAINAGE TILE


Below is a list of tile maps:

- Map 1 This map shows the new tile mains that were installed in December 2011 and 2012 as part of Drainage District #3 of Unity.
- Map 2 This map shows lateral tiles installed on the south east part of Tract 1 during the winter of 2012/2013 into the new 18 inch tile main.
- Maps 3 and 4 These are maps drawn by the farm operator showing where he believes tile lines are located.



JOHNS FARM - MAP 1


Unity Township, Piatt County, Illinois





JOHNS FARM - MAP 2

Unity Township, Piatt County, Illinois






JOHNS FARM - MAPS 3 & 4

Unity Township, Piatt County, Illinois







JOHNS FARM - IMPROVEMENTS

Unity Township, Piatt County, Illinois

Garage (24' x 29')



GRAIN BINS (2 - 6,300 bu & 1 - 2,200 bu)

