

"Farm & Transitional Real **Estate Specialists Since 1930**"

> 800.424.2324 www.halderman.com

PO Box 297 • Wabash, IN 46992

### AUCTIO

November 8th · 6:30 PM

**Union Twp Union County, IN** 

307# Acres · 5 Tracis Productive Farmland & Potential Building Site with Pond

# AUCTION


November 8th · 6:30 PM

307 Acres · 5 Tracis Productive Farmsand & Potential Building Site with Pond

Craig Springmier 937-533-7126 craigs@halderman.com

## **HALDERMAN**

800.424.2324 | www.halderman.com





Craig Springmier Eaton, OH 937-533-7126 craigs@halderman.com

Owner: George M. Johnson Farms, Inc.



800.424.2324 | www.halderman.com

#### PROPERTY INFORMATION

LOCATION: Approximately 5 miles south of Liberty, IN, on Retherford Rd, between Liberty Pike & S Base Rd.


**ZONING:** Agricultural

**TOPOGRAPHY:** Level to Gently Rolling


SCHOOLS: Union County/College Corner Joint School District


**ANNUAL TAXES: \$9,097.62 (Estimated)** 

#### **SOILS INFORMATION**



7/5-05°00	TO THE RESIDENCE OF THE PARTY O	1	17	Maria	E/24/2	
Code	Soil Description	Acres	Corn	Pasture	Soybeans	Winter
	Field borders provided by Farm Service Agency as of 5/21/2008. Soils data provided by USDA and NRCS.					wheat
XnA	Xenia and Celina silt loams, 0 to 2 percent slopes	68.6	143	9.4	50	65
RuB1	Russell and Miami silt loams, 2 to 6 percent slopes, slightly eroded	65.8	150	9.9	53	72
Ву	Brookston silty clay loam	30.6	185	12.2	53	74
RvC3	Russell and Miami soils, 6 to 12 percent slopes, severely eroded	19.1	130	8.6	46	62
RsB2	Russell silt loam, 2 to 6 percent slopes, moderately eroded	18.4	149	9.8	52	73
XeA	Xenia silt loam, 0 to 2 percent slopes	16.4	155	10.2	54	70
RuB2	Russell and Miami silt loams, 2 to 6 percent slopes, moderately eroded	14.2	145	9.6	51	69
Со	Cope silt loam	12.8	185	12.2	53	74
RtC3	Russell soils, 6 to 12 percent slopes, severely eroded	9.3	135	8.9	47	68
Ср	Cope silty clay loam	9.1	185	12.2	53	74
RsB1	Russell silt loam, 2 to 6 percent slopes, slightly eroded	5.9	155	10.2	54	78
RuA	Russell and Miami silt loams, 0 to 2 percent slopes	4.6	150	9.9	53	72
FeA	Fincastle and Crosby silt loams, 0 to 2 percent slopes	3.9	153	10.1	50	69
Es	Eel silt loam	3.6	120		42	
FcA	Fincastle silt loam, 0 to 2 percent slopes	2	165	10.9	54	74
RsE1	Russell silt loam, 18 to 25 percent slopes, slightly eroded	2	115	7.6	40	58
RsD2	Russell silt loam, 12 to 18 percent slopes, moderately eroded	1	125	8.3	44	63
MsD3	Miami soils, 12 to 18 percent slopes, severely eroded	0.9	110	7.3	39	55
RsE2	Russell silt loam, 18 to 25 percent slopes, moderately eroded	0.9	110	7.3	39	55
	Weighted Average		152.2	9.9	51.2	68.7





### TRACT DETAILS

**TRACT 18** 40<sup>+/-</sup> Acres, 35<sup>+/-</sup> Tillable, 3.4<sup>+/-</sup> CRP\*

\*2.8 CRP Filter Strip Contract #713 with annual payment of \$651 Expires 9/30/2021.

.6 CRP Grass Waterway Contract #650 with annual payment of \$138 Expires 9/30/2020.

TRACT 28 150<sup>+/-</sup> Acres, Mostly Tillable

**TRACT 38** 58\*/- Acres, 56\*/- Tillable, 1.11\*/- Woods

TRACT 48 45+/- Acres, 38+/- Tillable, 2+/- Woods

TRACT 58 14<sup>+/-</sup> Acres, 6.7<sup>+/-</sup> Acre Building Site,

4.3<sup>+/-</sup> CRP\*, 3<sup>+/-</sup> Acre Pond

\*4.3 CRP Riparian Buffer planted to hardwood trees & white pine Contract #337 with annual payment of \$362 Expires 9/30/2018.



Online Bidding Available





FSA DATTA

Corn Base: 134.1 Acres

Soybean Base: 138 Acres

DP Yield: 111 bu/ac CC Yield: 154 bu/ac

DP Yield: 40 bu/ac

CC Yield: 48 bu/ac

DP Yield: 52 bu/ac

CC Yield: 72 bu/ac

Wheat Base: 5.5 Acres