










Sheet A2 of 7 Elevations Date 03/04/2009 Plan 2212 "C"	Kenandom Design Consultants, LLC	N & A Homes	<table> <tr> <th>No.</th><th>Date</th><th>Revisions Description</th><th>By</th></tr> <tr> <td>1</td><td></td><td></td><td></td></tr> <tr> <td>2</td><td></td><td></td><td></td></tr> <tr> <td>3</td><td></td><td></td><td></td></tr> </table>	No.	Date	Revisions Description	By	1				2				3			
No.	Date	Revisions Description	By																
1																			
2																			
3																			



SQUARE FOOTAGE	
FLOOR PLAN (A3)	2112 S.F.
CEILING	419 S.F.
WALLS	483 S.F.
PAINT	133 S.F.
TOTAL AREA (NEW)	2988 S.F.

OPT. MASTER BATH





OPT. DISC. ACCT

OPT. DISC. ACCT






OPT. DISC. ACCT

OPT. DISC. ACCT



OPT. DISC. ACCT

OPT. DISC. ACCT



FLOOR PLAN


SCALE: 1/8" = 1'-0"

2112 S.F.
FLOOR PLAN
DATE: 03/04/2009
PLAN
2112 S.F.


Kenandom Design Consultants, LLC

N & A Homes


No.	Date	Revisions	Description	By
1				
2				
3				
4				



O4 TYP. EAVE W/ DECOPIERRE - 6:12 PITCH
3/4\"/>




O5 RAKE DETAIL
3/4\"/>




O1 TYP. EAVE W/ BRICK - 6:12 PITCH
2 WINDOW / DOOR CONDITION
3/4\"/>

ATTIC VENT CALCULATIONS - (AREA)

ITEM	DESCRIPTION	AREA (SQ. FT.)
1	TOTAL ROOF AREA (INCLUDING OVERHANG)	5314.57
2	TOTAL FREE AREA VENT REQD. (ROOF AREA / 300.00)	10.1157
3	TOTAL AIRWAY VENTS REQD. (TOTAL FREE AREA VENT REQD. / 1.1)	9.1961
4	TOTAL FREE AREA VENT REQD. (TOTAL AIRWAY VENTS REQD. / 1.1)	8.3601
5	TOTAL FREE AREA VENT REQD. (TOTAL FREE AREA VENT REQD. / 1.1)	7.6001



O2 TYP. EAVE W/ BRICK - 6:12 PITCH
3/4\"/>



ROOF PLAN 'C'
SCALE: 1/8\"/>

ROOF PLAN 'C'

ITEM	DESCRIPTION	AREA (SQ. FT.)
1	TOTAL ROOF AREA (INCLUDING OVERHANG)	5314.57
2	TOTAL FREE AREA VENT REQD. (ROOF AREA / 300.00)	10.1157
3	TOTAL AIRWAY VENTS REQD. (TOTAL FREE AREA VENT REQD. / 1.1)	9.1961
4	TOTAL FREE AREA VENT REQD. (TOTAL AIRWAY VENTS REQD. / 1.1)	8.3601
5	TOTAL FREE AREA VENT REQD. (TOTAL FREE AREA VENT REQD. / 1.1)	7.6001

ROOF NOTES

- ROOF FLASHING TO BE AS SHOWN ON DETAIL.
- FLASHING TO BE AS SHOWN ON DETAIL.
- FLASHING TO BE AS SHOWN ON DETAIL.