

TEXAS ASSOCIATION OF REALTORS® SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2007

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE

CONCERNING THE PROPERTY AT 3032

DATE SIGNED BY SELI MAY WISH TO OBTAIN AGENT.	LER I. IT	Al IS	I DV	5 NU) [.	4 5	HRSHITTE FOR A	NIV	INIC	DEA	THON OF THE PROPERTY AS TIONS OR WARRANTIES TH B, SELLER'S AGENTS, OR AN			
Seller ☐ is ☐ is not or	ccup	yin	g the	e Prop	per	ty. I1	unoccupied (by Sell	ler).	. how	v Ione	g since Seller has occupied the	Dro		et O
				0	r [ne	ver occupied the Pro	per	ty		g onles seller has occupied the	PIO	per	ty?
Section 1. The Propert	t y h a ot es	as t tab	the it lish tl	tems he iten	ma ns t	arke o be	d below: (Mark Yes	(Y)), No ∕ill de:	(N), termi	or Unknown (U).) ne which items will & will not conve			
Item	Υ	N	บ	Ī	ten	1		Υ			Item	·		·
Cable TV Wiring	1			7	 Эаs	Lin	es (Nat/LP)	<u> </u>		9	Pump: sump grinder	 	N	U
Carbon Monoxide Det.	Þ	1		Hot Tub						Rain Gutters	-			
Ceiling Fans	V			Intercom System						Range/Stove	1	\dashv		
Cooktop				Microwave			/	++		Roof/Attic Vents	V	_	_	
Dishwasher	V	_			Outdoor Grill			-		\dashv	Sauna			,-
Disposal							ecking	V	-		Smoke Detector		1	
Emergency Escape							g System			-		V		\perp
Ladder(s)											Smoke Detector – Hearing Impaired			
Exhaust Fans	1			F	000						Spa		-	
Fences		/		F	900	Eq	uipment			\dashv	Trash Compactor	-	<u>/</u>	4
Fire Detection Equip.		•					int. Accessories				TV Antenna	\rightarrow		4
French Drain		ν					ater			-	Washer/Dryer Hookup	-	"	
Gas Fixtures		~		P	ub	ic S	ewer System			\dashv	Washen Bryer Flookup Window Screens	V		\dashv
14											Traidon Cordona	V		
Item					_	U					nal Information			$\overline{}$
Central A/C				/	_		☐ electric ☐ gas	ทเ	ımbe	er of	units: _1			\exists
Evaporative Coolers					V		number of units:							
Wall/Window AC Units					V	1	number of units:							-
Attic Fan(s)					V		if yes, describe:							\dashv
Central Heat				V	<u> </u>		☐ electric ☐ gas	nı	ımbe	er of i	units:			
Other Heat					1		if yes, describe:							-
Oven				_ 1/	_		number of ovens: _] ele	ctric gas other:			=
Fireplace & Chimney				V			☐ wood ☐ gas log	JS	☐ m	ock	other:			=-
Carport					6		☐ attached ☐ not	att	ache	ed				=-
Garage				.	V		☐ attached ☐ not	att	ache	∍d				-
Garage Door Openers				V		number of units:		<u> </u>		number of remotes:			\dashv	
Satellite Dish & Controls			V			□ owned □ lease	d fr	om .				=	\dashv	
Security System				<u>/</u>		□owned □lease	d fr	om					=	
Water Heater				~			☐ electric ☐ gas		othe	er:	number of units:			-
Water Softener					~	_	□ owned □ lease	d fr	om				·	=-
Underground Lawn Sprir					1		☐ automatic ☐ ma			area	s covered:			\dashv
Septic / On-Site Sewer F	acil	ity		_ \v			if yes, attach Inform	natio			On-Site Sewer Facility (TAR-14	 .በ7ነ		_
(TAR-1406) 7-2-07			Initia	led b	y: \$	Selle	er:			Buye				 f =
SOUTH DAY INC 2402 S Day, Brenham TX 7	7833		Decelor	and with "	71	TIL 1	, , , , , , , , , , , , , , , , , , ,		701	. Onnanc	0011	ige '	1 0	10
			rroudi	POO WILL	- hLC	1111 ''' [y ru Furinsnet, LLC 18025 Fiftee	n Mila	e Road,	, Clinton	0011 Fax: 9798366046 Township, Michigan 48035 <u>www.zipform.com</u>			

Concerning the Property	at									
							201410	other:		
Was the Property built be	efore 19	978? F	Tves □no	, <u> </u>	tunk:	nown Down	IOWIT	□ otner:		
(If yes, complete, sig	an. and	attach	TAR-1906 c	Oncer	nina	lead base	d naint	horand-)		
Roof Type:	y,		17.11 1000 0	,001100, A A	ning 'o'	reau-pase	u pami	. nazards),		
Is there an overlay roof o	overing	on the	Proporty (s	Au	J e			(app aced over existing shingles or roof o	roxima	ate)
□yes □no □unkno	own	y On the	e i Toperty (s	imigie	es or	roor cover	ring pla	aced over existing shingles or roof o	coverin	g)?
Are you (Seller) aware of	any of	the ite	ms listed in t	this S	ectio	n 1 that ar	e not i	n working condition, that have defec		
need of repair? ☐ yes	∏no	If ves.	. describe (at	ttach :	addit	ional choo	to if no	cessary):	cts, or	are
		,,	, 40001100 (81	(tagi)	auuit	ional shee	(S II HE	cessary):		
					-					
					_					
Section 2. Are you (Se aware and No (N) if you	eller) av are no	ware of ot aware	f any defect e.)	s or r	malfu	ınctions i	n any	of the following?: (Mark Yes (Y) i	f you	are
Item	Υ	N	Item			Υ	N	Item	136	
Basement		-	Floors			- '		Sidewalks	_ Y	N
Ceilings			Foundation	n / Sl	lah/e	· - -	\ <u>\</u>			•
Doors			Interior W		ian(s	'	V	Walls / Fences	_	~
Driveways		+ 1	Lighting F				~	Windows	_ _	~
Electrical Systems			Plumbing				+	Other Structural Components		~
	-		Roof	Oys te	31118		1			
Exterior Walls			1 1/001							
			tion 2 is yes,					sheets if necessary):		
If the answer to any of the			tion 2 is yes,					sheets if necessary): ark Yes (Y) if you are aware and		
If the answer to any of the Section 3. Are you (Se you are not aware.) Condition			tion 2 is yes,	follo		condition	ns: (M		No (N) if
If the answer to any of the Section 3. Are you (Se you are not aware.)			tion 2 is yes,	follo	wing	condition	ns: (Ma	ark Yes (Y) if you are aware and) if
If the answer to any of the Section 3. Are you (Se you are not aware.) Condition			tion 2 is yes,	follo	wing	condition Condition	ns: (Ma	ark Yes (Y) if you are aware and Repairs	No (N) if
If the answer to any of the Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Condition Previous Other S	ns: (Maion	ark Yes (Y) if you are aware and	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: □ oal	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Condition Previou Other S Radon	ns: (Maion ion is Roof structur Gas	ark Yes (Y) if you are aware and Repairs	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Condition Previou Other S Radon G Settling	ns: (Ma ion is Roof structur Gas	ark Yes (Y) if you are aware and Repairs al Repairs	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Condition Previous Other S Radon G Settling Soil Mo	ion is Roof structur Gas	ark Yes (Y) if you are aware and Repairs al Repairs	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: all oal Endangered Species/Ha	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Condition Previou Other S Radon Settling Soil Mo Subsurf	ion is Roof structur Gas vemen	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Previou Other S Radon Settling Soil Mo Subsurf Underg	ion Is Roof Structur Gas vemen face St	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was	eller) av	ware of	tion 2 is yes,	follo	wing	Condition Condition Previou Other S Radon Settling Soil Mo Subsurf Undergi	ion Is Roof Structur Gas Vemen face Stround Sed Eas	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S	eller) av	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon (Settling Soil Mo Subsurf Undergi Unplatte Unrecor	ion Is Roof Structur Gas Vemen face St round Sed Eas rded Eas	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements asements	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea	eller) av	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon G Settling Soil Mo Subsurf Undergi Unplatte Unrecon Urea-foi	ion Is Roof Structur Gas Vemen face Stround Sed Eas rded Earmalde	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation	No (N) if
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the	wilt (abitat or Springs ad-Base Prope	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon Settling Soil Mo Subsurf Undergi Unplatte Unrecon Urea-for Water F	ion Is Roof Structur Gas Vemen face Stround Sed Eas rded Ear rmalde	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation	No (N) if N))) j j
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Standfill Lead-Based Paint or Lea Encroachments onto the	wilt (abitat or ste	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon Settling Soil Mo Subsurf Undergi Unplatte Unrecor Urea-for Water F Wetland	ion is Roof structur Gas vemen face St round s ed Eas rded Ea rmalde Penetra	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation	No (N) if N))) j j
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Standfill Lead-Based Paint or Lea Encroachments onto the Improvements encroach Located in 100-year Floor	wilt (abitat or ste Springs ad-Base Propeing on codplain	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon (Settling Soil Mo Subsurf Undergi Unplatte Unrecor Urea-for Water F Wetland Wood R	ion Is Roof Structur Gas Vemen face Stround Sed Eas rded Earmalde Penetra	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation froperty	No (N) if N))) j j
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Standfill Lead-Based Paint or Lea Encroachments onto the	wilt (abitat or steeprings ad-Base Propering on abodplain accover	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon 6 Settling Soil Mo Subsurf Underg Unplatte Unrecon Urea-fo Water F Wetland Wood R Active in	ion Is Roof Structur Gas Vemen face Stround Sed Eas rded Earmalde Penetra ds on F Rot Infestati	Repairs al Repairs t ructure or Pits Storage Tanks ements assements hyde Insulation troperty ion of termites or other wood-	No (N) if N))) j j
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather s Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroach Located in 100-year Flood Present Flood Insurance (If yes, attach TAR-1414	wilt (abitat or ste Springs ad-Base Propeing on codplain Covers)	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon G Settling Soil Mo Subsurf Undergi Unplatte Unrecor Urea-for Water F Wetland Wood R Active in destroyi	ion Is Roof Structur Gas Vemen face St round Sed Eas rded Eas rmalde Penetra ds on F Rot Infestati	Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation rion Property ion of termites or other wood- ects (WDI)	No (N) if Z ン ハ ン ハ ン ン ン ン ン ン
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroach Located in 100-year Flood Present Flood Insurance (If yes, attach TAR-1414 Previous Flooding into the	wilt (abitat or ste see Prope ing on opplain or cover)	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon G Settling Soil Mo Subsurf Undergi Unplatte Unrecon Urea-for Water F Wetland Wood R Active in destroyin	ion Is Roof Structur Gas Vemen face Stround Sed Easerded Earmalde Penetra ds on F Rot Infestati	ark Yes (Y) if you are aware and Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation croperty ion of termites or other wood- ects (WDI) ment for termites or WDI	No (N) if N N N N N N N N N N
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather s Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroach Located in 100-year Flood Present Flood Insurance (If yes, attach TAR-1414	wilt (abitat or ste see Prope ing on opplain or cover)	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon of Settling Soil Mo Subsurf Undergi Unplatte Unrecon Urea-for Water F Wetland Wood R Active in destroyi Previous	ion Is Roof Structur Gas Vemen face St round Sed Eas rded Eas rmalde Penetra ds on F Rot Infestati ing inse s treati s termi	Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation rition Property ion of termites or other wood- ects (WDI) ment for termites or WDI te or WDI damage repaired	No (N) if Z ン ハ ン ハ ン ン ン ン ン ン ン
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroach Located in 100-year Flood Present Flood Insurance (If yes, attach TAR-1414 Previous Flooding into the Previous Flooding onto the Previous	wilt (abitat or ste Springs or codplain or cover or cover or companied or cover or c	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon Settling Soil Mo Subsurf Undergi Unplatte Unrecor Urea-for Water F Wetland Wood R Active in destroyi Previous Termite	ion Is Roof Structur Gas Vemen face St round Sed Eas rded Eas rded Eas rmalde Penetra ds on F Rot Infestati ing inse s treati s termi or WD	Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation rition Property ion of termites or other wood- ects (WDI) ment for termites or WDI te or WDI damage repaired I damage needing repair	No (N) if Z ン ハ ン ハ ン ン ン ン ン ン
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: ☐ oal Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather S Landfill Lead-Based Paint or Lea Encroachments onto the Improvements encroach Located in 100-year Flood Present Flood Insurance (If yes, attach TAR-1414 Previous Flooding into the Previous Flooding onto the	wilt (abitat or ste Springs or codplain or cover or cover or companied or cover or c	ware of	f any of the	follo	wing	Condition Condition Previou Other S Radon Settling Soil Mo Subsurf Undergi Unplatte Unrecor Urea-for Water F Wetland Wood R Active in destroyi Previous Termite	ion Is Roof Structur Gas Vemen face Stround Sed Eas rded	Repairs al Repairs t ructure or Pits Storage Tanks ements asements hyde Insulation tion Property ion of termites or other wood- ects (WDI) ment for termites or WDI te or WDI damage repaired II damage needing repair of Premises for Manufacture	No (N	

Se	ction 4	wer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, as not been previously disclosed in this notice? yes no If yes, explain (attach additional sheets if ye):
Seno	. awar	i. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are
<u>-</u>		Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.
	ঘু	Homeowners' associations or maintenance fees or assessments. If yes, complete the following: Name of association: Manager's name: Fees or assessments are: \$ per and are: mandatory voluntary Any unpaid fees or assessment for the Property? yes (\$) no If the Property is in more than one association, provide information about the other associations below or
		attach information to this notice. Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following: Any optional user fees for common facilities charged? yes no If yes, describe:
	Ū∕	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
		Any lawsuits or other legal proceedings directly or indirectly affecting the Property.
	y	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.
	ত্	Any condition on the Property which materially affects the health or safety of an individual.
	o o	Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
If th	e ansv	ver to any of the items in Section 5 is yes, explain (attach additional sheets if necessary):

Inspection Date Typ	no If yes, attach copies and co		No. of Pages
			No. or rages
Note: A buyer sho Property	uld not rely on the above-cited . A buyer should obtain insped	I reports as a reflection of the cun ctions from inspectors chosen by t	rent condition of the
ection 8. Check any to M Homestead	ax exemption(s) which you (Sel Senior Citizen	ler) currently claim for the Propert	y:
☐ Wildlife Managemer	nt	☐ Disabled Veteran ☐ Unknown	
ection 10. Does the pr	de? yes no if yes, explored yes working smoke do 766 of the Health and Safety Co	for a claim for damage to the Pceeding) and not used the proceed ain: etectors installed in accordance ode?* unknown no yes	with the smoke detec
ection 10. Does the prequirements of Chapter	operty have working smoke day for the Health and Safety Connecessary):	etectors installed in accordance ode?* unknown no yes	with the smoke detect
ection 10. Does the prequirements of Chapter Attach additional sheets if *Chapter 766 of the smoke detectors in which the dwelling know the building of	operty have working smoke do 766 of the Health and Safety Compared in accordance with the resis located, including performance	etectors installed in accordance	with the smoke detect . If no or unknown, explain
ection 10. Does the prequirements of Chapter Attach additional sheets if *Chapter 766 of the smoke detectors in which the dwelling know the building official eller acknowledges that the state of the smoke detectors in the smoke detector in the smoke de	operty have working smoke do 766 of the Health and Safety Code requires located, including performance is located, including performance in the statements in this notice are true statements in this notice are true.	etectors installed in accordance ode?* unknown no yes	with the smoke detect . If no or unknown, explaining sto have working effect in the area in ments. If you do not love or contact your
ection 10. Does the prequirements of Chapter Attach additional sheets if *Chapter 766 of the smoke detectors in which the dwelling know the building official eller acknowledges that the state of the smoke detectors in the smoke detector in the smoke de	operty have working smoke do 766 of the Health and Safety Code requires located, including performance is located, including performance in the statements in this notice are true statements in this notice are true.	etectors installed in accordance ode?* unknown no yes ires one-family or two-family dwelling equirements of the building code in a location, and power source requirements area, you may check unknown about the best of Seller's belief and the curate information or to omit any mat	with the smoke detect . If no or unknown, explai gs to have working effect in the area in ments. If you do not love or contact your

Con	cerning the Property at	
ADE	DITIONAL NOTICES TO BUYER:	
(1)	Control of the contro	atabase that the public may search, at no cost, to determine if de areas. To search the database, visit www.txdps.state.tx.us . certain areas or neighborhoods, contact the local police
(2)	Protection Act (Chapter 61 or 63, Natural Resources (ord of the Gulf Intracoastal Waterway or within 1,000 feet of the operty may be subject to the Open Beaches Act or the Dune Code, respectively) and a beachfront construction certificate or improvements. Contact the local government with ordinance for more information.
(3)		neasurements or houndaries you should be a
(4)	The following providers currently provide service to the	property:
	Electric: Byelognnet	_ Sewer: aerobic System
ms	Water: Plans Comment by Water	Sewer: <u>Aerobic System</u> TX Cable: Direct
	- .	Natural Gas:
,	Local Phone:	Propane:
(5)	This Seller's Disclosure Notice was completed by Selle	er as of the date signed. The brokers have relied on this notice
detec		oing notice and acknowledges the property complies with the affety Code, or, if the property does not comply with the smoke buyer's rights to have smoke detectors installed in compliance
	ature of Buyer Date ed Name:	Signature of Buyer Date Printed Name:

