




Google

© 2012 Google

Dillard Rd

Market 1155

TONY K. WATSON
CALLED 70.470 ACRES
VOLUME 814, PAGE 97
O.R.W.C.T.



M.A. EARLY SURVEY
A-40

SAMUEL GATES SURVEY
A-45

WILLIAM MCGULLOCH ET UX
CALLED 15.00 ACRES
VOLUME 1233, PAGE 64
O.R.W.C.T.

GARY ROGERS, ET UX
CALLED 10.00 ACRES
VOLUME 1049, PAGE 888
O.R.W.C.T.

F.M. HIGHWAY NO. 1155

SURVEY NOTES

1. ALL BEARINGS ARE BASED ON THE LAMBERT GRID, TEXAS COORDINATE SYSTEM OF 1983, TEXAS CENTRAL ZONE.
2. THE SURVEYOR DID NOT ABSTRACT THE PROPERTY AND SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A CURRENT TITLE COMMITMENT.
3. PROPERTY IS SUBJECT TO THOSE EASEMENTS, RESTRICTIONS, BUILDING LINES, ETC., THAT APPEAR OF RECORD AND NOT SHOWN ON SURVEY.
4. PER GRAPHICAL SCALING OF FEMA FIRM MAP NO. 481188 0006 D, EFFECTIVE DECEMBER 1, 2007 A PORTION OF THE PROPERTY IS SHOWN TO BE INSIDE (ZONE A), AN AREA DETERMINED BY FEMA TO BE INSIDE THE 100 YEAR FLOOD AREA.
5. A SEPARATE METES AND BOUNDS DESCRIPTION ACCOMPANIES THIS PLAT.

SURVEY PLAT

OF A SURVEY OF TRACT NO. 1, CONTAINING 11.45 ACRES AND TRACT NO. 2, CONTAINING 11.01 ACRES BEING PARTLY OUT OF THE M.A. EARLY SURVEY, ABSTRACT NO. 40, AND PARTLY OUT OF THE SAMUEL GATES SURVEY, ABSTRACT NO. 45, WASHINGTON COUNTY, TEXAS AND BEING A PART OF THAT CALLED 22,500 ACRE TRACT OF LAND DESCRIBED IN A DEED DATED APRIL 29, 2004 TO RAGAN BOND AND WIFE, CHRISTI J. BOND, RECORDED IN VOLUME 1119, PAGE 744, WASHINGTON COUNTY OFFICIAL RECORDS.

SURVEYOR CERTIFICATION


THIS SURVEY WAS MADE ON THE GROUND UNDER MY SUPERVISION AND REPRESENTS THOSE FACTS FOUND AT THE TIME OF SURVEY.

FOR FRANK SURVEYING CO., INC.
BY: MATTHEW W. LOESSIN, RPLS
TEXAS REGISTRATION NO. 5953
JULY 31, 2009



LEGEND

- 5/8" IRON ROD FOUND
- 1/2" IRON ROD FOUND
- 5/8" IRON ROD SET W/ALUM CAP
- ⊕ WATER WELL
- ⊕ GUY ANCHOR
- OE — POWER LINE (OVERHEAD)
- X — FENCE (WIRE TYPE)
- () RECORD DEED CALL



**SURVEY PLAT OF TWO TRACTS
SAMUEL GATES SURVEY, A-45
M.A. EARLY SURVEY, A-40
WASHINGTON COUNTY, TX**

DATE: 07-31-2009
DRAWN BY: MWL
CHECKED BY: MWL
FIELD CREW: AJM/JPW
PROJECT NO. 09-07-193
COUNTY: WASHINGTON
SCALE: 1" = 200'
SHEET: 1 OF 1

FRANK
SURVEYING COMPANY INC
2205 WALNUT STREET - COLUMBUS, TX 76934
PH: 979.732.3114 - FAX: 979.732.5271
WWW.FRANKSURVEYING.COM

© COPYRIGHT 2009 - ALL RIGHTS RESERVED - THIS SURVEY IS NOT VALID WITHOUT THE SURVEYOR'S SEAL AND DATE SIGNATURE OF SURVEYOR



TEXAS ASSOCIATION OF REALTORS® SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2011

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT 13405 FM 1155
Washington, TX 77880

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller ☐ is ☒ is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property?
☐ July 2010 or ☐ never occupied the Property

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Y	N	U
Cable TV Wiring	☒		
Carbon Monoxide Det.		☒	
Ceiling Fans	☒		
Cooktop	☒		
Dishwasher	☒		
Disposal	☒		
Emergency Escape Ladder(s)		☒	
Exhaust Fans	☒		
Fences	☒		
Fire Detection Equip.	☒		
French Drain	☒		
Gas Fixtures		☒	
Natural Gas Lines		☒	

Item	Y	N	U
Liquid Propane Gas:		☒	
-LP Community (Captive)		☒	
-LP on Property		☒	
Hot Tub		☒	
Intercom System		☒	
Microwave	☒		
Outdoor Grill		☒	
Patio/Decking	☒		
Plumbing System	☒		
Pool		☒	
Pool Equipment		☒	
Pool Maint. Accessories		☒	
Pool Heater		☒	

Item	Y	N	U
Pump: ☐ sump ☐ grinder		☒	
Rain Gutters		☒	
Range/Stove	☒		
Roof/Attic Vents	☒		
Sauna		☒	
Smoke Detector	☒		
Smoke Detector -- Hearing Impaired		☒	
Spa		☒	
Trash Compactor		☒	
TV Antenna		☒	
Washer/Dryer Hookup	☒		
Window Screens	☒		
Public Sewer System		☒	

Item	Y	N	U	Additional Information
Central A/C	☒			☒ electric ☐ gas number of units: <u>2</u>
Evaporative Coolers	☒			number of units: <u>2</u>
Wall/Window AC Units				number of units: _____
Attic Fan(s)		☒		if yes, describe: _____
Central Heat	☒			☒ electric ☐ gas number of units: <u>2</u>
Other Heat				if yes, describe: _____
Oven	☒			number of ovens: <u>1</u> ☒ electric ☐ gas ☐ other: _____
Fireplace & Chimney	☒			☒ wood ☐ gas logs ☐ mock ☐ other: _____
Carport		☒		☐ attached ☐ not attached
Garage		☒		☐ attached ☐ not attached
Garage Door Openers		☒		number of units: _____ number of remotes: _____
Satellite Dish & Controls	☒			☐ owned ☒ leased from <u>D-Chart</u>
Security System	☒			☐ owned ☒ leased from <u>ADT</u>
Water Heater	☒			☐ electric ☐ gas ☐ other: _____ number of units: _____
Water Softener	☒			☐ owned ☐ leased from _____
Underground Lawn Sprinkler		☒		☐ automatic ☐ manual areas covered: _____
Septic / On-Site Sewer Facility	☒			if yes, attach Information About On-Site Sewer Facility (TAR-1407)

(TAR-1406) 9-01-11

Initialed by: Seller: _____ and Buyer: [Signature] [Signature]

Page 1 of 5

Concerning the Property at _____

Water supply provided by: ☐ city ☒ well ☐ MUD ☐ co-op ☐ unknown ☐ other: _____Was the Property built before 1978? ☐ yes ☒ no ☐ unknown

(If yes, complete, sign, and attach TAR-1906 concerning lead-based paint hazards).

Roof Type: Shingle Age: 6 yrs (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)?

☐ yes ☒ no ☐ unknownAre you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair? ☐ yes ☒ no If yes, describe (attach additional sheets if necessary): _____**Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following?: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)**

Item	Y	N	Item	Y	N	Item	Y	N
Basement		☒	Floors		☒	Sidewalks		☒
Ceilings		☒	Foundation / Slab(s)		☒	Walls / Fences		☒
Doors		☒	Interior Walls		☒	Windows		☒
Driveways		☒	Lighting Fixtures		☒	Other Structural Components		☒
Electrical Systems		☒	Plumbing Systems		☒			
Exterior Walls		☒	Roof		☒			

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary): _____

Section 3. Are you (Seller) aware of any of the following conditions: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Y	N	Condition	Y	N
Aluminum Wiring		☒	Previous Foundation Repairs		☒
Asbestos Components		☒	Previous Roof Repairs		☒
Diseased Trees: ☐ oak wilt ☐ _____		☒	Other Structural Repairs		☒
Endangered Species/Habitat on Property		☒	Radon Gas		☒
Fault Lines		☒	Settling		☒
Hazardous or Toxic Waste		☒	Soil Movement		☒
Improper Drainage		☒	Subsurface Structure or Pits		☒
Intermittent or Weather Springs		☒	Underground Storage Tanks		☒
Landfill		☒	Unplatted Easements		☒
Lead-Based Paint or Lead-Based Pt. Hazards		☒	Unrecorded Easements		☒
Encroachments onto the Property		☒	Urea-formaldehyde Insulation		☒
Improvements encroaching on others' property		☒	Water Penetration		☒
Located in 100-year Floodplain		☒	Wetlands on Property		☒
Located in Floodway		☒	Wood Rot		☒
Present Flood Ins. Coverage (If yes, attach TAR-1414)	☒		Active infestation of termites or other wood destroying insects (WDI)		☒
Previous Flooding into the Structures		☒	Previous treatment for termites or WDI		☒
Previous Flooding onto the Property		☒	Previous termite or WDI damage repaired		☒
Previous Fires		☒	Termite or WDI damage needing repair		☒
Previous Use of Premises for Manufacture of Methamphetamine		☒	Single Blockable Main Drain in Pool/Hot Tub/Spa*		☒

(TAR-1406) 9-01-11

Initialed by: Seller: _____ and Buyer: [Signature]

Concerning the Property at _____

Washington, TX 77880

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary): _____

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? ☐ yes ☒ no If yes, explain (attach additional sheets if necessary): _____

Section 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)

Y N

☐ ☒ Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.

☐ ☒ Homeowners' associations or maintenance fees or assessments. If yes, complete the following:

Name of association: _____

Manager's name: _____ Phone: _____

Fees or assessments are: \$ _____ per _____ and are: ☐ mandatory ☐ voluntaryAny unpaid fees or assessment for the Property? ☐ yes (\$ _____) ☐ no

If the Property is in more than one association, provide information about the other associations below or attach information to this notice.

☐ ☒ Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:

Any optional user fees for common facilities charged? ☐ yes ☐ no If yes, describe: _____

☐ ☒ Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.

☐ ☒ Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)

☐ ☒ Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.

☐ ☒ Any condition on the Property which materially affects the health or safety of an individual.

☐ ☒ Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.

If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).

☐ ☒ Any rainwater harvesting system connected to the property's public water supply that is able to be used for indoor potable purposes.

If the answer to any of the items in Section 5 is yes, explain (attach additional sheets if necessary): _____

(TAR-1406) 9-01-11

Initialed by: Seller: _____ and Buyer: John Webb

Page 3 of 5

Concerning the Property at _____

13405 FM 1155
Washington, TX 77880

Section 6. Seller ☐ has ☐ has not attached a survey of the Property.

Section 7. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? ☐ yes ☐ no If yes, attach copies and complete the following:

Inspection Date	Type	Name of Inspector	No. of Pages
7/14/09	whole house	Texas Professional Inspectors	19

Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.

Section 8. Check any tax exemption(s) which you (Seller) currently claim for the Property:

- ☐ Homestead ☐ Senior Citizen ☐ Disabled
☐ Wildlife Management ☒ Agricultural ☐ Disabled Veteran
☐ Other: _____ ☐ Unknown

Section 9. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? ☐ yes ☒ no If yes, explain: _____

Section 10. Does the property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code? ☐ unknown ☐ no ☒ yes. If no or unknown, explain. (Attach additional sheets if necessary): _____

*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information.

Signature of Seller Jerry B Hixson Date 3/20/12 Signature of Seller Wendy R Hixson Date 3-20-12
Printed Name: Jerry B. Hixson Printed Name: Wendy R. Hixson

(TAR-1406) 9-01-11

Initialed by: Seller: _____ and Buyer: JBH, WRH

Page 4 of 5

Concerning the Property at _____

13405 FM 1155
Washington, TX 77880

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (4) The following providers currently provide service to the property:

Electric: _____	phone #: _____
Sewer: _____	phone #: _____
Water: _____	phone #: _____
Cable: _____	phone #: _____
Trash: _____	phone #: _____
Natural Gas: _____	phone #: _____
Phone Company: _____	phone #: _____
Propane: _____	phone #: _____
- (5) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. **YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.**

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer _____	Date _____	Signature of Buyer _____	Date _____
Printed Name: _____		Printed Name: _____	



TEXAS ASSOCIATION OF REALTORS®

INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED.
©Texas Association of REALTORS®, Inc., 2004

CONCERNING THE PROPERTY AT 13405 FM 1155
Washington, TX 77880

A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System: ☐ Septic Tank ☒ Aerobic Treatment ☐ Unknown
- (2) Type of Distribution System: Sprayers ☐ Unknown
- (3) Approximate Location of Drain Field or Distribution System: Pasture by main entry drive ☐ Unknown
- (4) Installer: _____ ☒ Unknown
- (5) Approximate Age: 6-7 yrs ☐ Unknown

B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? ☒ Yes ☐ No
If yes, name of maintenance contractor: Aeroseptic Maintenance
Phone: 281 351 9681 contract expiration date: 3/2013 JAN
Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard on-site sewer facilities.)
- (2) Approximate date any tanks were last pumped? 2009
- (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? ☐ Yes ☒ No
If yes, explain: _____
- (4) Does Seller have manufacturer or warranty information available for review? ☐ Yes ☐ No

C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:

- (1) The following items concerning the on-site sewer facility are attached:
☐ planning materials ☐ permit for original installation ☐ final inspection when OSSF was installed
☐ maintenance contract ☐ manufacturer information ☐ warranty information
- (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
- (3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

(TAR-1407) 1-7-04

Initialed for Identification by Buyer _____ and Seller [Signature] [Signature]

Page 1 of 2

Coldwell Banker Properties Unlimited 2402 S Day St Brenham, TX 77833

Phone: (979) 251-2148

Fax: (979) 353-4293

Yvette Kirkland


Produced with ZipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.ziplogix.com

13405 FM 1155

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	<u>Usage (gal/day)</u> <u>without water-</u> <u>saving devices</u>	<u>Usage (gal/day)</u> <u>with water-</u> <u>saving devices</u>
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

 3/20/12
Signature of Seller Date
Jerry B. Hixson

 3-22-12
Signature of Seller Date
Wendy R. Hixson

Receipt acknowledged by:

Signature of Buyer Date

Signature of Buyer Date