

Send original copy by certified return receipt requested mail to: TNRCC, MC 177, P.O. Box 13087, Austin, TX 78711-3087

Texas Water Well Drillers Advisory Council
MC 177
P.O. Box 13087
Austin, TX 78711-3087
512-239-0530

ATTENTION OWNER: Confidentiality
Privilege Notice on on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

1) OWNER: Mark Shiner (Name) ADDRESS 1811 Glendon Cliff Aus Tx 78704 (Street or RFD) (City) (State) (Zip)

2) ADDRESS OF WELL: 218 Sandy Rd. Bastrop Tx 78953 (Street, RFD or other) (City) (State) (Zip) GRID # 67-06-5

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
 If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

6) WELL LOG:
 Date Drilling: 6-5-01
 Started 6-5-01
 Completed 6-12-01

DIAMETER OF HOLE		
Dia. (in.)	From (ft.)	To (ft.)
7 7/8	Surface	460

7) DRILLING METHOD (Check): ☐ Driven
☐ Air Rotary ☒ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other _____

8) Borehole Completion (Check): ☐ Open Hole ☒ Straight Wall
☐ Underreamed ☐ Gravel Packed ☐ Other _____
 If Gravel Packed give interval ... from _____ ft. to _____ ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:					
Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Cage Casting Screen
			From	To	
4	N	Plastic	0	420	635
4	N	Slotted	420	460	

9) CEMENTING DATA [Rule 338.44(1)]
 Cemented from 0 ft. to 10 ft. No. of sacks used 4
 _____ ft. to _____ ft. No. of sacks used _____
 Method used Hand
 Cemented by Driller
 Distance to septic system field lines or other concentrated contamination N/A
 Method of verification of above distance _____

10) SURFACE COMPLETION
☒ Specified Surface Slab Installed [Rule 338.44(2)(A)]
☐ Specified Steel Sleeve Installed [Rule 338.44(3)(A)]
☐ Pitless Adapter Used [Rule 338.44(3)(b)]
☐ Approved Alternative Procedure Used [Rule 338.71]

11) WATER LEVEL:
 Static level 192 ft. below land surface Date 6-12-01
 Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
1- Rubber	10'
1- Rubber	390'
1- Rubber	200'

13) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
 Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
 Type test: ☐ Pump ☐ Bailor ☒ Jetted ☒ Estimated
 Yield: 35 gpm with 355 ft. drawdown after 4 hrs.

15) WATER QUALITY:
 Did you knowingly penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
 Type of water? _____ Depth of strata? _____
 Was a chemical analysis made? ☐ Yes ☒ No

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Jimmy's Well Service (Type or print) WELL DRILLER'S LICENSE NO. 2533 WPL

ADDRESS 321 Phelan Rd Bastrop Tx 78602 (Street or RFD) (City) (State) (Zip)

(Signed) Jimmy D. Olson Jr (Licensed Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

LOST PINES GROUNDWATER
CONSERVATION DISTRICT
CERTIFICATE OF REGISTRATION

Lost Pines Well Number: 6705219

Date Drilled: 6/12/2001

Well Location: 304 S to 535 then W on 535 to Sandy Rd, Left 218

Latitude: 295721 **Longitude:** 972008

County: Bastrop County

Is registered with the Lost Pines Goundwater Conservation District. The well is owned by:

Mark

Shinler

1811 Glynn Cliff

Austin

TX 78704-

Paul Salchinger for Joe Cogan, G.M.
for Lost Pines Groundwater
Conservation District

06-13-01

Date

TRACKING# 1269

STATE OF TEXAS WELL REPORT

OWNER: Mark Shinler

ADDRESS: 1811 Glynn Cliff

Austin, Tx 78704

ADDRESS OF WELL'S LOCATION:

218 Sandy Road

Rosanky, TX 78953

COUNTY: Bastrop

LATITUDE: 295721

LONGITUDE: 972008

Brand/Model of GPS: Garman/E.Map

TYPE OF WORK:

☒ New Well ☐ Replacement Well☐ Deepening ☐ Reconditioning☐ Plugging ☐ Rig Supply

PROPOSED USE:

☐ Monitor Well ☐ Env. Soil Boring ☒ Domestic ☐ Test Well☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-wateringIf Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

WELL LOG:

Date Drilling:

Started 6/5/2001

Completed 6/12/2001

DIAMETER OF HOLE:

Dia. (in.) From (ft.) To (ft.)

7 7/8 Surface 460

DRILLING METHOD:

☐ Driven ☐ Air Hammer ☐ Hollow Stem Auger ☐ Bored☐ Air Rotary ☐ Cable Tool ☐ Reverse Circulation☒ Mud Rotary ☐ Jetted ☐ Other

BOREHOLE COMPLETION:

☐ Open Hole ☐ Underreamed ☐ Other☒ Straight Wall ☒ Gravel Packed

Gravel Packed Interval from ft. to ft.

CEMENTING DATA:

Cemented from 0 ft. to 10 ft. No. of sacks used 4

Cemented from ft. to ft. No. of sacks used

Method Used hand

Cemented By driller

Distance to Septic System 150 ft.

Method of Verification no septic at this time

SURFACE COMPLETION:

☒ Specified Surface Slab Installed ☐ Pitless Adapter Used☐ Specified Steel Sleeve Installed ☐ Approved Alternative Procedure Used

WATER LEVEL:

Static level 192 ft. below land surface Date 6/12/2001

Artesian Flow gpm. Date

PLUGGING INFO:

☐ Well Plugged within 48 hours

Casing left in well: Cement/Bentonite left in well:

From (ft.) To (ft.) From (ft.) To (ft.) Cem/Bent Sacks Used:

TYPE OF PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder☐ Other

Depth to pump bowls, cylinder, jet, etc. 45

PACKERS:

Type Depth

rubber 10 ft.

rubber 390 ft.

rubber 200 ft.

WELL TESTS:

Type of test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated

Yield: 35 gpm with 355 ft. drawdown after 4 hrs.

WATER QUALITY:

Did Driller knowingly penetrate any strata which contained undesirable constituents? ☐ Yes ☒ No

Type of water:

Depth of Strata:

Chemical Analysis made? ☐ Yes ☒ No

COMPANY NAME Jimmy's Well Service

WELL DRILLER'S LICENSE NO. 2533

ADDRESS P O Box 70

Bastrop Tx 78602

Name as Signature 2533WPL

Registered Driller Apprentice

Driller Comments:

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well Logs, reads as follows:

"Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential. Please include the report's Tracking number on your written request.

Texas Department of Licensing & Regulation

P.O. Box 12157
Austin, TX 78711
512-463-7880

DESCRIPTION AND COLOR OF FORMATION MATERIAL

From (ft.) To (ft.) Description

0-4 surface
4-34 red & yellow sandy shale
34-85 tan coarse sand
85-165 sand
165-170 gray shale
170-200 sand
200-262 gray shale
262-300 sand
300-412 gray shale w/rocks
412-416 rock
416-435 sandy shale
435-460 sand

CASING, BLANK PIPE, AND WELL SCREEN DATA

Dia.	New/ Used	Type	Setting From/To	Gage
4	N	Plastic	0 420	
4	N	Slotted	420 460	.035