

Soil Map—Washington County, Oregon  
(41505 Sandstorm)



## MAP LEGEND

### Area of Interest (AOI)

 Area of Interest (AOI)

### Soils

 Soil Map Units

### Special Point Features

-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot
-  Spoil Area
-  Stony Spot



Very Stony Spot



Wet Spot



Other

### Special Line Features



Gully



Short Steep Slope



Other

### Political Features



Cities

### Water Features



Oceans



Streams and Canals

### Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

## MAP INFORMATION

Map Scale: 1:7,120 if printed on A size (8.5" × 11") sheet.

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for accurate map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL: <http://websoilsurvey.nrcs.usda.gov>

Coordinate System: UTM Zone 10N NAD83

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Washington County, Oregon

Survey Area Data: Version 9, Jul 15, 2010

Date(s) aerial images were photographed: 7/18/2005

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

## Map Unit Legend

| Washington County, Oregon (OR067)  |  |              |                |
|------------------------------------|--|--------------|----------------|
| Map Unit Symbol                    | Map Unit Name  | Acres in AOI | Percent of AOI |
| 7B                                 | Cascade silt loam, 3 to 7 percent slopes                 | 13.5         | 7.9%           |
| 7C                                 | Cascade silt loam, 7 to 12 percent slopes                | 4.8          | 2.8%           |
| 11B                                | Cornelius and Kinton silt loams, 2 to 7 percent slopes   | 1.9          | 1.1%           |
| 11D                                | Cornelius and Kinton silt loams, 12 to 20 percent slopes | 13.8         | 8.1%           |
| 11F                                | Cornelius and Kinton silt loams, 30 to 60 percent slopes | 6.3          | 3.7%           |
| 28B                                | Laurelwood silt loam, 3 to 7 percent slopes              | 21.7         | 12.7%          |
| 28C                                | Laurelwood silt loam, 7 to 12 percent slopes             | 30.8         | 18.1%          |
| 28D                                | Laurelwood silt loam, 12 to 20 percent slopes            | 25.0         | 14.6%          |
| 31E                                | Melbourne silty clay loam, 20 to 30 percent slopes       | 5.5          | 3.2%           |
| 38D                                | Saum silt loam, 12 to 20 percent slopes                  | 10.3         | 6.1%           |
| 38E                                | Saum silt loam, 20 to 30 percent slopes                  | 20.9         | 12.2%          |
| 38F                                | Saum silt loam, 30 to 60 percent slopes                  | 15.9         | 9.3%           |
| 43                                 | Wapato silty clay loam                                   | 0.3          | 0.2%           |
| <b>Totals for Area of Interest</b> |  | <b>170.7</b> | <b>100.0%</b>  |