



| Area Symbol: IA039, Soil Area Version: 22 | | | | | | | |
|---|--|-------|------------------|-------------|------------------|--------|-----|
| Code | Soil Description | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | CSR |
| 368B | Macksburg silty clay loam, 2 to 5 percent slopes | 21.58 | 43.5% | | lle | 89 | 90 |
| 570C2 | Nira silty clay loam, 5 to 9 percent slopes, moderately eroded | 15.33 | 30.9% | | llle | 72 | 64 |
| 822C2 | Lamoni clay loam, 5 to 9 percent slopes, moderately eroded | 4.68 | 9.4% | | lle | 29 | 30 |
| 370C2 | Sharpsburg silty clay loam, 5 to 9 percent slopes, eroded | 4.59 | 9.3% | | lle | 80 | 67 |
| 368 | Macksburg silty clay loam, 0 to 2 percent slopes | 2.48 | 5.0% | | lw | 94 | 95 |
| 24D | Shelby loam, 9 to 14 percent slopes | 0.42 | 0.8% | | llle | 55 | 45 |
| W | Water | 0.36 | 0.7% | | | 0 | 0 |
| Y192C2 | Adair clay loam, dissected till plain, 5 to 9 percent slopes, eroded | 0.16 | 0.3% | | lle | 51 | |
| Weighted Average | | | | | | 76.4 | *- |

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.