

Texas Association of Realtors*

SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2016

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which

				exc	eed	the	minimum disclosures required by the Code.		* * * * * *	,41
CONCERNING THE F	PRO	PI	ER	ΓΥ	4Τ <u>2</u>	355	Dutton Lane, Madisonville, TX 77864			_
AS OF THE DATE :	SIG BUY	NE EF	ED R M	BY AY	SE WIS	LLI SH	ELLER'S KNOWLEDGE OF THE CONDITION OF THE PRO ER AND IS NOT A SUBSTITUTE FOR ANY INSPECTION TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY S SENT.	NS)R
the Property?							operty. If unoccupied (by Seller), how long since Seller has controlled the Property	occi	apie	∍d
This notice does not es	erty stab	r ha Nist	as t	he e ite	i te n ms t	n s i	marked below: (Mark Yes (Y), No (N), or Unknown (U).) e conveyed. The contract will determine which items will & will not c	conv	ey.	
Item	Y	N	U		Iten	n	Y N U Item	Y	N	U
Cable TV Wiring	\square				Liqu	ıid l	Propane Gas: □ ☑ □ Pump: □ sump □ grinder	Ġ		
Carbon Monoxide Det.		\square			-LP	Co	mmunity (Captive)	冒		
Ceiling Fans	Ø				-LP	on	Property			
Cooktop					Hot	Tul	Roof/Attic Vents	\mathbf{Z}		
Dishwasher	\square						m System 🔲 🗹 🔲 Sauna		Ø	
Disposal				_	Mic		ave 🛛 🗖 🗖 Smoke Detector	Ø		
Emergency Escape										
Exhaust Fans	\square						ecking 🛛 🗖 🗖 Spa		Ø	
Fences	Ø			L	Plur	nbii	ng System 🗵 🗆 Trash Compactor		\square	
Fire Detection Equip.	\square				Poo	1	□ ☑ □ TV Antenna		\square	
French Drain		Ø		L	Poo	l Ed	uipment □ □ □ Washer/Dryer Hookup	\square		
Gas Fixtures									Ø	
Natural Gas Lines		Ø		L	Poo	He	eater		\square	
Item				Υ	N	U	Additional Information			_1
Central A/C				Ø			☑ electric ☐ gas number of units: 2			~-
Evaporative Coolers							number of units:			\dashv
Wall/Window AC Units					Ø		number of units:			\neg
Attic Fan(s)					Ø		if yes, describe:			
Central Heat			\square			☑ electric ☐ gas number of units: 2 UNITS				
Other Heat					Ø		if yes describe:			
Oven							number of ovens:			_
							☑ wood □ gas logs □ mock □ other:			_
Carport ☑ ☐ ☑ ☑ attached ☐ not attached										
Garage							ᅱ			
Garage Door Openers								\exists		
Satellite Dish & Controls								_		
Security System										
Water Heater □ □ □ □ electric □ gas □ other:number of units: 2 50 GALLO						N				
Vater Softener □ □ □ □ owned □ leased from										
Underground Lawn Spr				\square						_
eptic / On-Site Sewer Facility D D if yes, attach Information About On-Site Sewer Facility (TAP 1407)										

(TAR-1406) 01-01-16

Initialed hy: Ruver

Concerning the Property at 2355 Dutton Lane, Madison	ville,	, T	X 77	864						
Water supply provided by: ☐ city ☑ well ☐ N	ИUD)		со-ор 🗆] u	nkno	own 🗖 other:			
Was the Property built before 1978? ☐ yes ☑	no	I	🗆 u	nknown			-			
(If yes, complete, sign, and attach TAR-1906 concerning lead-based paint hazards).										
Roof Type: COMPOSITION Age: 10 YEARS (approximate) Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof										
covering)? yes no unknown	y (s	ını	ngie	es or roo	OT C	cover	ing placed over existing shingles	or	root	
covering): Layes Latio Latikitowii										
Are you (Seller) aware of any of the items liste	ed ir	n f	this	Section	1	that	are not in working condition, th	at h	nave	
defects, or are need of repair? ☐ yes ☑ no 1	f ye:	s,	des	cribe (a	tta	ch a	dditional sheets if necessary):			
Section 2. Are you (Seller) aware of any de	efec	:ts	or	malfun	ıcti	ions	in any of the following?: (Ma	ark	Yes	
(Y) if you are aware and No (N) if you are not	aw	ar	re.)				ar any or ano removing (mi	•••		
						_				
Item Y N Item				Y	١		Item	Y	N	
Basement	(0 :	_	<i>,</i> ,		\ <u>\</u>	_	Sidewalks			
Ceilings		ab)(S)		<u> </u>	— i	Walls / Fences			
Doors							Windows			
Driveways Lighting Fixed					E	_	Other Structural Components			
Electrical Systems	yste	m	IŞ.		[2	_				
Exterior Walls					¥	1		<u>.</u>		
If the answer to any of the items in Section 2 is	ves	е	expla	ain (atta	ch	addi	tional sheets if necessary):			
	, 		1				dend, enteste il rioccedi, yi.			
								-		
Section 3. Are you (Seller) aware of any of	the	e	folle	owing c	100	nditi	ons: (Mark Yes (Y) if you are	aw	/are	
and No (N) if you are not aware.)										
Condition	Υ		N	Cond	iti	on		Υ	N	
Aluminum Wiring				t .			ındation Repairs		Ø	
Asbestos Components		-	2				of Repairs		Ø	
Diseased Trees: ☐ oak wilt ☐			a				ural Repairs			
Endangered Species/Habitat on Property		5	7	Rador						
Fault Lines		2	2	Settlin	ng		· · · · · · · · · · · · · · · · · · ·			
Hazardous or Toxic Waste		6	Z	Soil M	10v	/eme	ent			
Improper Drainage		Ē	Z	Subsu	urfa	ace S	Structure or Pits			
Intermittent or Weather Springs		6	2	Under	rgr	ound	Storage Tanks			
Landfill		6	Z				sements			
Lead-Based Paint or Lead-Based Pt. Hazards		6	2	Unrec	or	ded I	Easements			
Encroachments onto the Property		E	2	Urea-	for	malo	lehyde Insulation		Ø	
Improvements encroaching on others' property		8	7	Water	P	enet	ration			
Located in 100-year Floodplain		<u> </u>	Z	Wetla	nd	s on	Property			
Located in Floodway		6	Z	Wood	R	ot			\square	
Present Flood Ins. Coverage			2	Active	ir	ifesta	ation of termites or other wood			
(If yes, attach TAR-1414)				destro	yir	ng in	sects (WDI)			
Previous Flooding into the Structures			2				atment for termites or WDI			
Previous Flooding onto the Property		-	7				nite or WDI damage repaired			
Located in Historic District		-	2	Previo						
Historic Property Designation		F	2]				DI damage needing repair		Ø	
Previous Use of Premises for Manufacture		2	z l				cable Main Drain in Pool/Hot		Ø	
of Methamphetamine		1		Tub/S	na	*				

Initialed by: Ruyort

/TA'R'_1406\ 01_01_16

Concerning the Property at 2355 Dutton Lane, Madisonville, TX 77864							
If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):							
	*A single blockable main drain may cause a suction entrapment hazard for an individual.						
of repa	4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need if, which has not been previously disclosed in this notice? yes no If yes, explain (attach hal sheets if necessary): Ice Machine needs repair and cleaner run through ti.						
Section you are	5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if not aware.)						
<u>Y</u> N □ ☑	Room additions, structural modifications, or other alterations or repairs made without necessary permits or not in compliance with building codes in effect at the time.						
	Homeowners' associations or maintenance fees or assessments. If yes, complete the following: Name of association:						
	Manager's name: Phone: Fees or assessments are: \$ per and are: □ mandatory □ voluntary						
	Any unpaid fees or assessment for the Property? yes (\$) no If the Property is in more than one association, provide information about the other associations below or attach information to this notice.						
	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following: Any optional user fees for common facilities charged? yes no If yes, describe:						
	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.						
	Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)						
	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.						
	Any condition on the Property which materially affects the health or safety of an individual.						
	Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).						
	Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.						
	The Property is located in a propane gas system service area owned by a propane distribution system retailer.						
	Any portion of the Property that is located in a groundwater conservation district or a subsidence district.						

/TAR_1406\ 01_01_16

Concerning the Prop-	erty at 2355 Dutt	on Lane, Madisonville, TX 77864		
If the answer to a	iny of the item	s in Section 5 is yes, explain (attach additional sheets if neo	cessary):
Section 6. Selle	er ☑ has ☐	has not attached a survey	of the Property.	
persons who re	gularly prov	f years, have you (Seller) ide inspections and who a nspections? ☐ yes ☐ no If	re either licensed as insp	ectors or otherwise
Inspection Date	Туре	Name of Inspector		No. of Pages
	A buyer sho	on the above-cited reports as a could obtain inspections from in emption(s) which you (Selle ☐ Senior Citizen ☐ Agricultural	spectors chosen by the buye	er.
provider?	s 🔲 no e you (Seller rrance claim	r) ever filed a claim for or a settlement or award in the claim was made? yes	for a claim for damage t a legal proceeding) and no	to the Property (for
detector requirer	ments of Cha	ty have working smoke deto pter 766 of the Health and S iditional sheets if necessary):	ectors installed in accorda Safety Code?* ☐ unknown	ince with the smoke ☐ no ☑ yes. If no
*Chapter 766 of	the Health and	Safety Code requires one-family or	two-family dwellings to have work	king smoke detectors

*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

/T&P_1/08\ 01_01_18

/TA'R-1406) 04-01-16



INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED. ©Texas Association of REALTORS®, Inc., 2004

Α.	DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:	
	(1) Type of Treatment System: ☐Septic Tank ☐Aerobic Treatment	□Unknown
	(2) Type of Distribution System: SPRINKLERS	Unknown
	(3) Approximate Location of Drain Field or Distribution System:	□Unknown
	Tanks and sprinklers are located on the west end of the home, sprinklers are located on the north end of home ie (backyard).	
	(4) Installer: Castleberry Septic	Unknown
	(5) Approximate Age: 9 Years	Unknown
3.	MAINTENANCE INFORMATION:	
	(1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility?	
	yes, name of maintenance contractor: Phone: (Maintenance contracts must be in effect to operate aerobic treatment and certain no site sewer facilities.)	□Yes ☑No II
	yes, name of maintenance contractor: Phone: Contract expiration date: (Maintenance contracts must be in effect to operate aerobic treatment and certain no	
	yes, name of maintenance contractor: contract expiration date: (Maintenance contracts must be in effect to operate aerobic treatment and certain no site sewer facilities.)	
	yes, name of maintenance contractor: Phone: (Maintenance contracts must be in effect to operate aerobic treatment and certain no site sewer facilities.) (2) Approximate date any tanks were last pumped? December of 2010 (3) Is Seller aware of any defect or malfunction in the on-site sewer facility?	n-standard" on-
C.	yes, name of maintenance contractor: Phone: (Maintenance contracts must be in effect to operate aerobic treatment and certain no site sewer facilities.) (2) Approximate date any tanks were last pumped? December of 2010 (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? If yes, explain:	n-standard" on-
2.	yes, name of maintenance contractor: Phone: (Maintenance contracts must be in effect to operate aerobic treatment and certain no site sewer facilities.) (2) Approximate date any tanks were last pumped? December of 2010 (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? If yes, explain: (4) Does Seller have manufacturer or warranty information available for review?	Pres ☑No

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

Facility	Usage (gal/day) without water- saving devices	Usage (gal/day) with water- saving devices
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.

That I was Olic	06/13/2017		-
Signature of Seller	Date	Signature of Seller	Date
Receipt acknowledged by:			
Signature of Buyer	Date	Signature of Buyer	Date