

STATE OF WEST VIRGINIA

HAMPSHIRE COUNTY HEALTH DEPARTMENT

ON-SITE SEWAGE DISPOSAL SYSTEM PERMIT

Owner: Darlene P. Gregg

Address: 41 Arrowhead Dr., Elkton, Md 21924

Installer: Walter Fields

Address: HC 86 Box 35A, Greenspring, WV 26722

You are hereby issued a permit to: install an on-site sewage disposal system located at:
Chestnut Ridge Rd

Tax District Gore Tax Map 20 Parcel # 3.1

Facility: residence Design Flow: 2 Lot Size: 12.71 acres Acres Water Source: cistern

BASED UPON REVIEW OF THE INFORMATION OF YOUR SUBMITTED APPLICATION, DATED 8/20/2012, AND THE PROPER INSTALLATION OF THE HERIN DESCRIBED SYSTEM, THE SYSTEM SHALL BE IN COMPLIANCE WITH APPLICABLE WEST VIRGINIA SEWAGE SYSTEM RULES AND DESIGN STANDARDS.

The sewage system shall consist of a:

☒ Septic tank—Capacity: 1000 gallons or more, Constructed of precast concrete.

☒ Soil disposal system with a minimum equivalency of 1200 sq ft of conventional gravel trench area.

Depth to the bottom of the trench installation shall be: 24 inches from original ground surface. Width 36 inches.

☐ Gravel system: Lengths of lines: _____, _____, _____, _____, ft.

☒ Chamber system: Number of lines: 3, Length of lines: 80's

☐ Class II System: _____

☐ Other: _____

GPS Coordinates: North 39 21 14.2 West 78 36 01.6

This permit is non-transferable and Automatically expires 12 months After issue date.

This permit is NULL and VOID When official inspection reveals Conditions different than those Stipulated on the permit or facts Are later found that would indicate non-compliance with applicable rules.

All systems must be inspected And approved prior to being Covered with earth or placed intouse.

The applicant or his agent must Notify this department 72 hours Or more prior to planned Inspection time.

8/22/2012


Issue date

(304) 496-9641

County Office Phone Number

Sketch of systems:

Draw Arrow Toward North



10, 000 Sq ft Reserve area REQUIRED

Schedule 40 Pipe Required

NOT TO SCALE

[Signature]
 Health Officer or Sanitarian