


Gorgeous Acreage Near Ritter, OR

**43415 RITTER RD
Long Creek**




\$525,000

◆ 2 Bedrooms ◆ 2 Baths ◆ 0 Partial Baths

- ◆ Beautiful Log Home
- ◆ 118 m/l Acres
- ◆ New Tin Roof
- ◆ Fenced
- ◆ Shop, Barn
- ◆ Original Homestead

Nicely built Home nestled into hillside in beautiful setting near Ritter, OR.

**Milne McLaughlin
541-377-7787
Clark Jennings & Asso. LLC, OR
614 SE Court Ave
Pendleton, OR 97801
541-278-9275**









Bedroom, Master



Living Room/Dining Room



Loft



Barn




Storage

© 2017



© 2017





Shop



WATER WELL REPORT
STATE OF OREGON

GR.N...77... RECEIVED
AUG 20 1984

State Well No. 75/29E-2/cn

PLEASE TYPE or WATER RESOURCES DEPT
SALEM, OREGON

State Permit No.

(1) OWNER:

Name Fred Zwiesler
Address P.O. Box 11
City Ritter State Or. 97872

(2) TYPE OF WORK (check):

New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air ☒ Driven ☐ Domestic ☒ Industrial ☐ Municipal ☐
Mud ☐ Dug ☐ Irrigation ☐ Test Well ☐ Other ☐
Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐

(4) PROPOSED USE (check):

CASING INSTALLED: Steel ☒ Plastic ☐
Threaded ☐ Welded ☒
6" Diam. from 1 ft. to 19 ft. Gauge .250
" Diam. from _____ ft. to _____ ft. Gauge _____

LINER INSTALLED:

" Diam. from _____ ft. to _____ ft. Gauge _____

(6) PERFORATIONS:

Perforated? ☐ Yes ☒ No

Type of perforator used _____

Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? ☐ Yes ☒ No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot Size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

a pump test made? ☐ Yes ☒ No If yes, by whom?

id: _____ gal./min. with _____ ft. drawdown after _____ hrs.

Air test 40 gal./min. with drill stem at 300 ft. 1 hrs.

Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.

Flow _____ g.p.m.

Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Special standards: Yes ☐ No ☒

Well seal—Material used Cement
Well sealed from land surface to 19 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 6 sacks
How was cement grout placed? Pressure grouted

Was pump installed? No Type _____ HP _____ Depth _____ ft.

Was a drive shoe used? ☐ Yes ☒ No Plugs _____ Size: location _____ ft.

Did any strata contain unusable water? ☐ Yes ☒ No

Type of Water? _____ depth of strata _____

Method of sealing strata off _____

Was well gravel packed? ☐ Yes ☒ No Size of gravel: _____

Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Grant Driller's well number _____
NE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 24 T. 7 R. 29 E. W.M.
Tax Lot # 5301 Lot _____ Blk _____ Subdivision _____
Address at well location: P.O. Box 11
Ritter, Or. 97872

(11) WATER LEVEL: Completed well.

Depth at which water was first found 290 ft.
Static level 80 ft. below land surface. Date 7-18-84
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 300 ft. Depth of completed well 300 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Brown clay soil	0	2	
Hard gray basalt	2	89	
Soft brown basalt	89	106	
Soft red + gray basalt	106	124	
Gray basalt	124	198	
Soft red basalt	198	212	
Soft gray basalt with green soapstone	212	222	
Gray basalt	222	253	
Soft red basalt	253	271	
Gray basalt	271	290	
Soft brown basalt with soapstone	290	300	WJ

Work started 7-17 1984 Completed 7-18 1984
Date well drilling machine moved off of well 7-18 1984

(unbonded) Water Well Constructor Certification (if applicable):

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

(Signed) _____ Date _____, 19____

Bonded Water Well Constructor Certification:

Bond SB 36090 Issued by: Oregon Automobile Ins Co
(number) Surety Company Name

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Wallace Drilling
(Person, firm or corporation) (Type or print)


Address 1307 SW 23rd, Pendleton Or. 97801

(Signed) Patrick C. Wallace
Water Well Constructor
Date 7-23, 1984

Depth (Feet)	Water Temperature (°C)
0	28
100	25
200	22
300	20
400	18
500	16
600	14
700	12
800	11
900	10
1,000	10
1,500	9
2,000	10
2,500	9
3,000	8
3,500	9
4,000	10

1" = 2000'

Cancelled




Revised: SH
06/03/2015

07S29E

RMLSweb Map

Address: 43415 RITTER RD, Long Creek, 97856



Records found: 1

Zoom Level: 16

Photo	MLS#/Tax#	address	status	Cat.	area	price
-------	-----------	---------	--------	------	------	-------

▲ status: ACT

Copyright ©2017 RMLS All rights reserved.