



State of Oregon

DEPARTMENT OF ENVIRONMENTAL QUALITY

INTEROFFICE MEMO

Sec. 22
400

To: Diane

Date: 11/4/77

From: Tom

Subject: L.R. Andrus SSD Permits

1. The last I new there were two systems in.
2. ~~\$100.00~~^{50.00} paid 3-26-75 to K-Falls.
3. ~~\$50.00~~^{100.00} paid 2-18-76 to Bend.

Unless you can find correspondence to the contrary the money
was handled as follows:

STATE OF OREGON

DEPARTMENT OF ENVIRONMENTAL QUALITY

CERTIFICATE OF SATISFACTORY COMPLETION

SUBSURFACE OR ALTERNATIVE SEWAGE SYSTEM

OWNER L.R. Andrews PERMIT NO. 248

LOCATION Sec. 22 T28 S, R14 E W.M.

In accordance with Oregon Revised Statute 454.665 this certificate is issued as evidence of satisfactory completion of a subsurface or alternative sewage disposal system at the above location.

M. T. Lock

May 5, 1975

L. R. Andrus
5165 Royal Street
Eugene, Oregon 97402

- Beaver Lumber Co.
Box 2307
Eugene, OR 97402

Dear Mr. Andrus:

We have completed soil evaluations of the proposed sub-surface sewage disposal sites located on your property in Section 22, Township 28S, Range 14E, W. M. On the basis of these evaluations the sites appear suitable for the installation of septic tanks and drainfields.

The results of the soil evaluation are as follows:

Test holes 1, 2, 3 and 4

0-30" loam

30-72" gravels

Test hole 5

0-36" loam

36-72" gravels

Test hole 6

0-48" loam

48-72" gravels

With these soil conditions a total of 150 lineal feet of drainline and a 750 gallon septic tank will be required for each of your proposed 2 bedroom residences. An approved plot plan showing the lay out of these systems will be mailed with the permits.

The requirements or conditions set forth in this letter in no way waive requirements as may be set by zoning of the area.

According to State Health Division rules, two (2) or more mobile homes on the same property within 500 feet of each other constitute a mobile home park.

It appears that what you are planning will be considered a mobile home park and you should therefore contact the State Health Division for further information on their rules and regulations.

6

G. Edward Barnes, Regional Sanitarian for the State Health Division in the Central Region, may be contacted at 389-2774 or Post Office Box 1243, Bend, Oregon 97701

Construction permits, which are good for one year, must be obtained from this office prior to installation of the systems. These Permits may be obtained by the property owner or by a licensed sewage disposal service. An additional \$25.00 fee is required for each permit.

If you have any questions please contact us.

Sincerely

KESSLER R. CANNON
Director

Robert F. Free, Regional Sanitarian
Central Region

TDH:ee

cRo

#4

SITE SUITABILITY

DEPARTMENT OF ENVIRONMENTAL QUALITY

Post Office Box 1930

Klamath Falls, Oregon 97601

834-2747

\$50- total permit fee

\$15 repair permit

FEE: \$25 site suitability

\$25 construction permit

NONREFUNDABLE

Test holes are required for every lot requiring subsurface disposal of sewage. A minimum of two (2) holes is required per proposed building site. The test holes are to characterize the proposed drainfield area and an alternate drainfield area. For large areas, the test holes should also characterize differences in the land forms (high and low areas). Test hole size is not to be less than two (2) feet by three (3) feet wide and six (6) feet deep and should be at least 100 feet apart. Please mark holes in some way so they will be easy to find. Barricade the holes for safety, but leave them accessible for inspection.

THE FOLLOWING INFORMATION IS REQUIRED:

NAME: Deany Lumber Co. DATE 3-24-75

MAILING ADDRESS: PO. Box 2307 Eugene Oregon
Number and Street City

Oregon 97402 PHONE NUMBER: 344-7092
State Zip Code

LEGAL DESCRIPTION OF PROPERTY: TAX ACCY: 281422 SECTION 22
TAX LOT #400

TOWNSHIP 28 S RANGE 14 E

NEAREST ADDRESS WITHIN 500' OF PROPERTY, IF AVAILABLE: NONE

DRIVING INSTRUCTIONS AND LANDMARKS WHICH WILL HELP IN LOCATING TEST HOLES: Turn
South on Hwy. 31 in the town of Silver Lake, on 10th St.
which is street that goes by Rader's grounds, follow to end of street
and you will be there.

ACRES OF LAND 50.68 INTENDED USE OF PROPERTY Agriculture

NUMBER OF BEDROOMS PER UNIT 2 SOURCE OF DOMESTIC WATER Well

IF WELL IS DRILLED, HOW DEEP?

PLACE MAP ON THE BACK SHOWING LANDMARKS FOR HELP IN LOCATION OF PROPERTY AND HOLES.

THIS FORM MUST BE COMPLETED FOR INVESTIGATION.

OFFICIAL USE ONLY:

Appl. Complete

Appl. Rec'd

Date & Am't Pd:

Site Suit

Con. Permit

Date Holes Rdy

Date Permit Iss'd

Permit Number

Final Inspection

Tank Capacity

Drainfield ft per bdrm

Other

3-26-75

\$25 3-26-75

3

SITE SUITABILITY

DEPARTMENT OF ENVIRONMENTAL QUALITY

Post Office Box 1930

Klamath Falls, Oregon 97601

834-2747

FEE: \$50- total permit fee
\$15 repair permit
\$25 site suitability
\$25 construction permit
NONREFUNDABLE

Test holes are required for every lot requiring subsurface disposal of sewage. A minimum of two (2) holes is required per proposed building site. The test holes are to characterize the proposed drainfield area and an alternate drainfield area. For large areas, the test holes should also characterize differences in the land forms (high and low areas). Test hole size is not to be less than two (2) feet by three (3) feet wide and six (6) feet deep and should be at least 100 feet apart. Please mark holes in some way so they will be easy to find. Barricade the holes for safety, but leave them accessible for inspection.

THE FOLLOWING INFORMATION IS REQUIRED:

NAME: Beaver Lumber Co. DATE 3-24-75

MAILING ADDRESS: P.O. Box 2307 Eugene
Number and Street City

Oregon 97402 PHONE NUMBER: 344-7092
State Zip Code

LEGAL DESCRIPTION OF PROPERTY: TAX ACCY: 281422
1/4 Sec 400 SECTION 22
TOWNSHIP 28 S RANGE 14 E

NEAREST ADDRESS WITHIN 500' OF PROPERTY, IF AVAILABLE: None

DRIVING INSTRUCTIONS AND LANDMARKS WHICH WILL HELP IN LOCATING TEST HOLES:

Turn South on Hwy. 31 in the town of Silver Lake,
on 10th Street which is the Street that goes by
Rod's grounds and follow to the end of Street
you will be there.

ACRES OF LAND 50.68 INTENDED USE OF PROPERTY Agriculture

NUMBER OF BEDROOMS PER UNIT 2 SOURCE OF DOMESTIC WATER Well

IF WELL IS DRILLED, HOW DEEP?

PLACE MAP ON THE BACK SHOWING LANDMARKS FOR HELP IN LOCATION OF PROPERTY AND HOLES.

THIS FORM MUST BE COMPLETED FOR INVESTIGATION.

OFFICIAL USE ONLY:

Appl. Complete
Appl. Rec'd 3-26-75
Date & Am't Pd:
Site Suit \$25 3-26-75
Con. Permit
Date Holes Rdy

Date Permit Iss'd
Permit Number
Final Inspection
Tank Capacity
Drainfield ft per bdrm
Other

Robert W. Straub
XXXXXXXXXXXX

April 8, 1975

Archie Matlock, President
Beaver Lumber Company
Post office Box 2307
Eugene, Oregon 97402

Dear Mr. Matlock:

RE: Tax Acct 2814-22-400
Section 22
Township 28S, Range 14E

We recently visited the Silver Lake area in response to your four applications dated 3-24-75 for a site suitability soil evaluation of the above mentioned property.

Our visit was unsuccessful because we were unable to locate the test holes on your property. We would appreciate your calling us here in Klamath Falls, (Phone 884-2747) and give us exact directions to this property--specifically, how far from Highway 31 the test holes are located. We considered the possibility that you neglected to dig the test holes. It is stated on the site evaluation application that a minimum of two (2) test holes are required for a proposed building site. Test holes are to be not less than two (2) feet wide, three (3) feet long, six (6) feet deep and at least one hundred (100) feet apart. They should be marked so they can be easily seen. We cannot make a site evaluation without the test holes.

Please call us or write us as soon as possible and give us this information so that we may process your application.

Very truly yours,

KESSLER R. CANNON
Director

Clifford L. Hanson, Sanitarian
Klamath Branch Office
Post Office Box 1930
Klamath Falls, Oregon 97601
884-2747

CLH:vs

SITE SUITABILITY

DEPARTMENT OF ENVIRONMENTAL QUALITY

Post Office Box 1930

Klamath Falls, Oregon 97601

894-2747

\$50- total permit fee

\$15 repair permit

FEE: \$25 site suitability

\$25 construction permit

NONREFUNDABLE

Test holes are required for every lot requiring subsurface disposal of sewage. A minimum of two (2) holes is required per proposed building site. The test holes are to characterize the proposed drainfield area and an alternate drainfield area. For large areas, the test holes should also characterize differences in the land forms (high and low areas). Test hole size is not to be less than two (2) feet by three (3) feet wide and six (6) feet deep and should be at least 100 feet apart. Please mark holes in some way so they will be easy to find. Barricade the holes for safety, but leave them accessible for inspection.

THE FOLLOWING INFORMATION IS REQUIRED:

NAME: Binn, Lumber Co. DATE: 3-24-75

MAILING ADDRESS: P.O. Box 2307 Eugene, Oregon
Number and Street City

State

Zip Code

PHONE NUMBER: 374-7092

LEGAL DESCRIPTION OF PROPERTY: TAX Acct. 2814 22 lot # 400 SECTION 22

TOWNSHIP 28 S. RANGE 14 E.

NEAREST ADDRESS WITHIN 500' OF PROPERTY, IF AVAILABLE: None

DRIVING INSTRUCTIONS AND LANDMARKS WHICH WILL HELP IN LOCATING TEST HOLES:

Turn South on Hwy. 31 in the town of Silver Lake
West 4th Street which is the street that goes by Poles grounds
and follow to the end of street, and you will be there

ACRES OF LAND 50.65 INTENDED USE OF PROPERTY agriculture

NUMBER OF BEDROOMS PER UNIT 2 SOURCE OF DOMESTIC WATER Well

IF WELL IS DRILLED, HOW DEEP?

PLACE MAP ON THE BACK SHOWING LANDMARKS FOR HELP IN LOCATION OF PROPERTY AND HOLES.

THIS FORM MUST BE COMPLETED FOR INVESTIGATION.

OFFICIAL USE ONLY:

Appl. Complete

Appl. Rec'd

Date & Am't Pd:

Site Suit

Con. Permit

Date Holes Rdy

3-26-75

\$25 3-26-75

Date Permit Iss'd

Permit Number

Final Inspection

Tank Capacity

Drainfield ft per bdrm

Other