453 Acres MOL

Crop, Pasture & Recreation Land With Brazos River Frontage

Marlin, Falls County, TX 76661

\$1,517,550

For virtual tour and investment offering go to: www.texasfarmandranchrealty.com







Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com www. texasfarmandranchrealty.com

Property Highlights

Take advantage of this unique opportunity to own 453 acres of farm and ranch land that consists of approximately 301 acres of highly fertile crop land and approximately 125 acres of established Coastal Bermuda and native grass for cattle and hay production. The remainder land of approximately 27 acres is a wildlife paradise with native species including white tailed deer, dove, ducks, hogs, river fishing and etc. All leases have termination rights for the Buyer only. In addition to the improved crop and grass land the property has one pond, Cedar Creek running through and high quality fencing. This is one of a kind property on the Brazos River with an expansive beach area for recreation, camping, sporting and an easy boat launch area to access the river.

Land Size-453 acres-see survey in this brochure prepared by Hughes Surveying dated 3-28-17

Improvements -Three sides fenced and fencing is in excellent to good condition. Cross fencing in bottom land.

Road Frontage - Approximately 1,460 linear feet of road frontage on CR 103

<u>Water</u>- There is 1 pond, and approximately 3,389 linear feet of Brazos River frontage. Please see nearest water well report included in the brochure.

Electricity- Navasota Valley Electric Coop

<u>Soil</u>- There are various soil types on the property. Please refer to the USDA Soil Map located in this brochure for soil types.

Easements- All easements shall be identified by the title company and survey.

Minerals-Seller is retaining all owned minerals and riparian water rights if any.

<u>Topography</u>- The crop land is mostly flat with 0 to 1% slight slopes which is excellent for cultivation. The Coastal Bermuda and native grasses is gently sloping.

<u>Current Use-</u> Privately owned with the cropland leased through 9/30/21 with rent step ups. Lease has Buyer termination rights tied to harvest of crop. The remainder land is used for grazing for a cow/ calf operation and recreational use including hunting deer, hog, ducks, dove and fishing, and is under lease through 9/30/2032 with rent step ups. Total annual revenue for leases combined is \$25,393.00.

Sales Price - \$1,517,550 or \$3,350 an acre

Texas Farm and Ranch Realty dba Dube's Commercial, Inc., does not make any representations or warranties expressed or implied as to the accuracy of this information. All sources are deemed reliable.



453 Acres MOL - Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Property Pictures















Morgan Tindle (Agent) **Bob Dube (Broker)**

254-721-9615 (mobile) 254-803-5263 (LAND)

453 Acres MOL – Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Property Pictures















Morgan Tindle (Agent)

Bob Dube (Broker)

254-721-9615 (mobile) 254-803-5263 (LAND)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com

453 Acres MOL – Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Property Pictures














453 Acres MOL - Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Property Aerial View



Property Survey Plat






Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

453 Acres MOL - Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Property Location Relative to DFW, Austin and Houston





Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)


453 Acres MOL – Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Aerial of Water Wells Nearest Property





Soil Map Aerial





Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

453 Acres MOL – Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

Soil Type Legend

Falls County, Texas (TX145)				
Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI	
25	Gaddy silt loam, occasionally flooded	60.5	13.2%	
33	Highbank silty clay loam	16.7	3.6%	
48	Ships clay	136.0	29.6%	
52	Silawa fine sandy loam, 3 to 5 percent slopes	0.8	0.2%	
61	Weswood silty clay loam, 0 to 1 percent slopes	222.4	48.4%	
68	Yahola fine sandy loam, occasionally flooded	22.8	5.0%	
Totals for Area of Interest		459.1	100.0%	



Soil Type - 25

25—Gaddy silt loam, occasionally flooded. This deep, somewhat excessively drained, nearly level soil is on flood plains of the Brazos River. It is flooded every 4 to 10 years for several hours. Areas are in long, narrow bands paralleling the river. Some areas have plane slopes and others are deeply channeled by drainageways. Slopes range from 0 to 1 percent. Individual areas range from 10 to about 95 acres in size.

This soil has a surface layer of light brown, moderately alkaline silt loam about 8 inches thick. Below the surface layer, to a depth of 14 inches, is stratified, light brown, moderately alkaline loamy fine sand and very pale brown, moderately alkaline silt loam. The underlying layer, to a depth of 80 inches, is pink, moderately alkaline fine sand.

This soil is easy to work throughout a wide range of moisture conditions. Permeability is moderately rapid, and the available water capacity is low. The root zone is deep and easily penetrated by roots. Runoff is slow, and the hazard of water erosion is slight.

Included with this soil in mapping are a few intermingled areas of Yahola soils and Gaddy soils that have a loamy fine sandy surface layer. The Yahola soils are at higher elevations on the flood plain. The included soils make up less than 10 percent of this unit.

This soil has medium potential for production of crops, but it is limited by a low available water capacity. Proper management includes fertilization.

This soil has medium potential for pasture. It is well suited to improved bermudagrass. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has low potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, pecan, hackberry, elm, cottonwood, and black willow trees.

This soil has low potential for urban uses. It is limited by the danger of flooding. This limitation can be overcome only by major flood control. This soil has medium potential for recreation. Flooding is the most restrictive limitation for this use. Potential is high for openland wildlife habitat and medium for rangeland wildlife habitat. Capability subclass IIIw; Sandy Bottomland range site.



Morgan Tindle (Agent) 254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

Soil Type - 33

33—Highbank silty clay loam. This deep, well drained, nearly level soil is on high flood plains of the Brazos River. It is flooded only once every 4 to 10 years; flooding lasts for several hours. Slopes are plane and are 0 to 1 percent. Areas range from 25 to 150 acres in size.

This soil has a surface layer of reddish brown, moderately alkaline silty clay loam about 14 inches thick. Below the surface layer, to a depth of 24 inches, is reddish brown, moderately alkaline silty clay. The underlying layer, to a depth of 62 inches, is reddish brown, moderately alkaline clay.

This soil is easily worked throughout a wide range of moisture conditions. Permeability is slow, and available water capacity is high. The root zone is deep, but root penetration is slow and difficult in lower layers. Runoff is slow. The hazard of water erosion is slight.

Included with this soil in mapping are small intermingled areas of Ships, Weswood, and Yahola soils. The included soils make up about 10 to 20 percent of this map unit.

This soil is used mainly for crops, and it has high potential for this use. The major crops are cotton and grain sorghum, but corn and small grain are also grown. The main objectives of management are maintaining tilth and fertility. Growing crops that produce large amounts of residue and growing deep-rooted legumes help maintain tilth.

This soil has high potential for pasture. It is well suited to improved bermudagrass, common bermudagrass, johnsongrass, and kleingrass. Proper pasture management includes fertilization, controlled grazing, and weed control.

This soil has high potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, pecan, hackberry, elm, cottonwood, and black willow trees.

This soil has low potential for urban uses because of the danger of flooding. The potential for recreation is medium. The clayey surface layer and flooding are the most restrictive limitations for this use. Potential for openland wildlife habitat is high, and potential for rangeland wildlife habitat is medium. Capability subclass IIs; Loamy Bottomland range site.



Morgan Tindle (Agent) 254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker) 512-423-6670 (mobile)

Soil Type - 48

48—Ships clay. This deep, moderately well drained, nearly level soil is on flood plains of the Brazos River. It is rarely flooded. Areas are long and narrow. They range from 50 to about 200 acres in size. Slopes are plane and are 0 to 1 percent.

This soil has a surface layer of reddish brown, moderately alkaline clay about 34 inches thick. The subsoil, to a depth of 54 inches, is red, moderately alkaline clay. The underlying layer, to a depth of 80 inches, is reddish brown, moderately alkaline clay.

This soil is difficult to work. When wet, it is sticky; and when dry, it is extremely hard and clods when plowed. Permeability is very slow, and the available water capacity is high. The root zone is deep, but dense plowpan layers that form in cultivated areas restrict root penetration. Runoff is slow. The hazard of water erosion is slight.

Included with this soil in mapping are small areas of Highbank, Roetex, Yahola, and Weswood soils. The Weswood and Highbank soils are intermingled. The Yahola soils are at a lower elevation on the flood plain, and the Roetex soils are in the less well drained positions. These included soils make up about 10 to 20 percent of this map unit.

This soil has high potential for production of crops. The major crops are cotton and grain sorghum, and some corn is also grown. The major objectives of management are maintaining tilth and fertility. Growing crops that produce large amounts of residue or growing deep-rooted legumes assists in maintaining the soil tilth.

This soil has high potential for pasture. It is well suited to improved bermudagrass, common bermudagrass, johnsongrass, and kleingrass. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has high potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, elm, hackberry, cottonwood, and black willow trees along the stream.

This soil has low potential for urban uses. Its most restrictive limitations are flooding, shrinking and swelling with changes in moisture, corrosivity to uncoated steel, and slow percolation. The potential for recreation is low. The clayer surface layer and the very slow permeability are the most restrictive limitations for this use. Potential for openland wildlife habitat is high, and potential for rangeland wildlife habitat is medium. Capability subclass IIs; Clayey Bottomland range site.



Morgan Tindle (Agent) 254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker) 512-423-6670 (mobile)

Soil Type - 52

52—Silawa fine sandy loam, 3 to 5 percent slopes. This deep, well drained, gently sloping soil is on ridges and side slopes. Soil areas are in long narrow bands and have convex slopes. Individual areas are about 5 to 40 acres in size.

This soil has a surface layer of fine sandy loam about 11 inches thick. This layer is dark grayish brown and slightly acid to a depth of 4 inches and brown and medium acid below. Between depths of 11 and 32 inches is yellowish red, and strongly acid sandy clay loam. Between depths of 32 and 45 inches is reddish yellow, strongly acid fine sandy loam. The underlying layer, to a depth of 80 inches, is reddish yellow, strongly acid loamy fine sand.

This soil can be worked throughout a wide range of moisture conditions. Permeability is moderate, and available water capacity is medium. The root zone is deep and easily penetrated by roots. Runoff is medium. The hazard of water erosion is moderately severe.

Included with this soil in mapping are some soils that have a gravelly sandy clay loam layer at depths of 11 to 32 inches. Also included are areas of Silawa soils that have short slopes of 5 to 7 percent and areas that have a few shallow gullies. A few intermingled areas of Silawa loamy fine sand and Axtell soils are also included. The included soils make up about 10 to 20 percent of this unit.

This soil has low potential for production of crops, but it is limited by the erosion hazard, slope, low natural fertility, and medium available water capacity. Terracing and growing crops that produce large amounts of residue help to control erosion and maintain tilth.

This soil is used mainly for pasture, and it has medium potential for this use. It is well suited to improved bermudagrass, weeping lovegrass, and kleingrass. Proper management includes fertilization, weed control, and controlled grazing.

This soil has medium potential for range. The climax plant community is a post oak and blackjack oak savannah and an understory of mid and tall grasses.

This soil has high potential for urban and recreation uses. Low strength is the most restrictive limitation for these uses. Potential for both openland and rangeland wildlife habitats is high. Capability subclass IIIe; Sandy Loam range site.



Soil Type - 61

61—Weswood silty clay loam, 0 to 1 percent slopes. This deep, well drained, nearly level soil is on high flood plains of the Brazos River. It is subject to flooding only once in about 4 to 10 years and then only for a short duration. Slopes are plane. Areas are long and narrow, and they range from 15 to 200 acres in size.

This soil has a surface layer of reddish brown, moderately alkaline silty clay loam about 6 inches thick. The subsoil, to a depth of 18 inches, is reddish brown, moderately alkaline silty clay loam. Between depths of 18 and 38 inches is stratified reddish brown silty clay loam and yellowish red clay loam. The underlying layer, to a depth of 60 inches, is reddish brown, moderately alkaline silty clay loam and thin layers of very fine sandy loam and silt loam.

This soil is easily worked, although crusts form on the surface. Permeability is moderate, and the available water capacity is high. The root zone is deep and easily penetrated by roots. Runoff is slow. The hazard of water erosion is slight.

Included with this soil in mapping are small intermingled areas of Weswood silt loam and Yahola soils. The included soils make up about 14 percent of this map unit.

This soil is used mainly for crops, and it has high potential for this use. The major crops are cotton and grain sorghum, but corn and small grain are also grown. The major objectives of management are maintaining tilth and fertility. Growing crops that produce large amounts of residue or growing legumes helps maintain tilth.

This soil has high potential for pasture. It is well suited to improved bermudagrass, common bermudagrass, johnsongrass, and kleingrass. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has high potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, pecan, hackberry, elm, cottonwood, and black willow trees.

This soil has low potential for urban uses, because of the danger of flooding. The potential for recreation is medium. The silty clay loam surface layer is the most restrictive limitation for this use. Potential for openland wildlife habitat is high, and potential for rangeland wildlife habitat is medium. Capability class I; Loamy Bottomland range site.



Morgan Tindle (Agent) 254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker) 51

Soil Type - 68

68-Yahola fine sandy loam, occasionally flooded. This deep, well drained, nearly level soil is on flood plains of the Brazos River. It is flooded only once every 4 to 10 years; flooding lasts for several hours. Slopes are 0 to 1 percent and plane. Areas are long, narrow bands paralleling the river. Some areas are smooth, and others are channeled by shallow drainageways. These areas range from 10 to 110 acres in size.

This soil has a surface layer of reddish brown, moderately alkaline fine sandy loam about 10 inches thick. Below the surface layer, to a depth of 37 inches, is reddish yellow, moderately alkaline fine sandy loam. Between depths of 37 and 58 inches is reddish brown, moderately alkaline loam. The underlying layer, to a depth of 80 inches, is yellowish red, moderately alkaline fine sandy loam and thin strata of loamy fine sand and clay loam.

This soil is easily worked, although crusts form on the surface. Permeability is moderately rapid, and the available water capacity is medium. The root zone is deep and easily penetrated by roots. Runoff is slow. The hazard of water erosion is slight.

Included with this soil in mapping are small areas of Weswood and Gaddy soils. The Weswood soils are at higher elevations on the flood plain, and the Gaddy soils are parallel to the stream channel. The included soils make up 10 percent of this map unit.

This soil is used mainly for crops, and it has high potential for this use. The major crops are cotton and grain sorghum, but corn and small grain are also grown. The major objectives of management are maintaining fertility and improving tilth. Growing crops that produce large amounts of residue or growing legumes helps to maintain

This soil has high potential for pasture. It is well suited to improved bermudagrass, common bermudagrass, johnsongrass, and kleingrass. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has medium potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, pecan, hackberry, elm, cottonwood, and black willow trees.


This soil has low potential for urban uses. It is limited by the danger of flooding. The potential for recreation is medium. Flooding is the most restrictive limitation for this use. Potential for both openland and rangeland wildlife habitat is high. Capability subclass IIw; Loamy Bottomland range site.



Morgan Tindle (Agent) 254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker) 512-423-6670 (mobile)

Property Location to Major Aquifers of Texas





453 Acres MOL – Crop, Pasture and Recreation Land With Brazos River Frontage Waco Area, Falls County, TX 76661

CONFIDENTIALITY & DISCLAIMER

The information contained in the following Investment Brochure is proprietary and strictly confidential. It is intended to be reviewed only by the party receiving it from Dube's Commercial Inc. and should not be made available to any other person or entity without the written consent of Dube's Commercial Inc. This Investment Brochure has been prepared to provide summary information to prospective investors, and to establish only a preliminary level of interest in the subject property. The information contained herein is not a substitute for a thorough due diligence investigation. Dube's Commercial Inc. makes no warranty or representation, with respect to the income or expenses for the subject property, the future projected financial performance of the property, the size and square footage of the property and improvements, the presence or absence of contaminating substances, PCB's or asbestos, the compliance with State and Federal regulations, the physical condition of the improvements thereon, or the financial condition or business prospects of any tenant, or any tenant's plans or intentions to continue its occupancy of the subject property. The information contained in this Investment Brochure has been obtained from sources we believe to be reliable; however, Dube's Commercial Inc. makes no warranty or representation whatsoever regarding the accuracy or completeness of the information provided.

THE TEXAS REAL ESTATE COMMISSION (TREC) REGULATES
REAL ESTATE BROKERS AND SALES AGENTS, REAL ESTATE INSPECTORS,
HOME WARRANTY COMPANIES, EASEMENT AND RIGHT-OF-WAY AGENTS
AND TIMESHARE INTEREST PROVIDERS

YOU CAN FIND MORE INFORMATION AND CHECK THE STATUS OF A LICENSE HOLDER AT

WWW.TREC.TEXAS.GOV

YOU CAN SEND A COMPLAINT AGAINST A LICENSE HOLDER TO TREC
A COMPLAINT FORM IS AVAILABLE ON THE TREC WEBSITE

TREC ADMINISTERS TWO RECOVERY FUNDS WHICH MAY BE USED TO SATISFY A CIVIL COURT JUDGMENT AGAINST A BROKER, SALES AGENT, REAL ESTATE INSPECTOR, OR EASEMENT OR RIGHT-OF-WAY AGENT, IF CERTAIN REQUIREMENTS ARE MET

IF YOU HAVE QUESTIONS OR ISSUES ABOUT THE ACTIVITIES OF
A LICENSE HOLDER, THE COMPLAINT PROCESS OR THE
RECOVERY FUNDS, PLEASE VISIT THE WEBSITE OR CONTACT TREC AT



TEXAS REAL ESTATE COMMISSION
P.O. BOX 12188
AUSTIN, TEXAS 78711-2188
(512) 936-3000



Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com

www. texasfarmandranchrealty.com





Information About Brokerage Services

Texas law requires all real estate license holders to give the following information about brokerage services to prospective buyers, tenants, sellers and landlords.

TYPES OF REAL ESTATE LICENSE HOLDERS:

- A BROKER is responsible for all brokerage activities, including acts performed by sales agents sponsored by the broker.
- A SALES AGENT must be sponsored by a broker and works with clients on behalf of the broker.

A BROKER'S MINIMUM DUTIES REQUIRED BY LAW (A client is the person or party that the broker represents):

- Put the interests of the client above all others, including the broker's own interests;
- Inform the client of any material information about the property or transaction received by the broker;
- · Answer the client's questions and present any offer to or counter-offer from the client; and
- Treat all parties to a real estate transaction honestly and fairly.

A LICENSE HOLDER CAN REPRESENT A PARTY IN A REAL ESTATE TRANSACTION:

AS AGENT FOR OWNER (SELLER/LANDLORD): The broker becomes the property owner's agent through an agreement with the owner, usually in a written listing to sell or property management agreement. An owner's agent must perform the broker's minimum duties above and must inform the owner of any material information about the property or transaction known by the agent, including information disclosed to the agent or subagent by the buyer or buyer's agent.

AS AGENT FOR BUYER/TENANT: The broker becomes the buyer/tenant's agent by agreeing to represent the buyer, usually through a written representation agreement. A buyer's agent must perform the broker's minimum duties above and must inform the buyer of any material information about the property or transaction known by the agent, including information disclosed to the agent by the seller or seller's agent.

AS AGENT FOR BOTH - INTERMEDIARY: To act as an intermediary between the parties the broker must first obtain the written agreement of each party to the transaction. The written agreement must state who will pay the broker and, in conspicuous bold or underlined print, set forth the broker's obligations as an intermediary. A broker who acts as an intermediary:

- Must treat all parties to the transaction impartially and fairly;
- May, with the parties' written consent, appoint a different license holder associated with the broker to each party (owner and buyer) to communicate with, provide opinions and advice to, and carry out the instructions of each party to the transaction.
- Must not, unless specifically authorized in writing to do so by the party, disclose:
 - that the owner will accept a price less than the written asking price;
 - that the buyer/tenant will pay a price greater than the price submitted in a written offer; and
 - any confidential information or any other information that a party specifically instructs the broker in writing not to disclose, unless required to do so by law.

AS SUBAGENT: A license holder acts as a subagent when aiding a buyer in a transaction without an agreement to represent the buyer. A subagent can assist the buyer but does not represent the buyer and must place the interests of the owner first.

TO AVOID DISPUTES, ALL AGREEMENTS BETWEEN YOU AND A BROKER SHOULD BE IN WRITING AND CLEARLY ESTABLISH:

. The broker's duties and responsibilities to you, and your obligations under the representation agreement.

Buyer/Tenant/Seller/Landlord Initias

Who will pay the broker for services provided to you, when payment will be made and how the payment will be calculated.

LICENSE HOLDER CONTACT INFORMATION: This notice is being provided for information purposes, it does not create an obligation for you to use the broker's services. Please acknowledge receipt of this notice below and retain a copy for your records.

Buyers who are represented by an agent/broker must have their agent/broker actively involved and present at all showings to participate in any cobroker commissions.

Dube's Commercial, Inc. Licensed Broker/Broker Firm Name or Primary Assumed Business Name	484723	bob@dubescommercial.com	(512) 671 - 8008
	License No.	Email	Phone
Robert T. Dube Designated Broker of Firm	365515	bob@dubescommercial.com	(512) 671 - 8008
	License No.	Emai	Phone
Robert T. Dube Licensed Supervisor of Sales Agent/ Associate	365515	bob@dubescommercial.com	(284) 803-5263
	License No.	Email	Phone
Morgan Tindle Sales Agent/Associate's Name	644820 License No.	morgan@texasfarmandranchrealt y.com Email	(254) 803-5263 Phone

Regulated by the Texas Real Estate Commission

Information available at www.trec.texas.gov

|ABS 1-0 8011 Info about Bro

Date

TAR 2501