

SUBSURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

Division of Health Engineering
(207) 289-3826

PROPERTY ADDRESS	
Town Or Plantation	RANGELEY
Street	LOT 1
Subdivision Lot #	RANG. GOLF ESTATES
PROPERTY OWNERS NAME	
Last:	TAGGART First: ROBERT
Applicant Name:	ROBERT TAGGART
Mailing Address of Owner/Applicant (If Different)	C/O S.C. NOYES CO. MAIN ST. RANGELEY, ME

RANGELEY	PERMIT #	138	TOWN COPY
Date Permit Issued:	7/31/85	\$410.00	FEE Double Fee Charged
Local Plumbing Inspector Signature		L.P.I. #	121316

Owner/Applicant Statement 04970

Caution: Inspection Required

I certify that the information submitted is correct to the best of my knowledge and understand that any falsification is reason for the Local Plumbing Inspector to deny a Permit.

I have inspected the installation authorized above and found it to be in compliance with the Subsurface Wastewater Disposal Rules.

Signature of Owner/Applicant

Date

Local Plumbing Inspector Signature

Date Approved

PERMIT INFORMATION

THIS APPLICATION IS FOR:

- ☒ NEW SYSTEM
- ☐ REPLACEMENT SYSTEM
- ☐ EXPANDED SYSTEM
- ☐ SEASONAL CONVERSION
- ☐ EXPERIMENTAL SYSTEM

THIS APPLICATION REQUIRES:

- ☒ NO RULE VARIANCE REQUIRED
- ☐ NEW SYSTEM VARIANCE
Attach New System Variance Form
- ☐ REPLACEMENT SYSTEM VARIANCE
Attach Replacement System Variance Form
- ☐ Requiring Local Plumbing Inspector Approval
- ☐ Requires State and Local Plumbing Inspector Approval

INSTALLATION IS: COMPLETE SYSTEM

- ☒ NON-ENGINEERED SYSTEM
- ☐ PRIMITIVE SYSTEM
(Includes Alternative Toilet)
- ☐ ENGINEERED (+ 2000 gpd)

INDIVIDUALLY INSTALLED COMPONENTS:

- ☐ TREATMENT TANK (ONLY)
- ☐ HOLDING TANK
- ☐ ALTERNATIVE TOILET (ONLY)
- ☐ NON-ENGINEERED DISPOSAL AREA (ONLY)
- ☐ ENGINEERED DISPOSAL AREA (ONLY)
- ☐ SEPARATED LAUNDRY SYSTEM

IF REPLACEMENT SYSTEM:

YEAR FAILING SYSTEM INSTALLED _____

THE FAILING SYSTEM IS:

- ☐ BED
- ☐ CHAMBER
- ☐ TRENCH
- ☐ OTHER: _____

DISPOSAL SYSTEM TO SERVE:

- ☒ SINGLE FAMILY DWELLING
- ☐ MODULAR OR MOBILE HOME
- ☐ MULTIPLE FAMILY DWELLING
- ☐ OTHER _____ SPECIFY _____

SIZE OF PROPERTY

ZONING

0.74 AC.

TYPE OF WATER SUPPLY

NONE WHEN SOILS TESTED

DESIGN DETAILS (SYSTEM LAYOUT SHOWN ON PAGE 3)

TREATMENT TANK

- ☒ SEPTIC: ☒ Regular
☐ Low Profile
- ☐ AEROBIC

SIZE: 1,000 GALS.

WATER CONSERVATION

- ☒ NONE
- ☐ LOW VOLUME TOILET
- ☐ SEPARATED LAUNDRY SYSTEM
- ☐ ALTERNATIVE TOILET

SPECIFY: _____

PUMPING

- ☒ NOT REQUIRED
- ☐ MAY BE REQUIRED
(DEPENDENT ON TREATMENT TANK LOCATION AND ELEVATION)
- ☐ REQUIRED

DOSE: _____ GALS.

CRITERIA USED FOR
DESIGN FLOW (BEDROOMS, SEATING,
EMPLOYEES, WATER RECORDS, ETC.)

4 BEDROOM
SINGLE FAMILY

SOIL CONDITIONS USED FOR DESIGN PURPOSES

PROFILE | CONDITION
1 | A

DEPTH TO LIMITING FACTOR: 26.

SIZE RATINGS USED FOR DESIGN PURPOSES

- ☐ SMALL
- ☐ MEDIUM
- ☐ MEDIUM-LARGE
- ☒ LARGE
- ☐ EXTRA LARGE

DISPOSAL AREA TYPE/SIZE

- ☒ BED 1480 Sq. Ft.
- ☐ CHAMBER _____ Sq. Ft.
☐ REGULAR ☐ H-20
- ☐ TRENCH _____ Linear Ft.
- ☐ OTHER: _____

DESIGN FLOW: 360
(GALLONS/DAY)

SITE EVALUATOR STATEMENT

☐ SITE EVALUATION WAIVED BY LOCAL OPTION

On 5/23/85 (date) I conducted a site evaluation for this project and certify that the data reported is accurate. The system I propose is in accordance with the Subsurface Wastewater Disposal Rules.

Site Evaluator Signature

SE#

Date

* Local Plumbing Inspectors Signature if a Local Site Evaluation Waiver under a Local Option

Page 1 of 3

HHE-200 Rev.1/84

Map 7 Lot 68 (Lance) C.H. #1

SURFACE WASTEWATER DISPOSAL SYSTEM APPLICATION

City, Plantation

Street, Road, Subdivision

Department of Human Services
Division of Health Engineering

Owners Name


RANGELEY

LOT 1 GOLF ESTATES

ROBERT TAGGART

SUBSURFACE WASTEWATER DISPOSAL PLAN

Scale 1" = _____ Ft.



FILL REQUIREMENTS

Depth of Fill (Upslope) 22"
Depth of Fill (Downslope) 46"

CONSTRUCTION ELEVATIONS

Reference Elevation is 100.0'
Bottom of Disposal Area 94.3'
Top of Distribution Lines or Chambers 95.0'

ELEVATION REFERENCE POINT LOCATION & DESCRIPTION


TOP OF IRON PIN

DISPOSAL AREA CROSS SECTION

Scale:

Vertical: 1 inch = 2 Ft.

Horizontal: 1 inch = 10 Ft.



Site Evaluator Signature

SE#

Date

Town, City, Plantation

Street, Road, Subdivision

SITE PLAN


Department of Human Services
Division of Health Engineering

Owners Name

ROBERT TAGGART

SITE LOCATION PLAN (Attach
Map from Maine Atlas for
New System Variance)

Scale 1" = _____ Ft.



(Location of Observation Holes Shown Above)

_____ " Depth of Organic Horizon Above Mineral Soil

DEPTH BELOW MINERAL SOIL SURFACE (Inches)

Bedrock

_____ " Depth of Organic Horizon Above Mineral Soil

DEPTH BELOW MINERAL SOIL SURFACE (Inches)

 BlackRock


Site Evaluator Signature

SE#

Date _____

PLOT PLAN of LAND for Anthony Jannace Jr.
RANGELEY GOLF ESTATES
(Map Recorded Dec. 13, 1971, BOOK 134 1/2, PAGE 25)
SCALE - 1" = 25.0' S

LOT #7
.96 ACRE



167.0'

20.0' 90°

75.0'

SEWAGE
DISPOSAL BED

75.0'

55.0'

LOT #1
.74 ACRE

62.65'

PORCH

2-STORY
HOUSE

GARAGE

DECK

32.65'

55.0'

181.90'

ABT 56' W

S WELL

55.0'

ABT 56'

99°-47'

E DRIVEWAY

Anthony Jannace, Jr.
Plot Plan Rangeley Golf Estate
Lot 1 & 7
210.96'