




# Tillable Soils Map



State: **Iowa**  
 County: **Greene**  
 Location: **5-83N-30W**  
 Township: **Jefferson**  
 Acres: **172.32**  
 Date: **7/20/2018**

**PEOPLES**™  
 COMPANY  
 INNOVATIVE. REAL ESTATE. SOLUTIONS.

Maps Provided By:  
  
 CUSTOMIZED ONLINE MAPPING  
 © AgriData, Inc. 2018 www.AgriDataInc.com



Area Symbol: IA073, Soil Area Version: 23

| Code             | Soil Description                                                       | Acres | Percent of field | CSR2 Legend | Non-Irr Class *c | CSR2** | CSR | NCCPI Overall |
|------------------|------------------------------------------------------------------------|-------|------------------|-------------|------------------|--------|-----|---------------|
| L507             | Canisteo clay loam, Bemis moraine, 0 to 2 percent slopes               | 58.19 | 33.8%            |             | IIw              | 87     |     | 78            |
| L138B2           | Clarion loam, Bemis moraine, 2 to 6 percent slopes, moderately eroded  | 39.15 | 22.7%            |             | Ile              | 85     |     | 63            |
| L138B            | Clarion loam, Bemis moraine, 2 to 6 percent slopes                     | 24.94 | 14.5%            |             | Ile              | 88     |     | 79            |
| L107             | Webster clay loam, Bemis moraine, 0 to 2 percent slopes                | 18.18 | 10.6%            |             | IIw              | 88     |     | 80            |
| L55              | Nicollet loam, 1 to 3 percent slopes                                   | 10.65 | 6.2%             |             | Ie               | 91     |     | 83            |
| L138C2           | Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded | 9.42  | 5.5%             |             | IIIe             | 83     |     | 59            |
| 733              | Calco silty clay loam, 0 to 2 percent slopes, occasionally flooded     | 6.67  | 3.9%             |             | IIw              | 78     | 76  | 81            |
| 6                | Okoboji silty clay loam, 0 to 1 percent slopes                         | 2.16  | 1.3%             |             | IIIw             | 59     | 58  | 80            |
| 90               | Okoboji mucky silt loam, 0 to 1 percent slopes                         | 1.56  | 0.9%             |             | IIIw             | 56     | 61  | 76            |
| 4                | Knoke silty clay loam, 0 to 1 percent slopes                           | 0.99  | 0.6%             |             | IIIw             | 56     | 58  | 75            |
| 5040             | Orthents, loamy                                                        | 0.41  | 0.2%             |             |                  | 5      | 5   |               |
| Weighted Average |                                                                        |       |                  |             |                  | 85.5   | *-  | 74.1          |

\*\*IA has updated the CSR values for each county to CSR2.

\*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.