

Other Options

[Return to menu](#)
[Plot this site in State Library Digital Atlas](#)
[Plot this site in Google Maps](#)
 View scanned well log (5/22/2009 7:51:37 AM)

Section 7: Well Test Data

Total Depth: 100
Static Water Level: 40
Water Temperature:

Air Test *

20 gpm with drill stem set at 80 feet for 1.5 hours.
Time of recovery 1 hours.
Recovery water level 40 feet.
Pumping water level feet.

Time of recovery 1 hours.
Recovery water level 40 feet.
Pumping water level feet.

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

** During the well test the discharge rate shall be as uniform as possible. This rate may or may not be the sustainable yield of the well. Sustainable yield does not include the reservoir of the well casing.*

Lot
7

Section 8: Remarks

Section 9: Well Log

Geologic Source

Unassigned

[illegible]

Driller Certification

All work performed and reported in this well log is in compliance with the Montana well construction standards. This report is true to the best of my knowledge.

Name: RICK L. MURRAY
Company: MURRAYS WELL SERVICE
License No: WWC-351
Date
Completed: 9/21/1999

From	To	Diameter
0	20	8
20	100	6

Casing

From	To	Diameter	Wall Thickness	Pressure Rating	Joint	Type
-2	20	6	0.25		WELDED	STEEL
10	100	4		160.00		PVC

Completion (Perf/Screen)

From	To	Diameter	# of Openings	Size of Openings	Description
60	100	4			SLOTS

Annular Space (Seal/Grout/Packer)

From	To	Description	Cont. Fed?
0	20	BENTONITE	