



Boundary

## | Boundary 529.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
StB	Singleton fine sandy loam, 1 to 3 percent slopes	45.0	8.5	4e
GrB	Gredge fine sandy loam, 1 to 3 percent slopes	71.0	13.41	3s
RrB	Robco loamy fine sand, 1 to 3 percent slopes	29.5	5.58	2e
SrB	Shiro loamy fine sand, 1 to 3 percent slopes	0.0	0.01	3e
EdD2	Edge gravelly fine sandy loam, 5 to 12 percent slopes, eroded	43.5	8.22	6e
RvA	Rutersville loamy fine sand, 0 to 2 percent slopes	12.5	2.36	3w
ChB	Chazos loamy fine sand, 1 to 3 percent slopes	108.5	20.5	2e
KoC	Koether loamy fine sand, 2 to 5 percent slopes, stony	0.1	0.02	7s
BwC	Burlewash fine sandy loam, 2 to 5 percent slopes	13.0	2.46	4e
BwE	Burlewash very gravelly fine sandy loam, 5 to 20 percent slopes	1.4	0.26	6e
Nd	Navidad fine sandy loam, occasionally flooded	25.8	4.87	2w
CaB	Cadell very fine sandy loam, 1 to 3 percent slopes	45.3	8.55	3e
GvB	Greenvine clay, 1 to 3 percent slopes	31.3	5.91	2e
RoB	Robco fine sand, 1 to 3 percent slopes	22.5	4.25	2e
Uf	Uhland clay loam, frequently flooded	80.0	15.11	5w
TOTALS		529.5	100%	3.26

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)									
(	1	2	3	4	5	6	7	8	
'Wild Life'	•	•	•	•	•	•	•	•	
Forestry	•	•	•	•	•	•	•		
Limited	•	•	•	•	•	•	•		
Moderate	•	•	•	•	•	•			
Intense	•	•	•	•	•				
Limited	•	•	•	•					
Moderate	•	•	•						
Intense	•	•							
Very Intense	•								

## **Grazing Cultivation**

- (c) climatic limitations (e) susceptibility to erosion
- $\left(s\right)$  soil limitations within the rooting zone  $\left(w\right)$  excess of water