



TEXAS ASSOCIATION OF REALTORS® SELLER'S DISCLOSURE NOTICE

©Texas Association of REALTORS®, Inc. 2018

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. **This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.**

CONCERNING THE PROPERTY AT _____

**6043 FM 36 S
Quinlan, TX 75474-2855**

THIS NOTICE IS A DISCLOSURE OF SELLER'S KNOWLEDGE OF THE CONDITION OF THE PROPERTY AS OF THE DATE SIGNED BY SELLER AND IS NOT A SUBSTITUTE FOR ANY INSPECTIONS OR WARRANTIES THE BUYER MAY WISH TO OBTAIN. IT IS NOT A WARRANTY OF ANY KIND BY SELLER, SELLER'S AGENTS, OR ANY OTHER AGENT.

Seller ☒ is ☐ is not occupying the Property. If unoccupied (by Seller), how long since Seller has occupied the Property? _____ (approximate date) or ☐ never occupied the Property

Section 1. The Property has the items marked below: (Mark Yes (Y), No (N), or Unknown (U).)

This notice does not establish the items to be conveyed. The contract will determine which items will & will not convey.

Item	Y	N	U
Cable TV Wiring	☒	☐	☐
Carbon Monoxide Det.	☐	☐	☒
Ceiling Fans	☒	☐	☐
Cooktop	☒	☐	☐
Dishwasher	☒	☐	☐
Disposal	☒	☐	☐
Emergency Escape Ladder(s)	☐	☒	☐
Exhaust Fans	☒	☐	☐
Fences	☒	☐	☐
Fire Detection Equip.	☒	☐	☐
French Drain	☒	☐	☐
Gas Fixtures	☐	☒	☐
Natural Gas Lines	☐	☒	☐

Item	Y	N	U
Liquid Propane Gas:	☐	☒	☐
-LP Community (Captive)	☐	☒	☐
-LP on Property	☐	☒	☐
Hot Tub	☐	☒	☐
Intercom System	☐	☒	☐
Microwave	☒	☐	☐
Outdoor Grill	☐	☒	☐
Patio/Decking	☒	☐	☐
Plumbing System	☒	☐	☐
Pool	☐	☒	☐
Pool Equipment	☐	☒	☐
Pool Maint. Accessories	☐	☒	☐
Pool Heater	☐	☒	☐

Item	Y	N	U
Pump: sump grinder	☐	☒	☐
Rain Gutters	☒	☐	☐
Range/Stove	☒	☐	☐
Roof/Attic Vents	☒	☐	☐
Sauna	☐	☒	☐
Smoke Detector	☒	☐	☐
Smoke Detector - Hearing Impaired	☒	☐	☐
Spa	☐	☒	☐
Trash Compactor	☐	☒	☐
TV Antenna	☐	☒	☐
Washer/Dryer Hookup	☒	☐	☐
Window Screens	☒	☐	☐
Public Sewer System	☐	☒	☐

Item	Y	N	U	Additional Information
Central A/C	☒	☐	☐	☒ electric ☐ gas number of units: <u>3</u>
Evaporative Coolers	☐	☒	☐	number of units: _____
Wall/Window AC Units	☐	☒	☐	number of units: _____
Attic Fan(s)	☐	☒	☐	if yes, describe: _____
Central Heat	☒	☐	☐	☒ electric ☐ gas number of units: <u>3</u>
Other Heat	☐	☒	☐	if yes, describe: _____
Oven	☒	☐	☐	number of ovens: <u>1</u> ☒ electric ☐ gas other: _____
Fireplace & Chimney	☒	☐	☐	☐ wood ☐ gas logs ☐ mock other: _____
Carport	☐	☒	☐	☐ attached ☐ not attached
Garage	☒	☐	☐	☒ attached ☐ not attached <u>3 car garage</u>
Garage Door Openers	☒	☐	☐	number of units: <u>2</u> number of remotes: <u>3</u>
Satellite Dish & Controls	☒	☐	☐	☒ owned ☐ leased from: _____
Security System	☐	☒	☐	☐ owned ☐ leased from: _____
Solar Panels	☐	☒	☐	☐ owned ☐ leased from: _____
Water Heater	☒	☐	☐	☒ electric ☐ gas ☐ other: _____ number of units: <u>2</u>
Water Softener	☐	☒	☐	☐ owned ☐ leased from: _____
Other Leased Items(s)	☐	☒	☐	if yes, describe: _____

(TAR-1406) 02-01-18

Exit Realty Pro, 1445 S. Buffalo Canton TX 75103

Ashley Murdock

Initialed by: Buyer: _____ and Seller: [Signature]

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.zipLogix.com

Phone: (903) 567-7777

Fax: 903-567-7774

Page 1 of 5

6043 fm 36 S

Concerning the Property at _____

Underground Lawn Sprinkler	☒	☐	automatic	manual	areas covered:
Septic / On-Site Sewer Facility	☒	☐	if yes, attach Information About On-Site Sewer Facility (TAR-1407)		

Water supply provided by: ___ city ___ well ___ MUD ☒ co-op ___ unknown ___ other: _____

Was the Property built before 1978? ___ yes ☒ no ___ unknown

(If yes, complete, sign, and attach TAR-1906 concerning lead-based paint hazards).

Roof Type: COMPOSITION Age: 6 years (approximate)

Is there an overlay roof covering on the Property (shingles or roof covering placed over existing shingles or roof covering)? ___ yes ☒ no ___ unknown

Are you (Seller) aware of any of the items listed in this Section 1 that are not in working condition, that have defects, or are need of repair? ___ yes ☒ no If yes, describe (attach additional sheets if necessary): _____

Section 2. Are you (Seller) aware of any defects or malfunctions in any of the following?: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Item	Y	N
Basement		☒
Ceilings		☒
Doors		☒
Driveways		☒
Electrical Systems		☒
Exterior Walls		☒

Item	Y	N
Floors		☒
Foundation / Slab(s)		☒
Interior Walls		☒
Lighting Fixtures		☒
Plumbing Systems		☒
Roof		☒

Item	Y	N
Sidewalks		☒
Walls / Fences		☒
Windows		☒
Other Structural Components		☒

If the answer to any of the items in Section 2 is yes, explain (attach additional sheets if necessary): _____

Section 3. Are you (Seller) aware of any of the following conditions: (Mark Yes (Y) if you are aware and No (N) if you are not aware.)

Condition	Y	N
Aluminum Wiring		☒
Asbestos Components		☒
Diseased Trees: <u>oak wilt</u>		☒
Endangered Species/Habitat on Property		☒
Fault Lines		☒
Hazardous or Toxic Waste		☒
Improper Drainage		☒
Intermittent or Weather Springs		☒
Landfill		☒
Lead-Based Paint or Lead-Based Pt. Hazards		☒
Encroachments onto the Property		☒
Improvements encroaching on others' property		☒
Located in 100-year Floodplain (If yes, attach TAR-1414)		☒
Located in Floodway (If yes, attach TAR-1414)		☒
Present Flood Ins. Coverage (If yes, attach TAR-1414)		☒
Previous Flooding into the Structures		☒
Previous Flooding onto the Property		☒
Located in Historic District		☒

Condition	Y	N
Previous Foundation Repairs		☒
Previous Roof Repairs	☒	☐
Previous Other Structural Repairs		☒
Radon Gas		☒
Settling		☒
Soil Movement		☒
Subsurface Structure or Pits		☒
Underground Storage Tanks		☒
Unplatted Easements		☒
Unrecorded Easements		☒
Urea-formaldehyde Insulation		☒
Water Penetration		☒
Wetlands on Property		☒
Wood Rot		☒
Active infestation of termites or other wood destroying insects (WDI)		☒
Previous treatment for termites or WDI		☒
Previous termite or WDI damage repaired		☒
Previous Fires		☒

(TAR-1406) 02-01-18

Initialed by: Buyer: _____ and Seller: [Signature]

Concerning the Property at _____

6043 FM 36 S
Quinlan, TX 75474-2855

Historic Property Designation	☐	☒	Termite or WDI damage needing repair	☐	☒
Previous Use of Premises for Manufacture of Methamphetamine	☐	☒	Single Blockable Main Drain in Pool/Hot Tub/Spa*	☐	☒

If the answer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):

Roof replaced 11 years ago due to hail damage

*A single blockable main drain may cause a suction entrapment hazard for an individual.

Section 4. Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, which has not been previously disclosed in this notice? ☐ yes ☒ no If yes, explain (attach additional sheets if necessary):

Section 5. Are you (Seller) aware of any of the following (Mark Yes (Y) if you are aware. Mark No (N) if you are not aware.)

Y N

☒ Room additions, structural modifications, or other alterations or repairs made without necessary permits, with unresolved permits, or not in compliance with building codes in effect at the time.

☒ Homeowners' associations or maintenance fees or assessments. If yes, complete the following:

Name of association: _____

Manager's name: _____

Phone: _____

Fees or assessments are: \$ _____ per _____ and are: ☐ mandatory ☐ voluntary

Any unpaid fees or assessment for the Property? ☐ yes (\$ _____) ☒ no

If the Property is in more than one association, provide information about the other associations below or attach information to this notice.

☒ Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interest with others. If yes, complete the following:

Any optional user fees for common facilities charged? ☐ yes ☒ no If yes, describe: _____

☒ Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.

☒ Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not limited to: divorce, foreclosure, heirship, bankruptcy, and taxes.)

☒ Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelated to the condition of the Property.

☒ Any condition on the Property which materially affects the health or safety of an individual.

☒ Any repairs or treatments, other than routine maintenance, made to the Property to remediate environmental hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold.

If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).

☒ Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a public water supply as an auxiliary water source.

☒ The Property is located in a propane gas system service area owned by a propane distribution system retailer.

☒ Any portion of the Property that is located in a groundwater conservation district or a subsidence district.

(TAR-1406) 02-01-18

Initialed by: Buyer: _____, _____ and Sellers: *[Signature]*, *[Signature]*

Produced with zipForm® by zipLogix 18070 Fifteen Mile Road, Fraser, Michigan 48026 www.ziplogix.com

Page 3 of 5

6043 fm 36 S

Concerning the Property at _____

If the answer to any of the items in Section 5 is yes, explain (attach additional sheets if necessary): _____

Section 6. Seller ☒ has ☐ has not attached a survey of the Property.

Section 7. Within the last 4 years, have you (Seller) received any written inspection reports from persons who regularly provide inspections and who are either licensed as inspectors or otherwise permitted by law to perform inspections? ☐ yes ☐ no If yes, attach copies and complete the following:

Inspection Date	Type	Name of Inspector	No. of Pages

Note: A buyer should not rely on the above-cited reports as a reflection of the current condition of the Property. A buyer should obtain inspections from inspectors chosen by the buyer.

Section 8. Check any tax exemption(s) which you (Seller) currently claim for the Property:

☒ Homestead ☐ Senior Citizen ☐ Disabled
☐ Wildlife Management ☒ Agricultural ☐ Disabled Veteran
☐ Other: _____ ☐ Unknown

Section 9. Have you (Seller) ever filed a claim for damage to the Property with any insurance provider? ☒ yes ☐ no

Section 10. Have you (Seller) ever received proceeds for a claim for damage to the Property (for example, an insurance claim or a settlement or award in a legal proceeding) and not used the proceeds to make the repairs for which the claim was made? ☒ yes ☐ no If yes, explain: ASIDE FROM THE PROCEEDS

Section 11. Does the Property have working smoke detectors installed in accordance with the smoke detector requirements of Chapter 766 of the Health and Safety Code? ☐ unknown ☐ no ☒ yes. If no or unknown, explain. (Attach additional sheets if necessary): _____

*Chapter 766 of the Health and Safety Code requires one-family or two-family dwellings to have working smoke detectors installed in accordance with the requirements of the building code in effect in the area in which the dwelling is located, including performance, location, and power source requirements. If you do not know the building code requirements in effect in your area, you may check unknown above or contact your local building official for more information.

A buyer may require a seller to install smoke detectors for the hearing impaired if: (1) the buyer or a member of the buyer's family who will reside in the dwelling is hearing-impaired; (2) the buyer gives the seller written evidence of the hearing impairment from a licensed physician; and (3) within 10 days after the effective date, the buyer makes a written request for the seller to install smoke detectors for the hearing-impaired and specifies the locations for installation. The parties may agree who will bear the cost of installing the smoke detectors and which brand of smoke detectors to install.

Seller acknowledges that the statements in this notice are true to the best of Seller's belief and that no person, including the broker, has instructed or influenced Seller to provide inaccurate information or to omit any material information.

Signature of Seller

Printed Name: Robert Fudge

(TAR-1406) 02-01-18

Date: 9/30/2018

Signature of Seller

Printed Name: CAROL FUDGE

Date: 9-27-18

Date:

Initialed by: Buyer: _____

and Seller: RF CF

Concerning the Property at _____

6043 FM 36 S
Quinlan, TX 75474-2855

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit www.txdps.state.tx.us. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for Certain Properties* (TAR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.
- (6) The following providers currently provide service to the Property:

Electric: ONCOR / CIND ENERGY
Sewer: QSS - QUALITY SEPTIC
Water: CASH WATER SUPPLY COOP
Cable: DIRECT TV
Trash: CROUCH TRASH SERVICE
Natural Gas: n/a
Phone Company: n/a
Propane: n/a
Internet: _____

phone #: _____
phone #: 903-268-7382
phone #: 903-883-2695
phone #: _____
phone #: 903-356-2513
phone #: _____
phone #: _____
phone #: _____
phone #: _____

- (7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer _____

Date _____

Signature of Buyer _____

Date _____

Printed Name: _____

Printed Name: W. C. Bell

(TAR-1406) 02-01-18



TEXAS ASSOCIATION OF REALTORS®
INFORMATION ABOUT ON-SITE SEWER FACILITY

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS® IS NOT AUTHORIZED.
 ©Texas Association of REALTORS®, Inc., 2004

CONCERNING THE PROPERTY AT

6043 FM 36 S
 Quinlan, TX 75474-2855

A. DESCRIPTION OF ON-SITE SEWER FACILITY ON PROPERTY:

- (1) Type of Treatment System: ☐ Septic Tank ☒ Aerobic Treatment ☐ Unknown
- (2) Type of Distribution System: SPRINKLER ☐ Unknown
- (3) Approximate Location of Drain Field or Distribution System: SE corner of home ☐ Unknown
- (4) Installer: GRANT LUDKE SEPTIC ☐ Unknown
- (5) Approximate Age: 15 years ☐ Unknown

B. MAINTENANCE INFORMATION:

- (1) Is Seller aware of any maintenance contract in effect for the on-site sewer facility? ☒ Yes ☐ No
 If yes, name of maintenance contractor: QUALITY SEPTIC - DARRIN MARTIN
 Phone: 903-268-7382 contract expiration date: YEARLY - ONGOING
 Maintenance contracts must be in effect to operate aerobic treatment and certain non-standard on-site sewer facilities.)
- (2) Approximate date any tanks were last pumped? JULY 2015
- (3) Is Seller aware of any defect or malfunction in the on-site sewer facility? ☐ Yes ☒ No
 If yes, explain: _____
- (4) Does Seller have manufacturer or warranty information available for review? ☒ Yes ☐ No

C. PLANNING MATERIALS, PERMITS, AND CONTRACTS:

- (1) The following items concerning the on-site sewer facility are attached:
☐ planning materials ☐ permit for original installation ☐ final inspection when OSSF was installed
☒ maintenance contract ☐ manufacturer information ☐ warranty information
- (2) "Planning materials" are the supporting materials that describe the on-site sewer facility that are submitted to the permitting authority in order to obtain a permit to install the on-site sewer facility.
- (3) It may be necessary for a buyer to have the permit to operate an on-site sewer facility transferred to the buyer.

(TAR-1407) 1-7-04

Initialed for Identification by Buyer _____ and Seller [Signature]

Page 1 of 2

D. INFORMATION FROM GOVERNMENTAL AGENCIES: Pamphlets describing on-site sewer facilities are available from the Texas Agricultural Extension Service. Information in the following table was obtained from Texas Commission on Environmental Quality (TCEQ) on 10/24/2002. The table estimates daily wastewater usage rates. Actual water usage data or other methods for calculating may be used if accurate and acceptable to TCEQ.

<u>Facility</u>	<u>Usage (gal/day) without water- saving devices</u>	<u>Usage (gal/day) with water- saving devices</u>
Single family dwelling (1-2 bedrooms; less than 1,500 sf)	225	180
Single family dwelling (3 bedrooms; less than 2,500 sf)	300	240
Single family dwelling (4 bedrooms; less than 3,500 sf)	375	300
Single family dwelling (5 bedrooms; less than 4,500 sf)	450	360
Single family dwelling (6 bedrooms; less than 5,500 sf)	525	420
Mobile home, condo, or townhouse (1-2 bedroom)	225	180
Mobile home, condo, or townhouse (each add'l bedroom)	75	60

This document is not a substitute for any inspections or warranties. This document was completed to the best of Seller's knowledge and belief on the date signed. Seller and real estate agents are not experts about on-site sewer facilities. Buyer is encouraged to have the on-site sewer facility inspected by an inspector of Buyer's choice.


Signature of Seller
Robert Fudge

9/30/2018
Date


Signature of Seller
Carol Fudge

9-27-18
Date

Receipt acknowledged by:

Signature of Buyer Date

Signature of Buyer Date

Quality Septic
836 Nob Hill Rd.
Quinlan, TX 75474

Phone: (903) 268-7382
Fax: (903) 598-7762
www.qualityseptic.net Inspections@qualityseptic.net

To: Bob Fudge
6043 FM 36 South
Quinlan, TX 75474

Printed: 9/13/2018
Site: 6043 FM 36 South
Quinlan, TX 75474
(469) 228-2200

Permit #: **9707-A**

Agency: Hunt County Health Department

County: Hunt

Mfg / Brand: - CAJUN AIRE

Treatment Type: Aerobic

Disposal: Surface Application

Sub:

Customer ID: 430

Contract Dates: 2/1/2018 - 2/1/2019

Scheduled Date: 7/1/2018

Aerator: Medo

Inspection 2 of 3

GPS Coordinates - Latitude: 32.96841 Longitude: -96.1712

Service Type: Scheduled Inspection

Visit Date: 9/11/2018

Method: Grab

Technician: Darrin Martin

Maint. Provider: Darrin Martin

☒ This counts as a type of "Scheduled Inspection"

Entered By: Darrin Martin

Aerators: Operational

Filters: Operational

Irrigation Pumps: Operational

Disinfection Device: Operational

Chlorine Supply: Operational

Chlorine Residual: 0.04mg/L

Sludge Levels

For Tank 3: <8 In

Tank Lid / Riser: Secured

Electric Circuits: Operational

Distribution System: Operational

Sprayfield Veg: Operational

Alarm: Operational

Comments

- Technician Secured the Tank Lid and/or Riser prior to leaving location. - Cleaned aerator filter - Sludge level checked in the pump tank. - < 8" Sludge level. - Copy emailed to the customer on 9/13/2018.

☒ **Service Completed**

Insp ID #: 2272

Provider: Darrin Martin 903-268-7382
darrin@qualityseptic.net
www.qualityseptic.net
www.facebook.com/qualityseptic services

License #: MP0002012

Expires: 5/31/2019

Technician: Darrin Martin 903-268-7382
darrin@qualityseptic.net
www.qualityseptic.net
www.facebook.com/qualityseptic services

License #: MP0002012

Expires: 5/31/2019