FOR SALE 281.604 Acres MOL Recreational, Home Site and Ranch Land Marlin, Falls County, TX 76661 \$704,010

For investment offering go to: www.texasfarmandranchrealty.com





Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com ww

www. texasfarmandranchrealty.com

281.604 Acres MOL – Recreational, Home Site and Ranch Land

Marlin, Falls County, TX 76661

Property Highlights

Location – The property is located off County Road 182 in Marlin Texas. From Marlin travel on Hwy 7 East towards Kosse. Turn left after 4 miles onto CR 176 and take a slight right onto CR 182. Travel for 2.39 miles on County Road 182 and the property is located on the right. Located just 20 minutes from Waco, approximately 1.5 hours from Fort Worth, Texas, 1 hour 20 minutes from Austin and 2 hours 15 minutes from Houston.

Acres – 281.604 acres MOL according the Falls County Appraisal District.

Improvements- Property has approximately 40 acres that is cultivated in winter wheat or oats for grazing and hay production. The remaining property is in Coastal Bermuda and native grasses used for cattle grazing.

Water – Tri County Water services the area and there is not an existing meter on the property.

Electricity –Navasota Valley Electric services the area there is a meter on the property that services the hunting cabin.

Soil – There are various soil types on the property. Please refer to the USDA Soil Map located in this brochure for soil types.

Minerals – Seller retains any owned minerals.

Topography – The gently rolling and great for a home site.

Current Use – Privately owned and leased for cattle grazing. Owners use the property for recreational hunting and fishing.

Ground Cover – Property has scattered trees as well as native grasses for grazing.

Easements – An abstract of title will need to be performed to determine all easements that may exist. Easements known are for utility.

Showings - By appointment only. If applicable, buyers who are represented by an agent/broker must have its agent/broker present at all showings to participate in any co-brokerage commissions.

Presented At - \$704,010 or \$2,500 an acre

Texas Farm and Ranch Realty dba Dube's Commercial, Inc., does not make any representations or warranties expressed or implied as to the accuracy of this information. All sources are deemed reliable.



281.604 Acres MOL – Recreational, Home Site and Ranch Land

Marlin, Falls County, TX 76661

Property Pictures













281.604 Acres MOL – Recreational, Home Site and **Ranch Land** Marlin, Falls County, TX 76661

Property Aerial View






281.604 Acres MOL – Recreational, Home Site and Ranch Land


Marlin, Falls County, TX 76661

Property Location Relative to DFW, Austin and Houston






281.604 Acres MOL – Recreational, Home Site and Ranch Land Marlin, Falls County, TX 76661



Aerial of Water Well Nearest Property

Marlin, Falls County, TX 76661

Soil Map Aerial





Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com www. texasfarmandranchrealty.com

281.604 Acres MOL – Recreational, Home Site and **Ranch Land**

Marlin, Falls County, TX 76661

Soil Type Legend

| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI | |
|-----------------------------|---|--------------|----------------|--|
| 16 | Burleson clay, 0 to 1 percent slopes | 108.6 | 33.5% | |
| 17 | Burleson clay, 1 to 3 percent slopes | 10.2 | 3.1% | |
| 42 | Normangee clay loam, 2 to 5 percent slopes, moderately eroded | 42.7 | 13.2% | |
| 59 | Tinn clay, 0 to 1 percent slopes, frequently flooded | 123.1 | 37.9% | |
| 65 | Wilson silty clay loam, 0 to 1 percent slopes | 8.2 | 2.5% | |
| 66 | Wilson silty clay loam, 1 to 3 percent slopes | 31.7 | 9.8% | |
| Totals for Area of Interest | | 324.4 | 100.0% | |



Marlin, Falls County, TX 76661

Soil Type – 16

16—Burleson clay, 0 to 1 percent slopes. This deep, moderately well drained, nearly level soil is on stream terraces and uplands. Slopes are plane. Areas range from 10 to 125 acres in size.

This soil has a surface layer of dark gray, mildly alkaline clay about 5 inches thick. Below the surface is very dark gray, mildly alkaline clay to a depth of 19 inches. Between depths of 19 and 37 inches is dark gray, mildly alkaline clay. Below this layer, to a depth of 47 inches, is dark gray, moderately alkaline clay that has grayish brown mottles. The underlying layer, to a depth of 80 inches, is light brownish gray, moderately alkaline clay that has brownish yellow mottles.

This soil is sticky when wet and is difficult to work. When it is dry, it is hard and clods when plowed. Dense plowpan layers are common in cultivated areas. Permeability is very slow, and available water capacity is high. The root zone is deep, but penetration by roots is restricted by the clayey lower layers. Runoff is slow. The hazard of water erosion is slight.

Included with this soil in mapping are a few intermingled areas of Houston Black, Branyon, and Wilson soils. The included soils make up 10 to 20 percent of this map unit.

This soil is used dominantly for crops. It has high potential for this use. The main crops are cotton and grain sorghum, but small grain and corn are also grown. The major objectives of management are maintaining tilth and fertility and providing adequate surface drainage. Proper management includes growing crops that produce large amounts of residue and maintaining smooth surface gradients.

This soil has high potential for pasture. It is well suited to improved bermudagrass, kleingrass, and King Ranch bluestem. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has high potential for range, but very few acres are used for this purpose. The climax plant community is tall grasses and an overstory of a few large live oak, elm, and hackberry trees along the drainageways.

This soil has low potential for most urban uses. The limitations that affect urban development are shrinking and swelling with changes in moisture, low strength, corrosivity to uncoated steel, and slow percolation. Potential for recreation is low. The clayey surface layer and very slow permeability are the most restrictive limitations for this use. Potential for openland wildlife habitat is medium, and potential for rangeland wildlife habitat is low. Capability subclass IIw; Blackland range site.



Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

Marlin, Falls County, TX 76661

Soil Type – 17

17-Burleson clay, 1 to 3 percent slopes. This deep, moderately well drained, gently sloping soil is on stream terraces and uplands. Areas are on broad, convex ridges. They range from 10 to 100 acres in size.

This soil has a surface layer of dark gray, mildly alkaline clay about 42 inches thick. Below the surface layer, to a depth of 47 inches, is gray, mildly alkaline clay that has brownish yellow mottles. The underlying layer, to a depth of 80 inches, is light brownish gray, moderately alkaline clay that has brownish yellow mottles.

This soil is sticky and plastic when wet and is difficult to work. It is extremely hard when dry. Dense plowpans are common in cultivated areas. Permeability is very slow, and available water capacity is high. The root zone is deep, but root movement is very slow in the clayey lower layers. Runoff is medium. The hazard of water erosion is moderate.

Included with this soil in mapping are a few intermingled areas of Houston Black, Branyon, and Wilson soils. The included soils make up 10 to 20 percent of this map

This soil is used mainly for crops. It has a high potential for this use. Grain sorghum, cotton, and small grain are the main crops. Controlling erosion and improving tilth are the major objectives in management of this soil. Terracing and growing crops that produce large amounts of residue help control erosion and maintain soil tilth.

This soil has high potential for pasture. It is well suited to improved bermudagrass, kleingrass, and King Ranch bluestem. Proper pasture management includes fertilization, weed control, and controlled grazing.

This soil has high potential for range, but very few acres are used for this purpose. The climax plant community is tall grasses and an overstory of a few large live oak, elm, and hackberry trees along the drainageways.

This soil has low potential for most urban uses. The limitations that affect urban development are the shrinking and swelling with changes in moisture, corrosivity to uncoated steel, low strength, and slow percolation. The potential for recreation is low. The clayey surface layer and very slow permeability are the most restrictive limitations for this use.

Potential for openland wildlife habitat is medium, and potential for rangeland wildlife habitat is low. Capability subclass IIe; Blackland range site.



Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com

Marlin, Falls County, TX 76661

Soil Type – 42

42—Normangee clay loam, 2 to 5 percent slopes, eroded. This deep, moderately well drained, gently sloping soil is on uplands. Areas are in long narrow bands, and the soil slopes to natural drainageways. Slopes are convex. Part of the original surface layer has been removed by water erosion. Many areas are dissected by gullies that are 1 to 3 feet deep and about 75 to 100 feet apart. Mapped areas range from 20 to 100 acres in size.

This soil has a surface layer of dark brown, neutral clay loam about 4 inches thick. Between depths of 4 and 15 inches is brown, neutral clay that has red and reddish brown mottles. Between depths of 15 and 29 inches is brown, moderately alkaline clay that has yellow and reddish brown mottles; and between depths of 29 and 42 inches is light yellowish brown, moderately alkaline clay that has light gray and yellow mottles. The underlying layer, to a depth of 60 inches, is brownish yellow, moderately alkaline clay loam that has light red and light brownish gray mottles.

This soil is difficult to work. When wet, it is sticky; when dry, it becomes extremely hard. Surface crusts and dense plowpans form in cultivated areas. Permeability is very slow, and the available water capacity is high. The root zone is deep, but root penetration is slow and difficult in the underlying layers. Runoff is rapid. The hazard of water erosion is severe.

Included with this soil in mapping are a few intermingled areas of eroded Crockett soils. The included soils make up less than 15 percent of this map unit.

This soil has low potential for production of crops. It is limited for this use by the low natural fertility, rapid loss of soil moisture, and loss of the surface layer by water erosion. Where cultivated, the major crops are grain sorghum and corn. Management objectives are improving tilth, maintaining fertility, and controlling erosion. Terracing and growing crops that produce large amounts of residue or deep-rooted legumes help control erosion and maintain tilth.

This soil has high potential for pasture. It is well suited to King Ranch bluestem, coastal bermudagrass, and weeping lovegrass. Proper pasture management includes weed control, fertilization, and controlled grazing.

This soil has medium potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of a few live oak, elm, and hackberry trees along the streams and occasionally in motts.

This soil has low potential for most urban uses. Its most restrictive limitations are shrinking and swelling with changes in moisture, low strength, corrosivity to uncoated steel, and slow percolation. The potential for recreation is medium. The clay loam surface layer and the very slow permeability are the most restrictive limitations for this use. Potential for both openland and rangeland wildlife habitat is medium. Capability subclass IVe; Claypan Prairie range site.



Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

Marlin, Falls County, TX 76661

Soil Type – 59

59—Trinity clay, frequently flooded. This deep, somewhat poorly drained, nearly level soil is on flood plains of minor streams. It is flooded two or three times a year; flooding lasts from several hours to one day. These areas have plane to slightly concave slopes of 0 to 1 percent. The areas are in long, narrow bands paralleling the stream channel. Individual areas are 50 to about 500 acres in size.

The soil has a surface layer of dark gray, moderately alkaline clay about 47 inches thick. Between depths of 47 and 67 inches is gray, moderately alkaline clay. The underlying layer, to a depth of 80 inches, is olive gray, moderately alkaline clay.

Permeability is very slow, and available water capacity is high. The root zone is deep, but the clayey material restricts root penetration. Runoff is very slow. The hazard of water erosion is slight.

Included with this soil in mapping are a few areas of Trinity soils that are not flooded annually. Also included are a few intermingled areas of Ovan and Gowen soils. The included soils make up about 10 to 20 percent of this map unit.

This soil has low potential for production of crops, recreation, and urban uses. It is limited for this use by flooding, which can be overcome only by major flood control. The clayey surface layer also restricts some urban and recreation uses.

This soil has high potential for pasture. It is well suited to improved bermudagrass, common bermudagrass, johnsongrass, and kleingrass. Proper management includes fertilization, weed control, and controlled grazing.

This soil has medium potential for range production. The climax plant community is a mixture of tall and mid grasses and an overstory of oak, elm, hackberry, cottonwood, and black willow trees adjacent to the stream.

This soil has medium potential for both openland and rangeland wildlife habitat. Capability subclass Vw; Clayey Bottomland range site.



281.604 Acres MOL – Recreational, Home Site and Ranch Land

Marlin, Falls County, TX 76661

Soil Type – 65

65-Wilson silty clay loam, 0 to 1 percent slopes. This deep, somewhat poorly drained, nearly level soil is on uplands and ancient stream terraces. Slopes are plane. Areas range from 20 to 200 acres in size.

This soil has a surface layer of dark gray, mildly alkaline silty clay loam about 6 inches thick. Below the surface layer, to a depth of 25 inches, is dark gray, mildly alkaline clay. Between depths of 25 and 39 inches is gray, mildly alkaline clay. Below this layer, to a depth of 58 inches, is light gray, moderately alkaline clay that has light yellowish brown mottles. The underlying layer, to a depth of 80 inches, is light olive gray, moderately alkaline clay that has yellowish brown mottles (fig. 10).

This soil is difficult to work because of surface crusts and dense plowpan layers that form in cultivated areas. When dry, this soil is extremely hard; when wet, it is sticky and plastic. Permeability is very slow, and available water capacity is high. The root zone is deep, but root penetration is slow and difficult in the underlying layers. Runoff is slow. The hazard of water erosion is slight.

Included with this soil in mapping are a few intermingled areas of Burleson, Crockett, and Normangee soils. The included soils make up about 10 to 20 percent of this map unit.

This soil has medium potential for production of crops. The major crops are grain sorghum, cotton, hay, and some small grain for winter grazing. The objectives of management are improving tilth and maintaining fertility. Growing crops that produce large amounts of residue and legumes helps maintain tilth.

This soil has medium potential for pasture. It is well suited to coastal bermudagrass, King Ranch bluestem, and weeping lovegrass. Pasture management needed includes fertilization, weed control, and controlled grazing.

This soil has medium potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of a few live oak, elm, and hackberry trees along streams and in occasional motts.

This soil has low potential for most urban uses. Its most restrictive limitation is shrinking and swelling with changes in moisture, occasional wetness, low strength, corrosivity to uncoated steel, and slow percolation. The potential for recreation is medium. Wetness and the very slow permeability are the most restrictive limitations for this use. Potential for both openland and rangeland wildlife habitat is medium. Capability subclass IIIw; Claypan Prairie range site.



Morgan Tindle (Agent) 254-721-9615 (mobile) 254-803-5263 (LAND)

Marlin, Falls County, TX 76661

Soil Type – 66

66—Wilson silty clay loam, 1 to 3 percent slopes. This deep, somewhat poorly drained, gently sloping soil is on uplands and ancient stream terraces. Slopes are plane or slightly concave. Areas range from 15 to 150 acres in size.

The soil has a surface layer of very dark gray, mildly alkaline silty clay loam about 6 inches thick. Below the surface, to a depth of 28 inches, is dark gray, mildly alkaline clay. Between depths of 28 and 55 inches is gray, mildly alkaline clay. The underlying layer, to a depth of 80 inches, is light brownish gray, moderately alkaline clay that has brownish yellow mottles.

This soil is difficult to work because of surface crusts and dense plowpan layers that form in cultivated areas. When dry, this soil is extremely hard; when wet, it is sticky and gummy. Permeability is very slow, and available water capacity is high. The root zone is deep, but root penetration is slow and difficult in the underlying layers. Runoff is medium. The hazard of water erosion is moderate.

Included with this soil in mapping are a few intermingled areas of Burleson, Crockett, and Normangee soils. Also included are a few areas of eroded Wilson soils. The included soils make up about 10 to 20 percent of this map unit.

This soil has medium potential for production of crops, but it is limited for this use by surface crusting and rapid loss of soil moisture during the summer. The major crops are grain sorghum, cotton, and small grain for winter grazing. The major objectives of management are controlling erosion, maintaining fertility, and improving tilth. Growing crops that produce large amounts of residue or growing deep-rooted legumes help to control erosion and maintain tilth.

This soil has medium potential for pasture. It is well suited to coastal bermudagrass, King Ranch bluestem, and weeping lovegrass. Needed pasture management includes fertilization, weed control, and controlled grazing.

This soil has medium potential for range. The climax plant community is a mixture of tall and mid grasses and an overstory of a few live oak, elm, and hackberry trees along streams and occasionally in motts.

This soil has low potential for most urban uses. Its most restrictive limitations are shrinking and swelling with changes in moisture, occasional wetness, low strength, corrosivity to uncoated steel, and slow percolation. The potential for recreation is medium. Occasional wetness and the very slow permeability are the most restrictive limitations for this use. Potential for both openland and rangeland wildlife habitat is medium. Capability subclass IIIe; Claypan Prairie range site.




Morgan Tindle (Agent)

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

Marlin, Falls County, TX 76661

Property Location to Major Aquifers of Texas





281.604 Acres MOL – Recreational, Home Site and Ranch Land Marlin, Falls County, TX 76661

CONFIDENTIALITY & DISCLAIMER

The information contained in the following Investment Brochure is proprietary and strictly confidential. It is intended to be reviewed only by the party receiving it from Dube's Commercial Inc. and should not be made available to any other person or entity without the written consent of Dube's Commercial Inc. This Investment Brochure has been prepared to provide summary information to prospective investors, and to establish only a preliminary level of interest in the subject property. The information contained herein is not a substitute for a thorough due diligence investigation. Dube's Commercial Inc. makes no warranty or representation, with respect to the income or expenses for the subject property, the future projected financial performance of the property, the size and square footage of the property and improvements, the presence or absence of contaminating substances, PCB's or asbestos, the compliance with State and Federal regulations, the physical condition of the improvements thereon, or the financial condition or business prospects of any tenant, or any tenant's plans or intentions to continue its occupancy of the subject property. The information contained in this Investment Brochure has been obtained from sources we believe to be reliable; however, Dube's Commercial Inc. makes no warranty or representation whatsoever regarding the accuracy or completeness of the information provided.

THE TEXAS REAL ESTATE COMMISSION (TREC) REGULATES
REAL ESTATE BROKERS AND SALES AGENTS, REAL ESTATE INSPECTORS,
HOME WARRANTY COMPANIES, EASEMENT AND RIGHT-OF-WAY AGENTS
AND TIMESHARE INTEREST PROVIDERS

YOU CAN FIND MORE INFORMATION AND CHECK THE STATUS OF A LICENSE HOLDER AT

WWW.TREC.TEXAS.GOV

YOU CAN SEND A COMPLAINT AGAINST A LICENSE HOLDER TO TREC
A COMPLAINT FORM IS AVAILABLE ON THE TREC WEBSITE

TREC ADMINISTERS TWO RECOVERY FUNDS WHICH MAY BE USED TO SATISFY A CIVIL COURT JUDGMENT AGAINST A BROKER, SALES AGENT, REAL ESTATE INSPECTOR, OR EASEMENT OR RIGHT-OF-WAY AGENT, IF CERTAIN REQUIREMENTS ARE MET

IF YOU HAVE QUESTIONS OR ISSUES ABOUT THE ACTIVITIES OF
A LICENSE HOLDER, THE COMPLAINT PROCESS OR THE
RECOVERY FUNDS, PLEASE VISIT THE WEBSITE OR CONTACT TREC AT



TEXAS REAL ESTATE COMMISSION
P.O. BOX 12188
AUSTIN, TEXAS 78711-2188
(512) 936-3000



Morgan Tindle (Agent) 254-72

254-721-9615 (mobile) 254-803-5263 (LAND)

Bob Dube (Broker)

512-423-6670 (mobile)

morgan@texasfarmandranchrealty.com ww

www. texasfarmandranchrealty.com





Information About Brokerage Services

Texas law requires all real estate license holders to give the following information about brokerage services to prospective buyers, tenants, sellers and landlords.

TYPES OF REAL ESTATE LICENSE HOLDERS:

- A BROKER is responsible for all brokerage activities, including acts performed by sales agents sponsored by the broker.
- A SALES AGENT must be sponsored by a broker and works with clients on behalf of the broker.

A BROKER'S MINIMUM DUTIES REQUIRED BY LAW (A client is the person or party that the broker represents):

- Put the interests of the client above all others, including the broker's own interests;
- Inform the client of any material information about the property or transaction received by the broker;
- · Answer the client's questions and present any offer to or counter-offer from the client; and
- Treat all parties to a real estate transaction honestly and fairly.

A LICENSE HOLDER CAN REPRESENT A PARTY IN A REAL ESTATE TRANSACTION:

AS AGENT FOR OWNER (SELLER/LANDLORD): The broker becomes the property owner's agent through an agreement with the owner, usually in a written listing to sell or property management agreement. An owner's agent must perform the broker's minimum duties above and must inform the owner of any material information about the property or transaction known by the agent, including information disclosed to the agent or subagent by the buyer or buyer's agent.

AS AGENT FOR BUYER/TENANT: The broker becomes the buyer/tenant's agent by agreeing to represent the buyer, usually through a written representation agreement. A buyer's agent must perform the broker's minimum duties above and must inform the buyer of any material information about the property or transaction known by the agent, including information disclosed to the agent by the seller or seller's agent.

AS AGENT FOR BOTH - INTERMEDIARY: To act as an intermediary between the parties the broker must first obtain the written agreement of each party to the transaction. The written agreement must state who will pay the broker and, in conspicuous bold or underlined print, set forth the broker's obligations as an intermediary. A broker who acts as an intermediary:

- Must treat all parties to the transaction impartially and fairly;
- May, with the parties' written consent, appoint a different license holder associated with the broker to each party (owner and buyer) to communicate with, provide opinions and advice to, and carry out the instructions of each party to the transaction.
- Must not, unless specifically authorized in writing to do so by the party, disclose:
 - that the owner will accept a price less than the written asking price;
 - that the buyer/tenant will pay a price greater than the price submitted in a written offer; and
 - any confidential information or any other information that a party specifically instructs the broker in writing not to disclose, unless required to do so by law.

AS SUBAGENT: A license holder acts as a subagent when aiding a buyer in a transaction without an agreement to represent the buyer. A subagent can assist the buyer but does not represent the buyer and must place the interests of the owner first.

TO AVOID DISPUTES, ALL AGREEMENTS BETWEEN YOU AND A BROKER SHOULD BE IN WRITING AND CLEARLY ESTABLISH:

. The broker's duties and responsibilities to you, and your obligations under the representation agreement.

Buyer/Tenant/Seller/Landlord Initias

Who will pay the broker for services provided to you, when payment will be made and how the payment will be calculated.

LICENSE HOLDER CONTACT INFORMATION: This notice is being provided for information purposes, it does not create an obligation for you to use the broker's services. Please acknowledge receipt of this notice below and retain a copy for your records.

Buyers who are represented by an agent/broker must have their agent/broker actively involved and present at all showings to participate in any cobroker commissions.

| Dube's Commercial, Inc. Licensed Broker/Broker Firm Name or Primary Assumed Business Name | 484723 | bob@dubescommercial.com | (512) 671 - 8008 |
|---|-----------------------|---|-------------------------|
| | License No. | Email | Phone |
| Robert T. Dube Designated Broker of Firm | 365515 | bob@dubescommercial.com | (512) 671 - 8008 |
| | License No. | Emai | Phone |
| Robert T. Dube Licensed Supervisor of Sales Agent/ Associate | 365515 | bob@dubescommercial.com | (284) 803-5263 |
| | License No. | Email | Phone |
| Morgan Tindle Sales Agent/Associate's Name | 644820 License No. | morgan@texasfarmandranchrealt y.com Email | (254) 803-5263 Phone |

Regulated by the Texas Real Estate Commission

Information available at www.trec.texas.gov

|ABS 1-0 8011 Info about Bro

Date

TAR 2501