



# Soils Map



Soils data provided by USDA and NRCS.



State: **Mississippi**  
 County: **Marshall**  
 Location: **25-1S-3W**  
 Township: **District 2**  
 Acres: **188**  
 Date: **1/21/2019**



Maps Provided By:



© AgriData, Inc. 2019

www.AgriDataInc.com



## Area Symbol: MS093, Soil Area Version: 16

| Code                    | Soil Description                                                                            | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Cor n       | Cotton lint  | Improved bermudagrass | Pasture  | Soybeans    | Tall fescue | Wheat     | *n NCCPI Soybeans |
|-------------------------|---------------------------------------------------------------------------------------------|-------|------------------|----------------------|------------------|-------------|--------------|-----------------------|----------|-------------|-------------|-----------|-------------------|
| GvE                     | Gullied land-Loring complex, 5 to 30 percent slopes                                         | 78.12 | 41.6%            |                      | Vlle             |             |              |                       |          |             |             |           | 1                 |
| LoC3                    | Loring silt loam, 5 to 8 percent slopes, severely eroded, central                           | 39.19 | 20.8%            |                      | IVe              | 85          | 700          |                       | 7.5      | 35          |             | 45        | 18                |
| Va                      | Vicksburg silt loam                                                                         | 27.39 | 14.6%            |                      | Iw               | 125         | 800          | 12                    |          | 40          | 10          | 45        | 56                |
| CbE 3                   | Cahaba-Providence complex, 12 to 30 percent slopes, severely eroded (smithdale, providence) | 21.48 | 11.4%            |                      | Vlle             |             |              |                       |          |             |             |           | 16                |
| LoB2                    | Loring silt loam, 2 to 5 percent slopes, moderately eroded, central                         | 11.25 | 6.0%             |                      | Ille             | 95          | 750          |                       | 8        | 40          |             | 50        | 33                |
| PvE                     | Providence-Cahaba complex, 12 to 30 percent slopes (providence, smithdale)                  | 6.39  | 3.4%             |                      |                  |             |              |                       |          |             |             |           | 28                |
| W                       | Water                                                                                       | 4.05  | 2.2%             |                      |                  |             |              |                       |          |             |             |           | 0                 |
| LoD3                    | Loring silt loam, 8 to 12 percent slopes, severely eroded                                   | 0.13  | 0.1%             |                      | Vle              | 75          | 600          |                       | 7        | 25          |             | 40        | 12                |
| <b>Weighted Average</b> |                                                                                             |       |                  |                      |                  | <b>41.7</b> | <b>307.8</b> | <b>1.7</b>            | <b>2</b> | <b>15.5</b> | <b>1.5</b>  | <b>19</b> | <b>*n 17.1</b>    |

\*n: The aggregation method is "Weighted Average using major components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.