



Leavellwood Lodge
Greene County, Alabama, AC +/-



Boundary



| All Polygons 488.1 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
SwE2	Sumter-Watsonia complex, 5 to 17 percent slopes, eroded	45.8	9.38	6e
SuC2	Sumter silty clay, 3 to 5 percent slopes, eroded	153.3	31.41	3e
KIC2	Kipling loam, 3 to 5 percent slopes, eroded	2.7	0.55	3e
Mr	Marietta and Leeper soils	10.1	2.08	5w
Fo	Forestdale fine sandy loam	2.5	0.52	4w
TuE	Troup-Lucy complex, 8 to 25 percent slopes	1.9	0.4	6e
SuB2	Sumter silty clay, 1 to 3 percent slopes, eroded	20.2	4.15	2e
SuD2	Sumter silty clay, 5 to 12 percent slopes, eroded	32.5	6.66	5w
KIA	Kipling loam, 0 to 1 percent slopes	6.9	1.42	3w
Gu	Gullied land	0.1	0.01	8e
OhB2	Oktibbeha clay, 1 to 3 percent slopes, eroded	8.7	1.79	2e
OoC2	Oktibbeha soils, 3 to 5 percent slopes, eroded	22.4	4.58	3e
Cc	Catalpa clay	29.1	5.97	2w
W	Water	6.7	1.38	-
KIB2	Kipling loam, 1 to 3 percent slopes, eroded	4.2	0.86	3w
Tr	Trinity clay	126.6	25.94	5w
OkB2	Oktibbeha loam, 1 to 3 percent slopes, eroded	7.9	1.63	2e
VaA	Vaiden silty clay, 0 to 1 percent slopes	4.6	0.93	3w
SwB2	Sumter-Watsonia complex, 1 to 5 percent slopes, eroded	1.6	0.32	4e
TOTALS		488.1	100%	3.82

| Boundary 469.6 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
SwE2	Sumter-Watsonia complex, 5 to 17 percent slopes, eroded	45.8	9.75	6e
SuC2	Sumter silty clay, 3 to 5 percent slopes, eroded	144.2	30.7	3e
KIC2	Kipling loam, 3 to 5 percent slopes, eroded	2.7	0.58	3e
Mr	Marietta and Leeper soils	10.1	2.16	5w
Fo	Forestdale fine sandy loam	2.5	0.54	4w
TuE	Troup-Lucy complex, 8 to 25 percent slopes	1.9	0.41	6e
SuB2	Sumter silty clay, 1 to 3 percent slopes, eroded	20.2	4.31	2e
SuD2	Sumter silty clay, 5 to 12 percent slopes, eroded	29.3	6.23	5w
KIA	Kipling loam, 0 to 1 percent slopes	6.9	1.47	3w
Gu	Gullied land	0.1	0.01	8e

OhB2	Oktibbeha clay, 1 to 3 percent slopes, eroded	8.7	1.86	2e
OoC2	Oktibbeha soils, 3 to 5 percent slopes, eroded	22.4	4.76	3e
Cc	Catalpa clay	29.1	6.21	2w
W	Water	6.7	1.44	-
KIB2	Kipling loam, 1 to 3 percent slopes, eroded	4.2	0.89	3w
Tr	Trinity clay	120.5	25.67	5w
OkB2	Oktibbeha loam, 1 to 3 percent slopes, eroded	7.9	1.69	2e
VaA	Vaiden silty clay, 0 to 1 percent slopes	4.6	0.97	3w
SwB2	Sumter-Watsonia complex, 1 to 5 percent slopes, eroded	1.6	0.33	4e
TOTALS		469.6	100%	3.81

 Boundary 18.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CAP
SuC2	Sumter silty clay, 3 to 5 percent slopes, eroded	9.2	49.45	3e
Tr	Trinity clay	6.1	32.99	5w
SuD2	Sumter silty clay, 5 to 12 percent slopes, eroded	3.3	17.55	5w
TOTALS		18.5	100%	4.01

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water