



Nonirrigated Capability Class—Dallas County, Alabama, and Perry County, Alabama
(Wilson Farm- 920 acres +/- in Dallas County)



Map Scale: 1:22,700 if printed on A landscape (11" x 8.5") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 16N WGS84



**Natural Resources
Conservation Service**

Web Soil Survey
National Cooperative Soil Survey

5/23/2019
Page 1 of 5

Nonirrigated Capability Class—Dallas County, Alabama, and Perry County, Alabama
(Wilson Farm- 920 acres +/- in Dallas County)










MAP LEGEND

Area of Interest (AOI)










 Area of Interest (AOI)

Soils



Soil Rating Polygons








-  Capability Class - I
-  Capability Class - II
-  Capability Class - III
-  Capability Class - IV
-  Capability Class - V
-  Capability Class - VI
-  Capability Class - VII
-  Capability Class - VIII
-  Not rated or not available

Soil Rating Lines

-  Capability Class - I
-  Capability Class - II
-  Capability Class - III
-  Capability Class - IV
-  Capability Class - V
-  Capability Class - VI
-  Capability Class - VII
-  Capability Class - VIII
-  Not rated or not available

Soil Rating Points






-  Capability Class - I
-  Capability Class - II

-  Capability Class - III
-  Capability Class - IV
-  Capability Class - V
-  Capability Class - VI
-  Capability Class - VII
-  Capability Class - VIII
-  Not rated or not available

Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at scales ranging from 1:20,000 to 1:24,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Dallas County, Alabama

Survey Area Data: Version 13, Sep 17, 2018

Soil Survey Area: Perry County, Alabama

Survey Area Data: Version 11, Sep 17, 2018

Your area of interest (AOI) includes more than one soil survey area. These survey areas may have been mapped at different scales, with a different land use in mind, at different times, or at different levels of detail. This may result in map unit symbols, soil properties, and interpretations that do not completely agree across soil survey area boundaries.

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Jan 20, 2011—Nov 10, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Nonirrigated Capability Class

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
29	Houston clay, 1 to 5 percent slopes	2	25.6	2.8%
31	Kipling loam, 1 to 5 percent slopes	3	32.9	3.6%
33	Leeper silty clay loam, 0 to 1 percent slopes, frequently flooded	4	86.0	9.3%
45	Oktibbeha clay, 1 to 5 percent slopes	3	65.0	7.1%
46	Oktibbeha clay, 5 to 12 percent slopes	6	11.2	1.2%
55	Sumter silty clay, 1 to 5 percent slopes	3	92.5	10.0%
56	Sumter silty clay, 5 to 12 percent slopes	6	78.9	8.6%
65	Vaiden clay, 0 to 1 percent slopes	3	44.9	4.9%
66	Vaiden clay, 1 to 5 percent slopes	3	271.5	29.5%
W	Water		115.5	12.5%
Subtotals for Soil Survey Area			824.1	89.4%
Totals for Area of Interest			921.8	100.0%

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
DsD2	Demopolis-Sumter complex, 3 to 8 percent slopes, eroded	6	2.0	0.2%
OkB	Okolona silty clay loam, 0 to 3 percent slopes	2	1.6	0.2%
OtC	Oktibbeha clay loam, 1 to 5 percent slopes	3	49.8	5.4%
SeA	Sucarnoochee silty clay, 0 to 2 percent slopes, frequently flooded	4	26.8	2.9%
SmB	Sumter silty clay loam, 1 to 3 percent slopes	2	8.6	0.9%
VaB	Vaiden clay, 1 to 3 percent slopes	3	8.9	1.0%
Subtotals for Soil Survey Area			97.7	10.6%
Totals for Area of Interest			921.8	100.0%

Description

Land capability classification shows, in a general way, the suitability of soils for most kinds of field crops. Crops that require special management are excluded. The soils are grouped according to their limitations for field crops, the risk of damage if they are used for crops, and the way they respond to management. The criteria used in grouping the soils do not include major and generally expensive landforming that would change slope, depth, or other characteristics of the soils, nor do they include possible but unlikely major reclamation projects. Capability classification is not a substitute for interpretations that show suitability and limitations of groups of soils for rangeland, for woodland, or for engineering purposes.

In the capability system, soils are generally grouped at three levels-capability class, subclass, and unit. Only class and subclass are included in this data set.

Capability classes, the broadest groups, are designated by the numbers 1 through 8. The numbers indicate progressively greater limitations and narrower choices for practical use. The classes are defined as follows:

Class 1 soils have few limitations that restrict their use.

Class 2 soils have moderate limitations that reduce the choice of plants or that require moderate conservation practices.

Class 3 soils have severe limitations that reduce the choice of plants or that require special conservation practices, or both.

Class 4 soils have very severe limitations that reduce the choice of plants or that require very careful management, or both.

Class 5 soils are subject to little or no erosion but have other limitations, impractical to remove, that restrict their use mainly to pasture, rangeland, forestland, or wildlife habitat.

Class 6 soils have severe limitations that make them generally unsuitable for cultivation and that restrict their use mainly to pasture, rangeland, forestland, or wildlife habitat.

Class 7 soils have very severe limitations that make them unsuitable for cultivation and that restrict their use mainly to grazing, forestland, or wildlife habitat.

Class 8 soils and miscellaneous areas have limitations that preclude commercial plant production and that restrict their use to recreational purposes, wildlife habitat, watershed, or esthetic purposes.

Rating Options

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher