



Soils Map




Soils data provided by USDA and NRCS.



State: **Kentucky**
 County: **Caldwell**
 Location: **37.030737, -87.900073**
 Township: **Princeton**
 Acres: **432.83**
 Date: **8/21/2019**

BA BOLINGER
 APPRAISAL

Maps Provided By:



Area Symbol: KY033. Soil Area Version: 19													
Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay	Burley tobacco	Corn	Fire cured tobacco	Grass legume hay	Pasture	Soybeans	Winter wheat
CrC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	197.77	45.7%		IVe	5.9	2850	105	3375	5	7.9	42	64
No	Nolin silt loam, occasionally flooded	59.19	13.7%		IIw		3800	175	4500	5.5	10.5	65	80
NhB2	Nicholson silt loam, 2 to 6 percent slopes, eroded	52.05	12.0%		Ile		3420	149	4050	5.5	9.5	59	72
CtE3	Crider-Baxter complex, 12 to 30 percent slopes, severely eroded	37.82	8.7%		VIe					4.1	6.3		
CrB2	Crider silt loam, 2 to 6 percent slopes, eroded	31.76	7.3%		Ile	6.5	3800	166	4500	5.5	10	62	80
NhC3	Nicholson silt loam, 6 to 12 percent slopes, severely eroded	23.76	5.5%		IVe		2660	123	3150	5	8.4	46	56
CrD2	Crider silt loam, 12 to 20 percent slopes, eroded	9.63	2.2%		IVe	6.5	3230	131	3825	5.5	9.5	49	72
W	Water	9.55	2.2%										
Ekb	Elk silt loam, 1 to 4 percent slopes, rarely flooded	9.35	2.2%		Ile	6.5	3800	166	4500	5.5	10	62	80
Lp	Lindside silt loam, ponded	1.33	0.3%		IIIw					2.8	5.3	33	
Np	Nolin silt loam, ponded	0.62	0.1%		IIIw					3.3	8.4	33	
Weighted Average						3.5	2812	115.3	3330	5	8.4	44.8	61.1

*c: Using Capabilities Class Dominant Condition Aggregation Method
 Soils data provided by USDA and NRCS.