



Open/Crop Soils Map



Soils data provided by USDA and NRCS.




State: **Kentucky**
 County: **Caldwell**
 Location: **37.027982, -87.896464**
 Township: **Princeton**
 Acres: **364.36**
 Date: **8/21/2019**

BA | **BOLINGER**
 APPRAISAL

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2019 www.AgriDataInc.com



Area Symbol: KY033. Soil Area Version: 19

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay	Burley tobacco	Corn	Fire cured tobacco	Grass legume hay	Pasture	Soybeans	Winter wheat
CrC3	Crider silt loam, 6 to 12 percent slopes, severely eroded	173.10	47.5%		IVe	5.9	2850	105	3375	5	7.9	42	64
NhB2	Nicholson silt loam, 2 to 6 percent slopes, eroded	51.91	14.2%		Ile		3420	149	4050	5.5	9.5	59	72
No	Nolin silt loam, occasionally flooded	36.82	10.1%		IIw		3800	175	4500	5.5	10.5	65	80
CtE3	Crider-Baxter complex, 12 to 30 percent slopes, severely eroded	28.81	7.9%		VIe					4.1	6.3		
CrB2	Crider silt loam, 2 to 6 percent slopes, eroded	27.45	7.5%		Ile	6.5	3800	166	4500	5.5	10	62	80
NhC3	Nicholson silt loam, 6 to 12 percent slopes, severely eroded	21.79	6.0%		IVe		2660	123	3150	5	8.4	46	56
Ekb	Elk silt loam, 1 to 4 percent slopes, rarely flooded	9.33	2.6%		Ile	6.5	3800	166	4500	5.5	10	62	80
CrD2	Crider silt loam, 12 to 20 percent slopes, eroded	7.38	2.0%		IVe	6.5	3230	131	3825	5.5	9.5	49	72
W	Water	5.82	1.6%										
Lp	Lindside silt loam, ponded	1.33	0.4%		IIIw					2.8	5.3	33	
Np	Nolin silt loam, ponded	0.62	0.2%		IIIw					3.3	8.4	33	
Weighted Average						3.6	2833.3	115.6	3355.2	5	8.4	45.1	61.6

*c: Using Capabilities Class Dominant Condition Aggregation Method
 Soils data provided by USDA and NRCS.