



Boundary

|  Boundary 62.5 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CSR2	CAP
88	Nevin silty clay loam, 0 to 2 percent slopes, rarely flooded	4.2	6.68	95	1
54+	Zook silt loam, 0 to 2 percent slopes, occasionally flooded, overwash	3.6	5.7	69	2w
133B+	Colo silt loam, dissected till plain, 2 to 5 percent slopes, overwash, occasionally flooded	2.1	3.34	73	2w
133B	Colo silty clay loam, dissected till plain, 2 to 5 percent slopes, occasionally flooded	12.7	20.23	74	2w
133A+	Colo silt loam, deep loess, 0 to 2 percent slopes, overwash, occasionally flooded	9.8	15.68	78	2w
370D2	Sharpsburg silty clay loam, 9 to 14 percent slopes, eroded	1.1	1.75	54	3e
54	Zook silty clay loam, 0 to 2 percent slopes, occasionally flooded	5.6	9.01	67	2w
273C	Olmitz loam, 5 to 9 percent slopes	0.9	1.49	85	3e
Y93E3	Shelby-Adair clay loams, dissected till plain, 14 to 18 percent slopes, severely eroded	7.2	11.54	24	6e
65F3	Lindley soils, 18 to 25 percent slopes, severely eroded	4.2	6.64	5	7e
179F2	Gara loam, dissected till plain, 18 to 25 percent slopes, eroded	1.5	2.41	16	7e
179E2	Gara loam, dissected till plain, 14 to 18 percent slopes, eroded	3.4	5.45	32	6e
337D2	Dickman, loamy substratum-Sharpsburg complex, 9 to 14 percent slopes, moderately eroded	0.7	1.04	36	4e
76D2	Ladoga silt loam, 9 to 14 percent slopes, eroded	5.0	7.93	49	3e
76C2	Ladoga silt loam, dissected till plain, 5 to 9 percent slopes, eroded	0.7	1.12	75	3e
TOTALS		62.5	100%	58.49	3.21

## Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability Class(non-irrigated)								
	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

### Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water