Clay Township | Decatur County

## Control of the contro

February 25th - 6:30 P.M.

Knights of Columbus - 1308 W. Main Street, Greensburg, IN 47240

### 503<sup>±</sup> Acres 8 TRACTS

Large Continguous Acres
of Productive Farmland




Michael Bonnell Shelbyville, IN 812.343.6036 michaelb@halderman.com



Dave Bonnell Columbus, IN 812.343.4313 daveb@halderman.com



800.424.2324 | halderman.com





### Tract Breakdown

**Tract 1: 120**\*/- **Acres** 113.71\*/- Tillable, 3.1\*/- Wooded 1.37\*/- Building Site, 1.82\*/- Other

**Tract 2: 51.55**\*/- **Acres** 50.62\*/- Tillable, 0.93\*/- Other

**Tract 3: 37.94**\*/- **Acres** 37.25\*/- Tillable, 0.69\*/- Other

**Tract 5: 33.5**\*/- **Acres** 32.1\*/- Tillable, 1.4\*/- Other

**Tract 6: 11\*** Acres

All Building Site


Tract 7: 69.689<sup>+/-</sup> Acres

All Tillable

**Tract 8: 89.47**\*/- **Acres** 88.64\*/- Tillable, 0.83\*/- Other




| Code             | Soil Description Field borders provided by Farm Service Agency as of 5/21/2008. Soils data provided by USDA and NRCS. | Acres | Corn  | Soybeans |
|------------------|---|-------|-------|----------|
| FcA              | Fincastle silt loam, 0 to 2 percent slopes  | 51.36 | 166   | 54       |
| Су               | Cyclone silt loam, 0 to 2 percent slopes  | 42.02 | 185   | 65       |
| XnA              | Xenia silt loam, Southern Ohio<br>Till Plain, 0 to 2 percent slopes   | 17.63 | 156   | 54       |
| XnB              | Xenia silt loam, 2 to 4 percent slopes  | 3.97  | 156   | 54       |
| Weighted Average |   |       | 171.1 | 58       |



### Tracts 2-4 Soil Gnformation

| Field borders provided by Farm Service<br>Agency as of 5/21/2008. Soils data<br>provided by USDA and NRCS. |  |  |  |  |
|--|--|--|--|--|
| Cyclone silt loam, 0 to 2 percent slopes   | 78.14  | 185  | 65   |  |
| Fincastle silt loam, 0 to 2 percent slopes   | 57.90  | 166  | 54   | FeA  |
| Xenia silt loam, 2 to 4 percent slopes   | 20.48  | 156  | 54   | FeA FeA Xhi  |
| Fincastle silt loam, Tipton Till<br>Plain, 2 to 4 percent slopes   | 9.14   | 165  | 58   |  |
| Orrville silt loam, frequently flooded   | 3.98   | 130  | 42   | FeA XnB  |
| Williamstown silt loam, 2 to 6 percent slopes, eroded  | 3.64   | 142  | 48   | XinB   |
| Miami silt loam, 2 to 6 percent slopes, eroded   | 0.76   | 142  | 49   | WmB  |
| Weighted A   | verage   | 171.9  | 58.7   | Gy   |
|  |  | 1  | FeA  | FeB FeA  |
|  |  | FeA  | FAA  | J. Freil Co.   |
|  | provided by USDA and NRCS.  Cyclone silt loam, 0 to 2 percent slopes  Fincastle silt loam, 0 to 2 percent slopes  Xenia silt loam, 2 to 4 percent slopes  Fincastle silt loam, Tipton Till Plain, 2 to 4 percent slopes  Orrville silt loam, frequently flooded  Williamstown silt loam, 2 to 6 percent slopes, eroded  Miami silt loam, 2 to 6 percent slopes, eroded | Cyclone silt loam, 0 to 2 percent slopes  Fincastle silt loam, 0 to 2 percent slopes  Xenia silt loam, 2 to 4 percent slopes  Xenia silt loam, 7 tipton Till Plain, 2 to 4 percent slopes  Orrville silt loam, frequently flooded  Williamstown silt loam, 2 to 6 percent slopes, eroded  Miami silt loam, 2 to 6 percent slopes, eroded | Cyclone silt loam, 0 to 2 percent slopes Fincastle silt loam, 0 to 2 percent slopes Xenia silt loam, 2 to 4 percent slopes Fincastle silt loam, 7 ipton Till Plain, 2 to 4 percent slopes Orrville silt loam, frequently flooded Williamstown silt loam, 2 to 6 percent slopes, eroded  Weighted Average Weighted Average  185  185  185  185  185  185  185  18 | Cyclone silt loam, 0 to 2 percent slopes  Fincastle silt loam, 0 to 2 percent slopes  Xenia silt loam, 2 to 4 percent slopes  Xenia silt loam, 7 to 4 percent slopes  Xenia silt loam, 7 to 5 percent slopes  Orrville silt loam, 7 to 4 percent slopes  Orrville silt loam, 7 to 6 percent slopes  Williamstown silt loam, 2 to 6 percent slopes, eroded  Miami silt loam, 2 to 6 percent slopes, eroded  Weighted Average  Weighted Average  171.9  65  65  65  65  65  65  64  65  65  65 |

### Tract 5 Soil Gnformation



| Code             | Soil Description Field borders provided by Farm Service Agency as of 5/21/2008. Soils data provided by USDA and NRCS. | Acres | Corn  | Soybeans |
|------------------|---|-------|-------|----------|
| Су               | Cyclone silt loam, 0 to 2 percent slopes  | 20.95 | 185   | 65       |
| FcA              | Fincastle silt loam, 0 to 2 percent slopes  | 12.67 | 166   | 54       |
| Weighted Average |   |       | 177.8 | 60.9     |

# 

### Tracts 7-8 Soil Gnformation

| Code             | Soil Description Field borders provided by Farm Service Agency as of 5/21/2008. Soils data provided by USDA and NRCS. | Acres | Corn  | Soybeans |
|------------------|---|-------|-------|----------|
| FcA              | Fincastle silt loam, 0 to 2 percent slopes  | 88.27 | 166   | 54       |
| Су               | Cyclone silt loam, 0 to 2 percent slopes  | 56.83 | 185   | 65       |
| WmB              | Williamstown silt loam, 2 to 6 percent slopes, eroded   | 4.79  | 142   | 48       |
| FcB              | Fincastle silt loam, Tipton Till Plain, 2 to 4 percent slopes   | 3.55  | 165   | 58       |
| MmB2             | Miami silt loam, 2 to 6 percent slopes, eroded  | 2.31  | 142   | 49       |
| Lb               | Lobdell silt loam, frequently flooded   | 1.66  | 100   | 35       |
| Weighted Average |   |       | 171.1 | 57.6     |

### Property Information

#### Location

Approximately 5 miles west of Greensburg on CR 450 West and CR 400 West.

**Zoning** Agricultural

**Topography**Level to Gently Rolling

School District
Decatur County
Community Schools

**Annual Taxes** \$10,252.46





Clay Township | Decatur County

Clay Township | Decatur County

Clay Township | Decatur County



February 25<sup>th</sup> - 6:30 P.M. - Knights of Columbus - Greensburg

503<sup>±</sup> ACTES Large Continguous Acres
8 TRACTS of Productive Farmland



Online Bidding Available



### Acreage Breakdown

Total: 503.43<sup>+/-</sup> Acres

480.29<sup>+/-</sup> Tillable, 3.1<sup>+/-</sup> Wooded, 12.34<sup>+/-</sup> Building Site 8.7<sup>+/-</sup> Other