
Soils Map



State: Nebraska
County: Franklin
Location: 6-1N-15W

Township: East Bloomington

Acres: **130.75**Date: **3/23/2020**







Soils data provided by USDA and NRCS.

| Area S | Symbol: NE061. Soil Area Ve | rsion: 1 | 7 | | | | | | | | | | | |
|------------------|---|----------|---------------------|----------------------------|------------------------|--------------------|----------------|-----------------------------|------|-------------------|------------------|-------------------------------|-----------------|----------------------|
| Code | Soil Description | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Irr Class *c | Alfalfa hay | Alfalfa hay Irrigated | Corn | Corn Irrigated | Grain sorghum | Grain sorghum Irrigated | Winter wheat | *n NCCPI Soybeans |
| 2347 | McCook silt loam, rarely flooded | 36.91 | 28.2% | | lw | lw | | | | | | | | 54 |
| 3553 | Hobbs silt loam, frequently flooded | 22.11 | 16.9% | | VIw | | | | | | | | | 49 |
| 2360 | Munjor fine sandy loam, rarely flooded | 17.16 | 13.1% | | lle | lle | | | | | | | | 33 |
| 2559 | Coly-Uly silt loams, 11 to 30 percent slopes | 16.86 | 12.9% | | Vle | | | | | | | | | 61 |
| 2375 | Roxbury silt loam, rarely flooded | 16.80 | 12.8% | | lle | I | | | | | | | | 80 |
| 2333 | Inavale loamy sand, rarely flooded | 8.80 | 6.7% | | IVe | IIIe | | | | | | | | 23 |
| 2366 | Munjor loamy fine sand, rarely flooded | 8.02 | 6.1% | | IIIe | IIIe | | | | | | | | 31 |
| 2557 | Coly-Uly silt loams, 3 to 11 percent slopes, eroded | 3.27 | 2.5% | | IVe | IVe | | | | | | | | 61 |
| 8581 | Wann fine sandy loam, rarely flooded | 0.57 | 0.4% | | llw | llw | 4 | 6 | 64 | 142 | 83 | 109 | 33 | 49 |
| 9903 | Fluvaquents, sandy, frequently flooded | 0.25 | 0.2% | | VIIIw | | | | | | | | | 1 |
| Weighted Average | | | | | | | | *- | 0.3 | 0.6 | 0.4 | 0.5 | 0.1 | *n 51.2 |

^{*}n: The aggregation method is "Weighted Average using major components"

^{*}c: Using Capabilities Class Dominant Condition Aggregation Method Soils data provided by USDA and NRCS.