AREA WATER WELL INFO



AREA WATER WELL LOGS

STATE OF TEXAS WELL REPORT for Tracking #164870

Owner:

David Barrow

Owner Well #:

No Data

Address:

6151 Broderly

Grid #:

57-25-1

Houston, TX 77057

Latitude:

30° 36' 37" N

Well Location:

1 mi. S of Keyserville Rd. on Bucks Run Rd.

Longitude:

098° 58' 57" W

TX

Elevation:

No Data

Well County:

Mason

Type of Work: New Well

Proposed Use:

Domestic

Drilling Start Date: 1/8/2009

Drilling End Date: 1/8/2009

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
9	0	36
6.75	36	37
6	37	280

Drilling Method:

Air Hammer

Borehole Completion:

Open Hole

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)
0	3	1 Cement
3	36	6 Bentonite

Seal Method: Grout

Distance to Property Line (ft.): No Data

Sealed By: Driller

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Surface Sleeve Installed

Water Level:

141 ft. below land surface on 2009-01-08

Measurement Method: Unknown

Packers:

No Data

Type of Pump:

Submersible

Pump Depth (ft.): 260

Well Tests:

Jetted

Yield: 32 GPM

	Strata Depth (ft.)	Water Type	
Water Quality:	145 - 280	good (400 ppmTDS)	

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information: Virdell Drilling Inc.

> 111 E. Grayson St. Llano, TX 78643

Driller Name:

Taylor Virdell Jr.

License Number:

1900

Apprentice Name:

James Caleb Virdell

Apprentice Number:

57668

Comments:

No Data

Lithology: **DESCRIPTION & COLOR OF FORMATION MATERIAL**

Casing: **BLANK PIPE & WELL SCREEN DATA**

Setting From/To (ft.)

Top (ft.)	Bottom (ft.)	Description	Dia. (in.) New/Used Type
0	1	Topsoil	6" N PVC +2 - 37 sch 40
1	180	Red & Brown Sandstone (Upper Hickory)	
180	280	Gray & Brown Sandstone w/Shaley Streaks (Middle Hickory)	

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

Please include the report's Tracking Number on your written request.

Owner:

Rex Smith

Owner Well #:

No Data

Address:

P O Box 686

Mason, TX 76856

Grid #:

57-25-1

Well Location:

2.6 Mi. E. of 87 on Keyserville Rd.; 1

Latitude:

30° 36' 42" N

mi. South in Pasture

Longitude:

098° 59' 23" W

Mason, TX

Elevation:

No Data

Well County:

Mason

Type of Work: New Well

Proposed Use:

Stock

Drilling Start Date: 7/19/2016

Drilling End Date: 7/19/2016

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
9.5	0	25
6.75	25	26
6	26	140

Drilling Method:

Air Hammer

Borehole Completion:

Open Hole

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)	
0	3	Cement 1 Bags/Sacks	
3	25	Bentonite 4 Bags/Sacks	

Seal Method: Poured

Sealed By: Driller

Distance to Property Line (ft.): No Data

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Surface Sleeve Installed

Water Level:

42 ft. below land surface on 2016-07-19

Packers:

No Data

Type of Pump:

Submersible

Pump Depth (ft.): 120

Well Tests:

Jetted

Yield: 75 GPM

	Strata Depth (ft.)	Water Type
Water Quality:	55 - 140	Good (550ppmTDS)

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Virdell Drilling Inc.

111 E. Grayson St. Llano, TX 78643

Driller Name:

James Caleb Virdell

License Number:

59342

Comments:

Open Hole 26 - 140

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	Topsoil
1	12	Brown Sandy Clay
12	140	Red & Brown Sandstone (Hickory)

DIa (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
6		New Plastic (PVC)	Sch40	-2	26

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

Larry & Dorothy Seagraves

Owner Well #:

No Data

Address:

1401 Bluff Dr.

Copperas Cove, TX 76522

Grid #:

57-25-1

Well Location:

6.4 mi. S from Hwy. 152 on

Latitude:

30° 36' 48" N

Keyserville Rd.; .1 mi. S/E in pasture

Longitude:

098° 59' 37" W

Elevation:

No Data

Well County:

Mason

Type of Work: New Well

Proposed Use:

Domestic

Drilling Start Date: 6/5/2001

Drilling End Date: 6/5/2001

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.,
9	0	22.5
6.75	22.5	23.5
6	23.5	140

Drilling Method:

Air Hammer

Borehole Completion:

Open Hole

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)	
0	23	4	

Seal Method: Grout

Distance to Property Line (ft.): No Data

Sealed By: Driller

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Pitless Adapter Used

Water Level:

29 ft. below land surface on 2001-06-05

Measurement Method: Unknown

Packers:

No Data

Type of Pump:

Submersible

Pump Depth (ft.): 100

Well Tests:

Jetted

Yield: 100+ GPM

	Strata Depth (ft.)	Water Type	
Water Quality:	40-140	good (360 ppmTDS)	

Did the driller knowingly penetrate any strata which

contained injurious constituents?: No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information:

Virdell Drilling Inc.

111 E. Grayson St. Llano, TX 78643

Driller Name:

Lynn Hoy

License Number:

4071

Comments:

No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

op (ft.)	Bottom (ft.)	Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0	2	Topsoil	6" N PVC +2 - 23.5 sch 40
2	9	Brown Clay & Sand	
9	140	Red & Brown Sandstone	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

Lee Butcher

Owner Well #:

No Data

Address:

P.O. Box 1395

mi. S on hill

Grid #:

57-25-1

Mason, TX 76856

Latitude:

30° 36' 43" N

Well Location:

2.8 mi. E of 87 on Keyserville Rd; 1.8

Longitude:

098° 58' 53" W

TX

Well County:

Mason

Elevation:

No Data

Type of Work:

New Well

Proposed Use:

Domestic

Drilling Start Date: 10/22/2008

Drilling End Date: 10/22/2008

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
9	0	32.5
6.75	32.5	33.5
6	33.5	260

Drilling Method:

Air Hammer

Borehole Completion:

Open Hole

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)
0	3	1 Cement
3	32.5	6 Bentonite

Seal Method: Grout

Distance to Property Line (ft.): No Data

Sealed By: Driller

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Pitless Adapter Used

Water Level:

152 ft. below land surface on No Data

Measurement Method: Unknown

Packers:

No Data

Type of Pump:

Submersible

Pump Depth (ft.): 240

Well Tests:

Jetted

Yield: 15 GPM

	Strata Depth (ft.)	Water Type	
Water Quality:	160 - 260	Good (480 ppmTDS)	

Did the driller knowingly penetrate any strata which contained injurious constituents?: N

No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information:

Virdell Drilling, Inc.

111 E. Grayson I, TX 78643

Driller Name:

Taylor Virdell Jr.

License Number:

1900

Apprentice Name:

James Caleb Virdell

Apprentice Number:

57668

Comments:

No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Description	Bottom (ft.)	Top (ft.)
T/S	1	0
Rd and Brn SS	130	1
Brn and Gray SS	260	130

Dia. (in.)	New/Used	Type	Setting From/To (ft.)
6 N PVC	35' +1.5	- 33.5	
6 N PVC	35' +1.5	- 33.5	

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

Lee Butcher

Owner Well #:

No Data

Address:

4500 Bucks Run Road

Grid #:

57-25-1

Well Location:

Mason, TX 76856

4500 Bucks Run Road

Latitude:

30° 36' 49.44" N

Mason, TX 76856

Longitude:

098° 58' 55.34" W

Well County:

Mason

Elevation:

No Data

Type of Work: New Well

Proposed Use:

Stock

Drilling Start Date: 3/2/2018

Drilling End Date: 3/2/2018

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
9	0	20
6.25	20	245

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Description (number of sacks & material)
-2	20	Cement 3 Bags/Sacks

Seal Method: Poured

Distance to Property Line (ft.): 250+

Sealed By: Driller

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): 250+

Method of Verification: owner

Surface Completion:

Surface Sleeve Installed

Surface Completion by Driller

Water Level:

111 ft. below land surface on 2018-03-02

Measurement Method: Steel Tape

Packers:

No Data

Type of Pump:

No Data

Well Tests:

Jetted

Yield: 67 GPM

	Strata Depth (ft.)	Water Type	
Water Quality:	105 - 245	No Data	

Did the driller knowingly penetrate any strata which contained injurious constituents?: No

Certification Data:

The driller certified that the driller drilled this well (or the well was drilled under the driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in the report(s) being returned for completion and resubmittal.

Company Information:

Magill Drilling & Water Well Service

PO Box 46

Castell, TX 76831

Driller Name:

Zane Magill

License Number:

4168

Comments:

No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	Topsoil
1	12	Red Sandstone
12	55	Red Sandstone W/ Lime Streaks
55	68	Tan Sandstone (Moist)
68	185	Red & Gray Sandstone
185	245	Hickory Sands

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
6	Blank	New Plastic (PVC)	40	-2	20

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner:

James Kemp

Owner Well #:

No Data

Address:

P.O. Box 471

Fredericksburg, TX 78624

Grid #:

57-25-1

Well Location:

Latitude:

30° 37' 00" N

1.6 mi. W of CR 105 on CR 105B; 2

mi. N/W in pasture

Longitude:

098° 58' 22" W

TX

Well County:

Mason

Elevation:

No Data

Type of Work:

Reconditioning

Proposed Use:

Stock

Drilling Start Date: 12/19/2012

Drilling End Date: 12/19/2012

Borehole:

Diameter (in.)

Top Depth (ft.)

Bottom Depth (ft.)

6

0

144

Drilling Method:

Air Hammer

Borehole Completion:

Straight Wall

Annular Seal Data:

No Data

Seal Method: Not Applicable

Distance to Property Line (ft.): No Data

Sealed By: Unknown

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion:

Pitless Adapter Used

Water Level:

60 ft. below land surface on 2012-12-19

Measurement Method: Unknown

Packers:

Rubber 60'

Rubber 70'

Type of Pump:

Solar

Well Tests:

Jetted

Yield: 12 GPM

	Strata Depth (ft.)	Water Type	
Vater Quality:	80 - 140	good (480 ppmTDS)	
		Chemical Analysis Mado:	No

Did the driller knowingly penetrate any strata which contained injurious constituents?: No

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Virdell Drilling Inc.

111 E. Grayson St. Llano, TX 78643

Driller Name:

Taylor Virdell Jr.

License Number:

1900

Apprentice Name:

James Caleb Virdell

Apprentice Number:

57668

Comments:

No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description	Dia. (in.) New/Used Type Setting From/To (ft.)
0	144	Prev. Drilled (Log #20090)	4.5" N PVC -4 - 104 SDR 17
			4.5" N PVC Slott 104 - 144 SDR 17

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.