Avantion Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

exas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Auslin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)802-9202

This form must be completed and filed with the department and owner within 60 days

		Email addres	s: water we	1803-9202	slate to u			ipon completion	n 60 days of the wel	
Mark to the standard		V	YELL RI	PORT	state,tx,u	<u>IS</u>			01 1110 1101	
1) OWNER		ELL IDENTI	FICATIO	N AND LO	CATIO	N DATA				
Doug Spriner		Address			City Rockdale			Zip	101	
2) WELL LOCATION				NUC K	OF IC	13.5	١٨.	17	<u>656</u>	
County / Am	Physical Add			City			State	Zip		
3) Type of Work New Well Reconditioning Replacement December	Lat. 30°	38 539		ong (294°	CQ' ().	,1 E (CV,				
Replacement Reconditioning	4) Propose	d Use (check)	Monitor	Enviro	oninental So	il Boring L De	Grid#		- /	
6) Drilling Date			II Public Sup	Public .	Supply 🗀	De-watering L	Testwell			
Started <u>61 / 63 / 63</u>	Di	amerer of Hote	2	7) Dr	illing Me	thed (check)	No Deiva			
	Dia.(in)	From (A)	To (ft)	U Ai	r Rolary &	Mud Rolary	O Bore	,[
Completed 01, 07 163			43.2		r Hammer her	Cable Tool	Jetted			
kom((d). vo(d) sbeet	ilos bingnolli	o of ar farile	a property of	fire as a				<u> </u>		
312-316 ROCK	No.		Simulation)	8) Borchole Completion Open Hole Straight Wall Under-reamed Gravel Packed Other						
596 632 5 And									X2"	
632 - 634 / Pec	K				New	K Pipe, and W Steel, Plastic,	en Screen	1		
6342 -649 SANZ					Or Uscd	Perf., Slotted.	c lc	Setting (f)	Gage Casing	
649-653 3RN SAPLE					N	Screen Mfg.,	I commercia	1 From To	Screen	
			····	2''	N	CA	U	617.512		
				2"	n'	<u>ک, ک</u> ر	EEL	632.617		
					N	<u>G</u> 74	ly	653-612	工	
(Use reverse side of Well	Owner's and			Cemen	ienting D	n ft	Ω.	#of sacks mod		
13) Plugged D Woll plane	within 40 b	necessary)		Cementing from						
Comeny Bentonite p	laced in well;	<u> </u>		Distance to septic system field as other service 1						
rrom(ii) To (ft) From (ft	To To	(R)	Sacks used	Method o	of verification	n of above distan	ce	contamination	ın.	
1/1/	4			10) Sur	face Con	npletion				
14) Type Pump				O Specified Surface Slab Installed O Specified Surface Sleeve Installed						
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder					© Pitless Adapter Used © Approved Alternative Procedure Used					
[5] Water Tool	300 n.			1		3	S.S.			
Typelest D Pump D Daile M.					Static level 35 R. below Date 1 107 103 Attesian Flow Print Date 1 107 103					
6) Water Quality	own aller &	hrs.	ž.	J		gpin. Dat	c/		1	
and you knowingly pendents	contain undesim	ble constituents.		12) Pack	-	Турс		Depth		
YES O NO If yes, did you submit a REPORT OF UNDESTRABLE WATER ype of water Depth of Strata As a chemical analysis made O Yes O No				KER + REL				5-12	-	
					PLAP	**************************************		575		
mpany or individual's Name (type	or print)	Brien L	Jates	1 ::	RLAP	T		596		
dress RT, 1BOX 700	L	- , · · · · ·		3000000		Lic.		(DOWE		
nature Sould Craze	_ 0,	115 1	10	Jearny	1	State	TX	Zip 7789	59	
Licensed Driller/Pump Installer		Date	S Sign	ture 10	Appren	SULC-	- 0		23	
	1071.14. 1	rate name						Date		



Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

From (ft)	To (ft)	Description and color of formation material
	····	
·····	· · · · · · · · · · · · · · · · · · ·	

Attention Owner: Confidentiality Privilege Notice on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed and filed with the department and owner within 60 days

	Email address	: water.well	(d)license.	state,tx,u	§	upo	on completion o	f the well.	
	A WELL HARACTE	ELL RE	PORT_	***************************************					
1) OWNER	A. WELL IDENTIF	CATION	AND LO	CATIO	N DATA				
Name	Address	10	ily			Clata			
LOUG Springer	1488 S. Hwy 7		Rockdale			State Zip			
1 WELL LOCATION			110	chan				567	
County AA . 1	Physical Address	10	City	· · · · · · · · · · · · · · · · · · ·					
1011 (Am	Hwy 77			KdAl	/_ S	State	Zip	,	
?) Type of Work	bet. 30° 38' 5'3.9"	J.u	,			_/X_		567	
New Well Reconditioning	4) Proposed Use (check)	Manitor	mg. 096		12.3		9-17-7	-	
Replacement Deepening	Industrial Irrigation	Inication (Talviro	nmental So	Il Boring Don	1estic	5)	NÎ	
	Rig Supply	If Public Sunst	word	suppry 🗀	itted? Yes	Testwell			
·) Drilling Date	Diameter of Hole	t dance outpot	7) 1) e	pians subn	nited? Yes				
Started 10/21/02	Dia.(in) From (ft)	To (ft)		uning Me	lhod (check)	Driven			
	7/2 0			r Rotary 🚨	Mud Rotary	Bored	•		
Completed 10,29,02	63/4 10	10			Cable Tool	Jetted			
	27/0 55	550 592		her					
rom (ft) To (ft) Descrip	tion and color of for matter	3/3	6 a =			<u></u>			
0 28				chole Co	mpletion ()	Open Ho	le O Straigh	t Wall	
	S-Clay 1	-SAND			ned Gravel		Other 4'x	<u> ユ′′′</u>	
28 50 50 71	Clay		Casi	ng, Blani	Pipe, and We	ell Screen	<u>fl.to</u> Data		
	5hA/8 +5	Shale		New	Steel, Plastic, e	de.	Setting (ft)	L	
71 72	Rock		Dia.	Or Used	Perf., Slotted, e	etc		Gage Casing	
72 90	Shalet	5.56ak	4	N	Screen Mfg., if	commercial		Screen	
	Coal-5-		اد	N	PUC		+1 540		
110 144	Shale +S		24	N	GALV	***************************************	528 570		
144 243	5 And	, , , , , , ,	2	N	PVCSO	بهج	57059c	,016	
243 253	SAND +	5-54.1-			PVC		590592		
253 254	D. 1	CZOAIC	Cemen	ienting D	Pata On to 1	י מ		ð	
(Use reverse side of Well ()wher's copy, If necessary)	************	Markey		290 A. to	540 n. #	of sacks used	25	
13) Plugged Casing left in well: Coment/Bentonite al	Cementin	DE BY R	290 ft. to 5	11/2/12					
Casing left in well: Cement/Bentonite pl From (ft) From (ft)	Distance to septic system field or other commutated								
1.50m(n)	To (f)	Sacks used	Method o	of verification	on of above distance	CNA			
- 10	A 10) Surface Completion								
(4) Type Pump	Specified Surface Slab Installed								
- lurbine let Fre.	Specified Surface Sleeve Installed Pitless Adapter Used								
_ O	Approved Alternative Procedure Used								
5) Water Test	00 n.		II) Wat	er Level			The state of the s		
Sypetest D Pump D Railer D Laura 1870				Static level /65 n balance to /A . 30 - 3					
Will SO O R drawdown a Co.				Artesian Flow gpm. Date / /					
bid you knowingly populate a state of the				12) Packers Type Depth					
YES P NO If yes, did you submit a REPORT OF UNDESTRABLE WATER Depth of Strata				1 4".3"" Q. 1 1 Q 1					
as a chemical analysis made Yes	THE RHERPAKEN 528								
mpany or individual's Name (type of	or print) P · /					-			
Lic. No. 5 /100/17									
City Harris						4			
nature of Sonord (Agency 11, DU D)									
Licensed Driller/Pump Installer	Date	Signal	lure Z	rak	Maly	_ /	1,041	02	
n PORM MANUEL				Appren	tice		Date		

Blat. Bullian/Barra Fredallan