



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/8/2019 11:36:32 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1863454

Attn:

ANNEKE & JASON BROWN
60 HIGHLAND RD.
BOISE, ID 83716

Collected By: R. WELLSIN

Submitted By:

Source of Sample:

60 HIGHLAND RD. BOISE, ID

Time of Collection: 11:38

Date of Collection: 12/31/2018

Date Received: 12/31/2018

Report Date: 1/4/2019

Field pH:

Lab pH:

Field Temp:

Temp Rcvd in Lab:

PWS#:

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Arsenic Low	0.01	0.0021	mg/L	0.0020	EPA 200.8	1/2/2019	JH
Uranium, U	30	5	ug/L	1	EPA 200.8	1/2/2019	JH
Nitrate (as N)	10	0.2	mg/L	0.2	EPA 300.0	12/31/2018	NC
Nitrite (as N)	1.00	<0.01	mg/L	0.01	EPA 353.2	12/31/2018	SMC
Hardness	UR	99.5	mg/L	5.0	SM 2340-C	1/4/2019	TG

Email: geckoonthewall31@gmail.com

Thank you for choosing Analytical Laboratories for your testing needs.

If you have any questions about this report, or any future analytical needs, please contact your client manager:

Brian M. McGovern

MCL = Maximum Contamination Level
MDL = Method/Minimum Detection Limit
UR = Unregulated