

Please use black ink.  
Send original copy by  
certified mail to the  
Texas Department of Water Resources  
P. O. Box 13087  
Austin, Texas 78711

State of Texas  
WATER WELL REPORT

Texas Water Well Drillers Board  
P. O. Box 13087  
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Milton Guthrie Address Rt. 2 Box 720 Lexington, Tex. 78947  
(Name) (Street or RFD) (City) (State) (Zip)  
2) LOCATION OF WELL:  
County Lee 7 or 8 miles in Norrbh direction from Lexington  
(N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. \_\_\_\_\_ Block No. \_\_\_\_\_ Township \_\_\_\_\_

Abstract No. \_\_\_\_\_ Survey Name \_\_\_\_\_

Distance and direction from two intersecting section or survey lines \_\_\_\_\_

☒ See attached map.

3) TYPE OF WORK (Check):  
☒ New Well ☐ Deepening  
☐ Reconditioning ☐ Plugging  
4) PROPOSED USE (Check):  
☒ Domestic ☐ Industrial ☐ Public Supply  
☐ Irrigation ☐ Test Well ☐ Other \_\_\_\_\_  
5) DRILLING METHOD (Check):  
☒ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored  
☐ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other \_\_\_\_\_

6) WELL LOG:  
Date drilled 4-25-88  
DIAMETER OF HOLE  
Dia. (in.) From (ft.) To (ft.)  
6 1/2 Surface 783  
7) BOREHOLE COMPLETION:  
☐ Open Hole ☐ Straight Wall ☐ Underreamed  
☒ Gravel Packed ☐ Other \_\_\_\_\_  
If Gravel Packed give interval . . . from 673 ft. to 783 ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
			Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
0 -	3	Sandy Topsoil	
3 -	79	Shale & sandy shale	
79 -	85	Rock	
85 -	100	Shale	4 N PVC surface- 707 casing
100 -	180	Sandy shale w/strks rock	2 N Stainless Steel 715 - 735 screen
180 -	203	Shale	2 N galv. steel 673 - 715 liner
203 -	230	Sand w/strks shale	
230 -	260	Very sandy shale w/strks sand	
260 -	274	Shale	
274 -	317	Sandy shale & sand	
317 -	337	Shale & lignite	
337 -	374	Sand (washdown)	
374 -	391	Shale	
391 -	408	Sand & strks shale	
408 -	431	Sand	
431 -	460	Shale	
460 -	461	Rock	
461 -	491	Shale	
491 -	502	washdown sand & rock	
502 -	503	Rock	
503 -	505	sand	
505 -	520	Shale	
520 -	531	Shale w/strks rock & sand	
531 -	532	Hard rock	
532 -	558	Shale & Rock	
557 -	565	Sandy shale & sand	
565 -	566	Rock	
566 -	574	Sand, Sandy shale & rock	
574 -	575	Hard Rock	
575 -	597	Shale	
597 -	608	sand & sandy shale	
(over)		(Use reverse side if necessary)	

9) CEMENTING DATA [Rule 319.44(b)]  
Cemented from 0 ft. to 707 ft.  
ft. to \_\_\_\_\_ ft.  
Method used Pressure pumped  
Cemented by Pomykal Drilling Co.

10) SURFACE COMPLETION  
☒ Specified Surface Slab Installed [Rule 319.44(c)]  
☐ Pitless Adapter Used [Rule 319.44(d)]  
☐ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:  
Static level 105 ft. below land surface Date 4-25-88  
Artesian flow \_\_\_\_\_ gpm. Date \_\_\_\_\_

12) PACKERS: Type Depth

13) TYPE PUMP:  
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder  
☐ Other \_\_\_\_\_  
Depth to pump bowls, cylinder, jet, etc., 189 ft.

14) WELL TESTS:  
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated  
Yield: 60 gpm with \_\_\_\_\_ ft. drawdown after \_\_\_\_\_ hrs.

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Pomykal Drilling Co., Inc. Water Well Driller's License No. 1926  
(Type or Print)  
ADDRESS P.O. Box 672 Brenham Texas 77833  
(Street or RFD) (City) (State) (Zip)

(Signed) \_\_\_\_\_ (Signed) \_\_\_\_\_  
(Licensed Water Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only  
Well No. \_\_\_\_\_  
Located on map \_\_\_\_\_

**IMPORTANT NOTICE FOR PERSONS  
HAVING WELLS DRILLED CONCERNING  
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

**Driller's Log Continued:**

608 - 617 washdown Sand  
617 - 653 tight sand  
653 - 708 Shale w/strks rock  
708 - 734 Sand  
734 - 751 Sandy shale  
751 - 773 Sand & sandy shale  
773 - 783 Sand