

MAP LEGEND

â

00

Δ

Water Features

Transportation

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Points

Special Point Features

(o) Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

... Gravelly Spot

Landfill

Lava Flow

Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

Sandy Spot

Severely Eroded Spot

Saline Spot

Sinkhole

Slide or Slip

Sodic Spot

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24.000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Fisher County, Texas Survey Area Data: Version 16, Jun 11, 2020

Soil map units are labeled (as space allows) for map scales 1:50.000 or larger.

Date(s) aerial images were photographed: Jan 31, 2020—Mar 6, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.



Spoil Area

Stony Spot

Wet Spot

Other

Very Stony Spot

Special Line Features

Streams and Canals











Aerial Photography



Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
Ва	Knoco clay, 5 to 40 percent slopes	29.7	3.2%
Bk	Breaks-Yomont complex, 0 to 60 percent slopes	25.6	2.8%
СаВ	Paducah loam, 1 to 3 percent slopes	31.9	3.5%
La	Westola fine sandy loam, dry, 0 to 1 percent slopes, frequently flooded	145.3	15.9%
Sc	Bippus clay loam, warm, 0 to 1 percent slopes, occasionally flooded	129.1	14.1%
Sp	Colorado silt loam, 0 to 1 percent slopes, occasionally flooded	58.3	6.4%
ТсВ	Tillman clay loam, 1 to 3 percent slopes	311.0	33.9%
Tw	Treadway clay	53.0	5.8%
WoB	Woodward loam, 1 to 3 percent slopes, warm	12.0	1.3%
WoC	Woodward loam, 3 to 5 percent slopes, warm	117.7	12.8%
WwC	Woodward-Quinlan complex, 3 to 5 percent slopes	2.5	0.3%
Totals for Area of Interest		916.2	100.0%