

Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Ramon Haile Address P.O.Box 767, Hamilton, Texas 76531
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL Hamilton 6 miles in N direction from Hamilton
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right
with distance and direction from two intersecting sec-
tion or survey lines, or he must locate and identify the
well on an official Quarter- or Half-Scale Texas County
General Highway Map and attach the map to this form.

☐ Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging
4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____
5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☒ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:
Date drilled 9/6/84
DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)
6 1/4 Surface 225
7) BOREHOLE COMPLETION:
☐ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from _____ ft. to _____ ft.

From (ft.)	To (ft.)	Description and color of formation material	8) CASING, BLANK PIPE, AND WELL SCREEN DATA:
0	24	caliche	Dia. (in.) New or Used Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial Setting (ft.) From To Gage Casing Screen
24	34	gray shale	
34	45	lime w/shale breaks	4 1/2 new Sch 40 Jet Stream 0 185
45	67	gray lime	4 1/2 new slotted casing 185 225 1/8"
67	97	lime w/shale breaks	
97	110	sandy shale	
110	112	hard rock	
112	135	pink shale	
135	147	sandy shale	
147	149	pink shale	
149	162	sandy shale	
162	189	sand and charcoal	
189	221	sandstone and sand	
221	225	red bed	

CEMENTING DATA
Cemented from 0 ft. to 50 ft.
Method used poured
Cemented by driller
(Company or Individual)

9) WATER LEVEL:
Static level 125 ft. below land surface Date 9/8/84
Artesian flow _____ gpm. Date _____

10) PACKERS: Type Depth
1 shale catcher 50
1 shale catcher 160

11) TYPE PUMP:
☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., 178 ft.

(Use reverse side if necessary)

13) WATER QUALITY: