

T.9N.-R.13E.

SEE PAGE 22

SEE PAGE 10

W10050

500 Plaza Drive • Marshall, Wisconsin 53559

Farm 2249

Tract 109

2021 Program Year


CLU	Acres	HEL	Crop
1	4.03	NHEL	
2	5.76	UHEL	NC
6	24.53	NHEL	
7	13.52	NHEL	
8	28.69	HEL	
9	13.69	NHEL	
11	13.67	NHEL	
12	1.12	UHEL	NC
13	1.57	UHEL	NC
14	0.31	UHEL	NC
15	11.66	UHEL	NC
16	0.25	UHEL	NC
19	13.12	UHEL	NC
20	24.33	HEL	

Page Cropland Total: 122.46 acres


Map Created March 22, 2021

Common Land Unit cropland_indicator_3CM

- Non-Cropland
- Cropland
- Tract Boundary
- NAIP Imagery 2020
- Wetland Determination Identifiers
 - Restricted Use
 - Limited Restrictions
 - Exempt from Conservation
 - Compliance Provisions



USDA FSA maps are for FSA Program administration only. This map does not represent a legal survey or reflect actual ownership, rather it depicts the information provided directly from the producer and/or the NAIP imagery. The producer accepts the data 'as is' and assumes all risks associated with its use. The USDA Farm Service Agency assumes no responsibility for actual or consequential damage incurred as a result of any user's reliance on this data outside FSA Programs. Wetland identifiers do not represent the size, shape, or specific determination of the area. Refer to your original determination (CPA-026 and attached maps) for exact boundaries and determinations or contact NRCS.



15. DISCLAIMER: This map is not guaranteed to be accurate, correct, current, or complete and conclusions drawn are the responsibility of the user.



DISCLAIMER: This map is not guaranteed to be accurate, correct, current, or complete and conclusions drawn are the responsibility of the user.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 16N WGS84


MAP LEGEND

Area of Interest (AOI)	Area of Interest (AOI)	Soil Map Unit Polygons	Soil Map Unit Lines	Soil Map Unit Points	Special Point Features	Water Features	Transportation	Background
Soils	Soils	Soils	Soils	Soils	Soils	Streams and Canals	Rails	Aerial Photography
						Interstate Highways	US Routes	
						Major Roads	Local Roads	

Map Unit Legend


Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AcA	Ackmore silt loam, 0 to 3 percent slopes	7.5	4.3%
Hu	Houghton muck, 0 to 2 percent slopes	2.7	1.6%
KrD2	Kidder loam, 12 to 20 percent slopes, eroded	4.3	2.5%
KrE2	Kidder loam, 20 to 30 percent slopes, eroded	4.7	2.7%
MrB	McHenry silt loam, 2 to 6 percent slopes	13.8	8.0%
MrC2	McHenry silt loam, 6 to 12 percent slopes, eroded	48.7	28.2%
MrD2	McHenry silt loam, 12 to 20 percent slopes, eroded	13.0	7.5%
Ph	Pella silty clay loam, cool, 0 to 2 percent slopes	59.2	34.2%
SdA	St. Charles silt loam, moderately well drained, 0 to 2 percent slopes	15.1	8.7%
W	Water	3.9	2.2%
Totals for Area of Interest		172.9	100.0%

Farmland Classification—Dodge County, Wisconsin
(N1598 Yerges Rd, Town of Portland)



Map Scale: 1:8,800 if printed on A landscape (11" x 8.5") sheet.

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 16N WGS84



Farmland Classification—Dodge County, Wisconsin
(N1598 Yerges Rd, Town of Portland)

	Prime farmland if subsoiled, completely removing the root inhibiting soil layer		Farmland of statewide importance, if drained and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if irrigated and reclaimed of excess salts and sodium		Farmland of unique importance		Prime farmland if subsoiled, completely removing the root inhibiting soil layer
	Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of statewide importance, if irrigated and drained		Farmland of statewide importance, if drained or either protected from flooding or not frequently flooded during the growing season		Not prime farmland		Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60
	Prime farmland if irrigated and reclaimed of excess salts and sodium		Farmland of statewide importance, if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or not frequently flooded during the growing season		All areas are prime farmland		Prime farmland if irrigated and reclaimed of excess salts and sodium
	Farmland of statewide importance		Farmland of statewide importance, if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or not frequently flooded during the growing season		Prime farmland if drained		Farmland of statewide importance
	Farmland of statewide importance, if drained		Farmland of statewide importance, if subsoiled, completely removing the root inhibiting soil layer		Farmland of statewide importance, if warm enough		Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if drained
	Farmland of statewide importance, if protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of statewide importance, if warm enough		Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if protected from flooding or not frequently flooded during the growing season
	Farmland of statewide importance, if irrigated		Farmland of statewide importance, if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of local importance		Prime farmland if irrigated and drained		Farmland of statewide importance, if irrigated
					Farmland of local importance, if irrigated		Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season		

Farmland Classification—Dodge County, Wisconsin
(N1598 Yerges Rd, Town of Portland)

	Farmland of statewide importance, if drained and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if irrigated and reclaimed of excess salts and sodium		Farmland of unique importance	The soil surveys that comprise your AOI were mapped at 1:15,800. Please rely on the bar scale on each map sheet for map measurements. Source of Map: Natural Resources Conservation Service Web Soil Survey URL: Web Soil Survey URL: Coordinate System: Web Mercator (EPSG:3857) Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required. This product is generated from the USDA-NRCS certified data as of the version date(s) listed below. Soil Survey Area: Dodge County, Wisconsin Survey Area Data: Version 17, Jun 8, 2020 Soil map units are labeled (as space allows) for map scales 1:50,000 or larger. Date(s) aerial images were photographed: Apr 29, 2011—Sep 6, 2011 The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.
	Farmland of statewide importance, if irrigated and drained		Farmland of statewide importance, if drained or flooded during the growing season		Water Features	
	Farmland of statewide importance, if irrigated and either protected from flooding or not frequently flooded during the growing season		Farmland of statewide importance, if warm enough, and either drained or either protected from flooding or not frequently flooded during the growing season		Transportation	
	Farmland of statewide importance, if subsoiled, completely removing the root inhibiting soil layer		Farmland of statewide importance, if warm enough		Rails	
	Farmland of statewide importance, if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60		Farmland of statewide importance, if thawed		Interstate Highways	
			Farmland of local importance		US Routes	
			Farmland of local importance, if irrigated		Major Roads	
					Local Roads	
					Background	
					Aerial Photography	

Farmland Classification

Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
AcA	Ackmore silt loam, 0 to 3 percent slopes	Prime farmland if drained	7.5	4.3%
Hu	Houghton muck, 0 to 2 percent slopes	Farmland of statewide importance	2.7	1.6%
KrD2	Kidder loam, 12 to 20 percent slopes, eroded	Not prime farmland	4.3	2.5%
KrE2	Kidder loam, 20 to 30 percent slopes, eroded	Not prime farmland	4.7	2.7%
MrB	McHenry silt loam, 2 to 6 percent slopes	All areas are prime farmland	13.8	8.0%
MrC2	McHenry silt loam, 6 to 12 percent slopes, eroded	Farmland of statewide importance	48.7	28.2%
MrD2	McHenry silt loam, 12 to 20 percent slopes, eroded	Not prime farmland	13.0	7.5%
Ph	Pella silty clay loam, cool, 0 to 2 percent slopes	Prime farmland if drained	59.2	34.2%
SdA	St. Charles silt loam, moderately well drained, 0 to 2 percent slopes	All areas are prime farmland	15.1	8.7%
W	Water	Not prime farmland	3.9	2.2%
Totals for Area of Interest			172.9	100.0%

Description

Farmland classification identifies map units as prime farmland, farmland of statewide importance, farmland of local importance, or unique farmland. It identifies the location and extent of the soils that are best suited to food, feed, fiber, forage, and oilseed crops. NRCS policy and procedures on prime and unique farmlands are published in the "Federal Register," Vol. 43, No. 21, January 31, 1978.

Rating Options

Aggregation Method: No Aggregation Necessary

Tie-break Rule: Lower