Current Tillable Soils Map





Area Syr	nbol: IA049, Soil Area Version: 26									
Code	Soil Description	Acres	Percent of field	CSR2 Legend	Non-Irr Class *c	*i Corn	*i Soybeans	CSR2**	CSR	*n NCCPI Overall
823B	Ridgeport sandy loam, 2 to 5 percent slopes	13.58	33.0%		llle	80	23.2	51	35	56
L138B	Clarion loam, Bemis moraine, 2 to 6 percent slopes	6.29	15.3%		lle	80	23.2	88		80
203	Cylinder loam, 0 to 2 percent slopes	5.15	12.5%		lls	80	23.2	58	80	73
27B	Terril loam, 2 to 6 percent slopes	4.16	10.1%		lle	224	65	87	82	88
L138C2	Clarion loam, Bemis moraine, 6 to 10 percent slopes, moderately eroded	3.45	8.4%		llle	0	0	83		67
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	2.60	6.3%		llw	198.4	57.5	76	80	83
828C2	Zenor sandy loam, 5 to 9 percent slopes, moderately eroded	2.03	4.9%		llle	80	23.2	45	31	49
L107	Webster clay loam, Bemis moraine, 0 to 2 percent slopes	1.85	4.5%		llw	0	0	88		84
L55	Nicollet loam, 1 to 3 percent slopes	1.16	2.8%		le	0	0	91		85
259	Biscay clay loam, 0 to 2 percent slopes	0.94	2.3%		llw	166.4	48.3	52	77	69
Weighted Average							26.5	67.9	*-	*n 69.7

**IA has updated the CSR values for each county to CSR2.

*- CSR weighted average cannot be calculated on the current soils data, use prior data version for csr values.

*i Yield data provided by the ISPAID Database version 8.1.1 developed by IA State University. *n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.