


Soil Map—Okfuskee County, Oklahoma



Map Scale: 1:19,800 if printed on A portrait (8.5" x 11") sheet.

0 250 500 1000 1500 Meters

0 500 1000 2000 3000 Feet

Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 14N WGS84



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

10/29/2021
Page 1 of 4

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BoyA	Boley silt loam, 0 to 1 percent slopes, frequently flooded	121.1	6.9%
CaaA	Canadian fine sandy loam, 0 to 1 percent slopes, rarely flooded	6.1	0.3%
ClrC2	Clearview fine sandy loam, 3 to 5 percent slopes, eroded	24.9	1.4%
DenB	Dennis silt loam, 1 to 3 percent slopes	31.9	1.8%
EnHE	Endsaw-Hector complex, 5 to 12 percent slopes	8.1	0.5%
EnHG	Endsaw-Hector complex, 12 to 30 percent slopes	91.7	5.2%
ErCF	Eram-Coweta complex, 8 to 20 percent slopes	0.0	0.0%
GalC2	Galey fine sandy loam, 3 to 5 percent slopes, eroded	13.1	0.7%
GdyA	Gaddy loamy fine sand, 0 to 1 percent slopes, frequently flooded	1.2	0.1%
GhLB	Glentosh and Larton soils, 0 to 3 percent slopes	6.3	0.4%
GlhE	Glentosh loamy fine sand, 3 to 12 percent slopes	80.3	4.5%
HeCE	Hector-Clearview complex, 5 to 12 percent slopes	41.2	2.3%
KarB	Karma fine sandy loam, 0 to 3 percent slopes	17.1	1.0%
KarD2	Karma fine sandy loam, 3 to 8 percent slopes, eroded	85.7	4.9%
KarE4	Karma fine sandy loam, 3 to 12 percent slopes, gullied	50.1	2.8%
KimA	Kioma fine sandy loam, 0 to 1 percent slopes, occasionally flooded	72.2	4.1%
KmfA	Kioma fine sandy loam, 0 to 1 percent slopes, frequently flooded	99.7	5.7%
KoGE4	Konawa-Gullied land complex, 3 to 12 percent slopes	30.7	1.7%
KowD2	Konawa fine sandy loam, 3 to 8 percent slopes, eroded	7.6	0.4%
LrtB	Larton loamy fine sand, 0 to 3 percent slopes	13.0	0.7%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
LrtD	Larton loamy fine sand, 3 to 8 percent slopes	61.5	3.5%
MasA	Mason silt loam, 0 to 1 percent slopes, rarely flooded	85.4	4.8%
MaTA	Madill and Tullahassee soils, 0 to 1 percent slopes, frequently flooded	108.3	6.1%
MrwB	Muldrow silty clay loam, 0 to 1 percent slopes, rarely flooded	55.6	3.1%
OkrA	Oklared fine sandy loam, 0 to 1 percent slopes, occasionally flooded	150.8	8.5%
OPPA	Okemah-Pharoah-Parsons complex, 0 to 1 percent slopes	4.3	0.2%
PuTA	Pulaski and Tribbey soils, 0 to 1 percent slopes, frequently flooded	6.7	0.4%
SevA	Severn very fine sandy loam, 0 to 1 percent slopes, occasionally flooded	227.1	12.9%
SvnA	Severn silt loam, 0 to 1 percent slopes, occasionally flooded	54.7	3.1%
TIhA	Tullahassee fine sandy loam, 0 to 1 percent slopes, frequently flooded	23.0	1.3%
VrgA	Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded	13.4	0.8%
W	Water	122.5	6.9%
WelE	Weleetka sandy loam, 2 to 12 percent slopes	15.5	0.9%
YahA	Yahola fine sandy loam, 0 to 1 percent slopes, occasionally flooded	34.1	1.9%
Totals for Area of Interest		1,765.1	100.0%