

SS-183  
Rev 3/11

West Virginia Department of Health & Human Resources  
Hampshire County Health Department

Permit #: ST-14-21-153

Tax District: \_\_\_\_\_

Map # 9

Parcel # 1.7

PERMIT  
ON-SITE SEWAGE DISPOSAL SYSTEM

Coordinates: N 39 17 15 W 78 29 13

Owner: Gabriel White

Installer: Kent Orndorff

Address: 201 Carpers Pike  
Gore, VA 22637

Address: 1108 Green Ln

Augusta, WV 26704

You are hereby issued a permit to: ☒ Install ☐ modify an on-site sewage disposal system located:  
Edward Run Estates Lot 7

Facility: Residence

Design Flow: 3

Lot Size (ft<sup>2</sup>/acres):

4.9 acres

Water Source:

well

Based upon review of the information on your submitted application, dated 4/13/2021, and the proper installation of the herein described system, the system shall be in compliance with applicable West Virginia Sewage System Rules and Design Standards.

The sewage system shall consist of a:

- ☒ Septic tank - Capacity: 1000 gallons or more. Constructed of: Concrete or Plastic.  
☒ Soil disposal system with a minimum equivalency of 900 square feet of conventional gravel trench area.

Depth to the bottom of the trench or bed installation shall be 24 inches from original ground surface.

☐ Gravel system: Lengths of lines: \_\_\_\_\_ feet. Width: \_\_\_\_\_ inches.

☒ Chamber system: Number of lines: 3. Lengths of lines: 60's, \_\_\_\_\_, \_\_\_\_\_, \_\_\_\_\_.

Manufacturer of chamber: Infiltrator.

☐ Bed system: ☐ Gravel ☐ Chamber Length: \_\_\_\_\_ feet. Width \_\_\_\_\_ feet.

☐ Other: \_\_\_\_\_

This permit is non-transferable and automatically expires 12 months after issue date.

This permit is NULL and VOID when official inspection reveals conditions different than those stipulated on the permit or facts are later found that would indicate non-compliance with applicable rules.

All systems must be inspected and approved prior to being covered with earth or placed into use.

The applicant or his agent must notify this department 72 hours or more prior to planned inspection time. Health Department Phone Number: 304-496-9641

**Additional Specifications**  
**on Reverse.**

Issue Date: 4/16/2021

Sanitarian: RH

Sketch of system

