

NE 1/16 CORNER
4-15-15

RECORDED AND CERTIFIED

In Book Plat #6

Page 379 this day

David Buell

FILED FOR RECORD

DATE 9/16/09

at 11:41 AM

WESLEY SMITH CLERK

David Buell



CE 1/16 CORNER
4-15-15

GORTON LAND SURVEYING, LTD.
PO BOX 2292
MTL WEL, ARKANSAS 72860
PHONE & FAX 870-269-2972 / TOLL FREE 870-438-2400
EMAIL: gorton@earthlink.net

DATE FEB. 14, 2007
PROJ. NO. 07-021 A1
FIELD BOOK: 68
CONTROL: FILE, TBM /
R/W / SEC 04 / 07-021

FOUND MONUMENT
AS NOTED
GET 1/2" REBAR
& ID CAP
COMPUTED POSITION

STATE SURVEYORS INDEX #:
500-18N-16W-0-04-120-04-1895

BOUND OF STONE
1/4 COR BETWEEN
SEC. 3 & 4, T15 N R 15 W

PART OF THE
SE 1/4 NE 1/4
4-15-15
2.04 AC.

LAND DESCRIPTION:
A PART OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION FOUR (04), TOWNSHIP FIFTEEN (15) NORTH, RANGE FIFTEEN (15) WEST, SEARCY COUNTY, ARKANSAS BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:
FROM AN EXISTING MOUND OF STONE, MARKING THE SE CORNER OF THE SE 1/4 OF THE NE 1/4, THEN NORTH 45°42'1" WEST 400.44 FEET TO A SET 1/2" REBAR & ID CAP, THEN NORTH 215°05' FEET TO A SET 1/2" REBAR & ID CAP, THEN SOUTH 50°32'18" WEST 215.05 FEET TO A SET 1/2" REBAR & ID CAP, THEN NORTH 11°57'15" WEST 442.51 FEET TO A SET 1/2" REBAR & ID CAP, THEN SOUTH 16°23'47" EAST 186.14 FEET TO A SET 1/2" REBAR & ID CAP, THEN SOUTH 20°18'54" EAST 150.97 FEET TO A SET 1/2" REBAR & ID CAP, THEN SOUTH 07°33'03" EAST 244.53 FEET TO THE POINT OF BEGINNING, CONTAINING 2.04 ACRES.

NOTES:
BEARINGS BASED ON GRID NORTH
MAD BY PER G.L.S. OBSERVATION
SURVEY IS SUB. SET TO ANY WRITTEN
AND LOR UNWRITTEN EASEMENTS,
RESTRICTIONS, AND/OR AGREEMENTS.
DISTANCES SHOWN HEREON ARE GROUND
DISTANCES.

REFERENCES:
SURVEY BOOK & PAGE 185,
DEED OF RECORD

N 1/16 COR.
BETWEEN
SEC. 3 & 4,
T15 N R 15 W

1/2" REBAR

500°30'31"E 510.00'

1303.37'

N0°58'24"E

N89°08'12"W 651.05'

M.91°15'05"

N0°58'24"E

SCALE, 1"=1200'

500°22'41"E 1304.87'

FSA-2433 (01-16-08)

The Satisfaction of Lien hereby releases the security interest held by the United States Department of Agriculture in the following described property situated in the State of (5) Arkansas, County or Counties of (6) Searcy; more particularly described as follows:

(7) THE SOUTHEAST QUARTER (SE 1/4) OF THE NORTHEAST QUARTER (NE 1/4) OF SECTION 4,
TOWNSHIP 15 NORTH, RANGE 15 WEST

N WITNESS WHEREOF, the United States of America has caused this satisfaction to be

at the (8) 14TH

day of JANUARY

2020

GORTON LAND SURVEYING, LTD
P.O. BOX 2512

MTN. VIEW, ARKANSAS 72560

PHONE & FAX: (870) 269-2572

EMAIL: ECGORTON@OZARKISP.NET

A PART OF THE SOUTHEAST QUARTER OF THE NORTHEAST QUARTER OF SECTION FOUR (04), TOWNSHIP FIFTEEN (15) NORTH, RANGE FIFTEEN (15) WEST, SEARCY COUNTY, ARKANSAS BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FROM AN EXISTING MOUND OF STONE, MARKING THE SE CORNER OF THE SE 1/4 OF THE NE 1/4, THEN NORTH 45°59'21" WEST 900.49 FEET TO A SET 1/2" REBAR & ID CAP, THE POINT OF BEGINNING OF TRACT BEING DESCRIBED, THEN GO SOUTH 50°32'18" WEST 215.85 FEET TO A SET 1/2" REBAR & ID CAP, THEN GO NORTH 11°57'57" WEST 492.51 FEET TO A SET 1/2" REBAR & ID CAP, THEN GO NORTH 76°25'42" EAST 188.79 FEET TO A SET 1/2" REBAR & ID CAP, THEN GO SOUTH 20°19'54" EAST 150.97 FEET TO A SET 1/2" REBAR & ID CAP, THEN GO SOUTH 07°33'03" EAST 249.53 FEET TO THE POINT OF BEGINNING, CONTAINING 2.04 ACRES.

BEARINGS BASED ON GRID NORTH NAD 83.

RE: 07-021