

SELLER'S DISCLOSURE NOTICE

CTexas Association of REALTORS®, Inc. 2019

Section 5.008, Property Code requires a seller of residential property of not more than one dwelling unit to deliver a Seller's Disclosure Notice to a buyer on or before the effective date of a contract. This form complies with and contains additional disclosures which exceed the minimum disclosures required by the Code.

CONCERNING THE PROPERTY AT					1077 CR 420 Stockdale, TX 78160									
DATE SIGNED BY SEL	LEF	AA S	ID I	SNO	TC	A SL	JBSTITUTE FOR A	THE	E CC	ONDI"	TION OF THE PROPERTY AS IONS OR WARRANTIES THE SELLER'S AGENTS, OR ANY	BU	YER	R
Seller is vis not or	cup	ying	the	Pro	pert	y. If	unoccupied (by Sellemate date) or nev	er), h	ccup	long :	since Seller has occupied the P he Property	rope	erty'	?
Section 1. The Proper This notice does i	ty h	as ti stabi	he it	tems	s ma	arke to be	d below: (Mark Yes conveyed. The contra	(Y), act wi	No il de	(N), o	or Unknown (U).) e which items will & will not convey	1.		
Item	Y	N	U	1	Item		Y	N	U	Item	Y	N	U	
Cable TV Wiring 1) Me	11				Liquid Propane Gas:			V	1	Pump: sump grinder	1	V	-	
Carbon Monoxide Det.		V		1	-LP Community (Captive)			V		Rain Gutters		1		
Ceiling Fans	1			1	_	-	Property	-	1		Range/Stove	1		
Cooktop		1			-	t Tu			1	-	Roof/Attic Vents	1	1	
Dishwasher		1		1	-	-	om System		17	1	Sauna	1	-	-
Disposal		1	-	1	_	-	management of the second name of the second		1		Smoke Detector		-	
Emergency Escape Ladder(s)		1			Microwave Outdoor Grill			1		Smoke Detector - Hearing Impaired	-	1		
Exhaust Fans	1/			1	Patio/Decking			V		Spa		1		
Fences	-	1		1	Plumbing System			1		Trash Compactor	-	1		
Fire Detection Equip.	1	1		1	Pool Pool			1	1	TV Antenna		V		
French Drain	-	1			-	-	quipment	-	7		Washer/Dryer Hookup		V	-
Gas Fixtures		1			-	The same of the last	laint. Accessories		1	-	Window Screens	1		-
Natural Gas Lines		1			-	-	leater		1	1	Public Sewer System	V	7	-
	-	-		1	10	0111	loatoi	1	V		Fublic Sewer System			
Item			0.504	Y	N	U			Δ	dditi	onal Information		_	-
Central A/C				1		-	electric gas number of units:						-	
Evaporative Coolers			-		V		number of units:							
Wall/Window AC Units					V		number of units:							
Attic Fan(s)	-	-			1									
Central Heat				V	-	-	if yes, describe:							
Other Heat				-	1		electric gas number of units: 7 if yes, describe:							
Oven		33			1		number of ovens:	-	_	olo	etric and attack	-	-	
Fireplace & Chimney					1	-	The second secon	0.0	-	THE RESERVE	ctric gas other:			-
Carport	-			1	-	-	attached /not		-		other:			_
Garage		-		-	1		attached not	and the latest dealers, the latest dealers dea	man install					
Garage Door Openers	-				1		number of units:	atta	CHE	u	number of secretary			-
Satellite Dish & Controls			-		1		owned lease	d fee	.001		number of remotes:		_	
Security System	_		-	-	V		The state of the s							
Solar Panels		_			1	-	AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUM	-						_
Water Heater				1			owned lease	-	-			_		
Water Softener				V	V		AND DESCRIPTION OF THE PERSON NAMED IN COLUMN	THE REAL PROPERTY.	ther		number of units:			
Other Leased Items(s)					1		if yes, describe:	u ire	om:					
(TXR-1406) 09-01-19 Russing S Resity LLC, 611 US Hwy 87 E	Stocks	dale TX			by: B	Buyer		and S	9	CONN. B.SU	110.	-	1 of	

Produced with Lone Wolf Transactions (zipForm Edition) 231 Shearson Cr. Cambridge, Ontario, Canada NYF-115 __www.hwolf.com

Charlin Min

A A CONTRACTOR OF THE PARTY OF		-	1 . 4		-	A District Control of		40-700	60		
Underground Lawn Sprin			X	automatic manual areas covered:							
					if yes, attach Information About On-Site Sewer Facility (TXR-1407)						
Water supply provided by Was the Property built by (If yes, complete, sign Roof Type:	efore 19 gn, and a of cover	78? _ttach	yes r TXR-190	no un 6 concer	known ning le	ead-based p	ain	t haza		xima or	ite)
Are you (Seller) aware of are need of repair? y	of any of	the i	tems liste s, describ	d in this e (attach	Section	on 1 that are onal sheets	e no	ot in w ecess	orking condition, that have de ary):	fects	s, or
Section 2. Are you (Se aware and No (N) if you				fects or	malfu	nctions in a	any	of the	e following? (Mark Yes (Y) if	you	are
Item	Y	N	Item				Y	N	Item	TY	IN
Basement		V	Floors	S	3		-	7	Sidewalks	1	L
Ceilings		1	-	dation / S	Slab(s)	1	V		Walls / Fences	+	
Doors				or Walls	Sidb(d)		V		Windows	-	10
Driveways			The state of the s	Lighting Fixtures					Other Structural Components	+	1
Electrical Systems		1	The state of the s	Plumbing Systems					Oner Structural Components	-	+
Exterior Walls		1	Roof	The state of the s						-	+
four dariow has	he items	in Se	offset	yes, exp	lain (a	ttach addition	onal	sheet	s if necessary):	,	
ground starts	had	AN	offset a	with 1	WENT	de pr	دا	Hee	Brook has crack who		N) i
Section 3. Are you (So you are not aware.)	had	AN	offset a	with 1	WENT	de pr	دا	Hee	es (Y) if you are aware and I		N) i
Section 3. Are you (So you are not aware.)	had	AN	offset a	with 1	WENT	de pr	? (N	Hee	Brook has crack who		
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring	had	AN	offset a	the follo	weng	Conditions	? (N	Hee	Brook has crack who	No (I	
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components	eller) aw	AN	offset a	the follo	weng	conditions'	? (N	Hee	Brook has crack who	No (I	
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak	eller) aw	are o	offset a	the follo	weng	conditions' Condition Radon G	? (M	Mark Y	Brook has crack who	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha	eller) aw	are o	offset a	the follo	weng	Conditions Condition Radon Ga Settling Soil Move	? (M	Mark Y	Brook has crack who	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines	eller) aw	are o	offset a	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro	? (Monas	Mark Y	es (Y) if you are aware and I	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was	eller) aw	are o	offset a	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfact Undergro Unplatted	? (Manas eme	Mark Y	es (Y) if you are aware and I	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage	eller) aw	are o	offset a	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro Unplatted Unrecord	? (Monas	Mark Y	res (Y) if you are aware and I	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather	eller) aw	are o	offset a	the follo	weng	Conditions Conditions Radon Garage Settling Soil Move Subsurfact Undergro Unplatted Unrecord Urea-form	? (Manas eme	Mark Y	es (Y) if you are aware and I	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill	eller) away	/are o	offset any of the	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro Undergro Unplatted Unrecord Urea-form Water Da	? (Monas emece sounce s	ent Structu d Stora iseme Easem dehyde ge No	re or Pits age Tanks nents a Insulation t Due to a Flood Event	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill Lead-Based Paint or Le	eller) aw wilt abitat on ste Springs	Prop	offset any of the	the follo	weng	Conditions Conditions Radon Garage Settling Soil Move Subsurfact Undergro Unplatted Unrecord Urea-form Water Da Wetlands	? (Manas eme	ent Structu d Stora iseme Easem dehyde ge No	re or Pits age Tanks nents a Insulation t Due to a Flood Event	No (I	N ·
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill Lead-Based Paint or Le Encroachments onto the	eller) aw wilt abitat on ste Springs ad-Base	Propi	of any of	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro Unplatted Unrecord Urea-form Water Da Wetlands Wood Ro	? (Monas asserted ass	Mark Y Structured Store Store Structured Store	re or Pits age Tanks nents Insulation t Due to a Flood Event	No (I	N
Section 3. Are you (Se you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill Lead-Based Paint or Le Encroachments onto the Improvements encroach	eller) away	Propi	of any of	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro Unplatted Unrecord Urea-form Water Da Wetlands Wood Ro	? (Monassemented) and Eastern	Mark Y ent Structure Struc	re or Pits age Tanks nents Insulation It Due to a Flood Event erty	No (I	
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill Lead-Based Paint or Le Encroachments onto the Improvements encroach Located in Historic Distr	eller) away with abitat on ste Springs ad-Base Proper ning on o	Propi	of any of	the follo	weng	Conditions Conditions Radon Garage Settling Soil Move Subsurfact Undergro Unplatted Unrecord Urea-form Water Dat Wetlands Wood Ro Active info	? (Manas emeces sound to the so	Mark Y Structure Structur	re or Pits age Tanks nents Insulation It Due to a Flood Event erty	No (I	
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill Lead-Based Paint or Le Encroachments onto the Improvements encroach Located in Historic Distr Historic Property Design	eller) away wilt abitat on ste Springs ad-Base Proper ning on or	Propi	of any of	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro Unplatted Unrecord Urea-form Water Da Wetlands Wood Ro Active infi destroyin Previous	? (Monas emece sounce d Ead led led led led led led led led led led	ent Structu d Stora iseme Easem dehyde ge No Prope ation of sects	es (Y) if you are aware and I are or Pits age Tanks nents a Insulation t Due to a Flood Event erty f termites or other wood (WDI)	No (I	N
Section 3. Are you (So you are not aware.) Condition Aluminum Wiring Asbestos Components Diseased Trees: oak Endangered Species/Ha Fault Lines Hazardous or Toxic Was Improper Drainage Intermittent or Weather Landfill Lead-Based Paint or Le Encroachments onto the Improvements encroach Located in Historic Distr	eller) away wilt abitat on ste Springs ad-Base Proper ning on or	Propi	of any of	the follo	weng	Conditions Conditions Radon Ga Settling Soil Move Subsurfac Undergro Unplatted Unrecord Urea-form Water Da Wetlands Wood Ro Active infi destroyin Previous	? (Manas eme	Mark Y ent Structure Struc	re or Pits age Tanks nents Insulation t Due to a Flood Event erty f termites or other wood (WDI) for termites or WDI	No (I	

(TXR-1406) 09-01-19

of Methamphetamine

Previous Other Structural Repairs

Previous Use of Premises for Manufacture

Initialed by: Buyer: _

and Seller:

Tub/Spa*

Single Blockable Main Drain in Pool/Hot

Page 2 of 6

Produced with Lone Wolf Transactions (zipForm Edition) 231 Shearson Cr. Cambridge, Ontario, Canada N1)

Concernin	1077 CR 420 Ing the Property at Stockdale, TX 78160
Replace Repair	wer to any of the items in Section 3 is yes, explain (attach additional sheets if necessary):
*A sin	gle blockable main drain may cause a suction entrapment hazard for an individual.
Section 4 which ha necessary	Are you (Seller) aware of any item, equipment, or system in or on the Property that is in need of repair, as not been previously disclosed in this notice?yesno If yes, explain (attach additional sheets if
wholly o	5. Are you (Seller) aware of any of the following conditions?* (Mark Yes (Y) if you are aware and check partly as applicable. Mark No (N) if you are not aware.)
	Present flood insurance coverage (if yes, attach TXR 1414).
	Previous flooding due to a failure or breach of a reservoir or a controlled or emergency release of water from a reservoir.
/	Previous flooding due to a natural flood event (if yes, attach TXR 1414).
	Previous water penetration into a structure on the Property due to a natural flood event (if yes, attach TXR 1414).
	Located wholly partly in a 100-year floodplain (Special Flood Hazard Area-Zone A, V, A99, AE AO, AH, VE, or AR) (if yes, attach TXR 1414).
	Located wholly partly in a 500-year floodplain (Moderate Flood Hazard Area-Zone X (shaded)).
	Located wholly partly in a floodway (if yes, attach TXR 1414).
	Located wholly partly in a flood pool.
_ V	Located wholly partly in a reservoir.
If the ans	wer to any of the above is yes, explain (attach additional sheets as necessary):

*For purposes of this notice:

"100-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a special flood hazard area, which is designated as Zone A, V, A99, AE, AO, AH, VE, or AR on the map; (B) has a one percent annual chance of flooding, which is considered to be a high risk of flooding; and (C) may include a regulatory floodway, flood pool, or reservoir.

"500-year floodplain" means any area of land that: (A) is identified on the flood insurance rate map as a moderate flood hazard area, which is designated on the map as Zone X (shaded); and (B) has a two-tenths of one percent annual chance of flooding, which is considered to be a moderate risk of flooding.

"Flood pool" means the area adjacent to a reservoir that lies above the normal maximum operating level of the reservoir and that is subject to controlled inundation under the management of the United States Army Corps of Engineers.

"Flood insurance rate map" means the most recent flood hazard map published by the Federal Emergency Management Agency under the National Flood Insurance Act of 1968 (42 U.S.C. Section 4001 et seq.).

"Floodway" means an area that is identified on the flood insurance rate map as a regulatory floodway, which includes the channel of a river or other watercourse and the adjacent land areas that must be reserved for the discharge of a base flood, also referred to as a 100-year flood, without cumulatively increasing the water surface elevation more than a designated height.

"Reservoir" means a water impoundment project operated by the United States Army Corps of Engineers that is intended to retain water or delay the runoff of water in a designated surface area of land.

(TXR-1406) 09-01-19

Initialed by: Buyer:

and \$eller:

Page 3 of 6

Produced with Lone Wolf Transactions (zipForm Edition) 231 Shearson Cr. Cambridge, Ontario, Canada Mil

. 3	107	77	CR	42	0	
toc	kd	ale.	Τ.	X 7	781	60

Concerning	the Property at Stockdale, TX 78160
	Have you (Seller) ever filed a claim for flood damage to the Property with any insurance Including the National Flood Insurance Program (NFIP)?*yes no If yes, explain (attach additional secessary):
Even wh	in high risk flood zones with mortgages from federally regulated or insured lenders are required to have flood insuration not required, the Federal Emergency Management Agency (FEMA) encourages homeowners in high risk, mode down risk flood zones to purchase flood insurance that covers the structure(s) and the personal property within e(s).
Section 7. Administra necessary):	Have you (Seller) ever received assistance from FEMA or the U.S. Small Busin ation (SBA) for flood damage to the Property?yesno If yes, explain (attach additional sheets
Section 8.	Are you (Seller) aware of any of the following? (Mark Yes (Y) if you are aware. Mark No (N) if you
Y N	Room additions, structural modifications, or other alterations or repairs made without necessary permits, we unresolved permits, or not in compliance with building codes in effect at the time.
	Homeowners' associations or maintenance fees or assessments. If yes, complete the following: Name of association:
	Manager's name: Phone:
	Fees or assessments are: \$ per and are: mandatory volunt
	Manager's name: Phone: Phone: Per and are: mandatory volunt: Any unpaid fees or assessment for the Property? yes (\$) no If the Property is in more than one association, provide information about the other associations below attach information to this notice.
	Any common area (facilities such as pools, tennis courts, walkways, or other) co-owned in undivided interesting with others. If yes, complete the following: Any optional user fees for common facilities charged? yes no If yes, describe:
/	Any notices of violations of deed restrictions or governmental ordinances affecting the condition or use of the Property.
	Any lawsuits or other legal proceedings directly or indirectly affecting the Property. (Includes, but is not lim to: divorce, foreclosure, heirship, bankruptcy, and taxes.)
/	Any death on the Property except for those deaths caused by: natural causes, suicide, or accident unrelate to the condition of the Property.
,	Any condition on the Property which materially affects the health or safety of an individual.
	Any repairs or treatments, other than routine maintenance, made to the Property to remediate environment hazards such as asbestos, radon, lead-based paint, urea-formaldehyde, or mold. If yes, attach any certificates or other documentation identifying the extent of the remediation (for example, certificate of mold remediation or other remediation).
	Any rainwater harvesting system located on the Property that is larger than 500 gallons and that uses a puwater supply as an auxiliary water source.
	The Property is located in a propane gas system service area owned by a propane distribution system.
_/	Any portion of the Property that is located in a groundwater conservation district or a subsidence district.
If the answe	er to any of the items in Section 8 is yes, explain (attach additional sheets if necessary):
(TXR-1406)	Page 4
	Produced with Lone Walf Transactions (zipForm Edition) 231 Shearson Cr. Cembridge, Onterio Sensus NULL and Server Iwolf com

	perty at	1077 CR 420 Stockdale, TX 78160						
Section 9. Seller	✓ has has	not attached a survey of the Pr	operty. Field NoTES					
persons who re	gularly provide	years, have you (Seller) re inspections and who are ections? yes no if yes, a	either licensed as inspec	tors or otherwise				
Inspection Date	Туре	Name of Inspector		No. of Pages				
	-							
Note: A buye		on the above-cited reports as a re nould obtain inspections from insp		of the Property.				
		tion(s) which you (Seller) curre						
— Homestead Wildlife Man	nagement	Senior Citizen Agricultural	Disabled Disabled Veteral	n				
Other:			Unknown					
annuments of C	hanter 766 of t	ave working smoke detectors he Health and Safety Code?*		the smoke detector or unknown, explain.				
Attach additional s	heets if necessa	ry): Date of the Safety Code?* Safety Code requires one-family or ty	Smoke defectivits	or unknown, explain.				
Chapter 766 installed in ac	of the Health and a cordance with the tomance, location,	he Health and Safety Code? ry): Da Herry Operated	vo-family dwellings to have working in effect in the area in which the dw	or unknown, explain. smoke detectors elling is located,				
*Chapter 766 installed in ac including perfect in your a family who will impairment from the seller to including the seller to include the seller the seller to include the seller to include the seller the seller the seller the seller the seller the seller the se	chapter 766 of the heets if necessary of the Health and a cordance with the cormance, location, area, you may check require a seller to in the dworm a licensed physicatall smoke detection.	Safety Code requires one-family or to requirements of the building code in and power source requirements. If	vo-family dwellings to have working an effect in the area in which the dwelling official for more information impaired if: (1) the buyer or a member of gives the seller written evidence of effective date, the buyer makes a weeklies the locations for installation	or unknown, explain. smoke detectors elling is located, requirements in en. per of the buyer's e of the hearing written request for The parties may				
*Chapter 766 installed in ac including perfect in your a family who will impairment from the seller to in agree who will Seller acknowledge.	chapter 766 of the heets if necessary of the Health and strong with the formance, location, area, you may check the fire a seller to in the dwom a licensed physicatall smoke detect bear the cost of intestall strong the stater in the stater	Safety Code requires one-family or two requirements of the building code in and power source requirements. If it with a work with a work of the second contact your local stall smoke detectors for the hearing selling is hearing-impaired; (2) the building; and (3) within 10 days after the tors for the hearing-impaired and spicions.	unknown no yes. If no Section of the description of the area in which the dwarf you do not know the building code all building official for more information impaired if: (1) the buyer or a member of gives the seller written evidence of the factive date, the buyer makes a way actifies the locations for installation. In brand of smoke detectors to install the best of Seller's belief and that	smoke detectors elling is located, requirements in on. per of the buyer's se of the hearing critten request for The parties may				
*Chapter 766 installed in ac including perfect in your a family who will impairment from the seller to inagree who will seller acknowledge.	chapter 766 of the heets if necessary of the Health and strong with the formance, location, area, you may check the fire a seller to in the dwom a licensed physicatall smoke detect bear the cost of intestall strong the stater in the stater	Safety Code requires one-family or two requirements of the building code in and power source requirements. If it will also the stall smoke detectors for the hearing selling is hearing-impaired; (2) the building is hearing-impaired; (2) the building; and (3) within 10 days after the tors for the hearing-impaired and spistalling the smoke detectors and which the smoke detectors and which the senced Seller to provide inaccurate.	wo-family dwellings to have working an effect in the area in which the dwelling official for more information impaired if: (1) the buyer or a member gives the seller written evidence effective date, the buyer makes a welles the locations for installation. In brand of smoke detectors to install the information or to omit any materials.	smoke detectors elling is located, requirements in on. per of the buyer's se of the hearing critten request for The parties may				
*Chapter 766 installed in ac including perfect in your a family who will impairment from the seller to inagree who will Seller acknowledge the broker(s), has in	chapter 766 of the heets if necessary of the Health and strong with the formance, location, area, you may check the fire a seller to in the dwom a licensed physicatall smoke detect bear the cost of intestall strong the stater in the stater	Safety Code requires one-family or two requirements of the building code in and power source requirements. If it unknown above or contact your local stall smoke detectors for the hearing selling is hearing-impaired; (2) the building is hearing-impaired; (2) the building is hearing-impaired and special special special smoke detectors and which stalling the smoke detectors and which ments in this notice are true to the	wo-family dwellings to have working an effect in the area in which the dwelling of the self of the sel	smoke detectors elling is located, requirements in en. per of the buyer's e of the hearing eritten request for The parties may				

Produced with Lone Wolf Transactions (zipForm Edition) 231 Shearson Cr. Cambridge, Officio.

Page 5 of 6

ADDITIONAL NOTICES TO BUYER:

- (1) The Texas Department of Public Safety maintains a database that the public may search, at no cost, to determine if registered sex offenders are located in certain zip code areas. To search the database, visit https://publicsite.dps.texas.gov/SexOffenderRegistry. For information concerning past criminal activity in certain areas or neighborhoods, contact the local police department.
- (2) If the Property is located in a coastal area that is seaward of the Gulf Intracoastal Waterway or within 1,000 feet of the mean high tide bordering the Gulf of Mexico, the Property may be subject to the Open Beaches Act or the Dune Protection Act (Chapter 61 or 63, Natural Resources Code, respectively) and a beachfront construction certificate or dune protection permit may be required for repairs or improvements. Contact the local government with ordinance authority over construction adjacent to public beaches for more information.
- (3) If the Property is located in a seacoast territory of this state designated as a catastrophe area by the Commissioner of the Texas Department of Insurance, the Property may be subject to additional requirements to obtain or continue windstorm and hail insurance. A certificate of compliance may be required for repairs or improvements to the Property. For more information, please review *Information Regarding Windstorm and Hail Insurance for* Certain Properties (TXR 2518) and contact the Texas Department of Insurance or the Texas Windstorm Insurance Association.
- (4) This Property may be located near a military installation and may be affected by high noise or air installation compatible use zones or other operations. Information relating to high noise and compatible use zones is available in the most recent Air Installation Compatible Use Zone Study or Joint Land Use Study prepared for a military installation and may be accessed on the Internet website of the military installation and of the county and any municipality in which the military installation is located.
- (5) If you are basing your offers on square footage, measurements, or boundaries, you should have those items independently measured to verify any reported information.

(6) The following providers currently provide service to the Prope	erty:	
Electric: Floresville Electric Company	phone #:	
Sewer: 18-3	phone #:	
Water: Cityof STockdale	phone #:	
Cable: Used Direct TV	phone #:	
Trash: city of stockdale	phone #:	
Natural Gas: 1/1/	phone #:	
Phone Company (UII - AT+T	phone #:	
Propane: NA	phone #:	
Internet: Wald hywiFi	phone #:	
	The state of the s	

(7) This Seller's Disclosure Notice was completed by Seller as of the date signed. The brokers have relied on this notice as true and correct and have no reason to believe it to be false or inaccurate. YOU ARE ENCOURAGED TO HAVE AN INSPECTOR OF YOUR CHOICE INSPECT THE PROPERTY.

The undersigned Buyer acknowledges receipt of the foregoing notice.

Signature of Buyer		Date	Signature of Buyer		Date
Printed Name:			Printed Name:		
(TXR-1406) 09-01-19	Initialed by: Buyer:		and Seller:	MS	Page 6 of 6
Produce	d with Lone Wolf Transactions (zipForm Edi	ion) 231 Sha	earson Cr. Cambridge, Onlings, Canada N1	www.hwalf.com	1077 CR 420