100 East Main Street, Suite 106 Brenham, Texas 77833 Phone (979) 277-6290 Fax (979) 277-6291

Protecting Washington County by Recycling and Preventing Pollution

### NOTICE OF APPROVAL OF AN ON-SITE SEWAGE FACILITY

|   | OSSF No  | 6112                               | <del></del>                     |             |
|---|--|------------------------------------|---------------------------------|-------------|
| Property Owner  | seovge   | and Diay                           | re Alexano                      | der         |
| Mailing Address   |  |                                    |                                 |             |
| City Brend  | st.  | ate X Zip Z                        | 7833                            |             |
| Property location   |  | AME                                |                                 |             |
| City  | Zip  | Washington                         | County, Texas                   |             |
| address has satisfied de Washington County En for use.  ANY MODIFICATIO COMPONENTS MAY office of the aforementi | vironmental Depart<br>ONS TO THE STR<br>Y REQUIRE A NE | tment. This on-site  UCTURE, SIZE, | sewage facility is ap OR SYSTEM |             |
| COMMENTS:   |  |                                    |                                 |             |
|   |  |                                    |                                 |             |
|   |  | -                                  |                                 |             |
|   |  |                                    |                                 |             |
|   |  |                                    |                                 | <del></del> |
| Val Mar   | ector OS63   | 05 658997                          | 3-22-0                          | 06          |

100 East Main Street, Suite 106
Brenham, Texas 77833
(979) 277-6290 Fax (979) 277-6291

Phone (979) 277-6290 Fax (979) 277-6291

# APPLICATION -- ON-SITE SEWAGE FACILITY 10 OR MORE ACRES

| <b>\</b>   |
|--|
| Property Owner's Name: Diane Alexander OSSF No. 6112   |
| Mailing Address: 850 Fm 390 City: Benham State: X Zip: 77833   |
| Past Cast  |
| Physical Address: 830 FM 370 Kd. City: Sonhon Zip: 77833  979.836.4827 713.591.9902  Home phone ( ) Cell phone ( )   |
| Legal Description: AOO24 Chrisman, Horatio Tract 61 (10.77)  |
| Tract/Lot: 6   Acreage: 10,99 Volume: 1149 Page: 852 R#: 44751   |
| House Mobile Home No. of Bedrooms Water Source: Private Public   |
| (Yes or No) Water Saving Devices Washing Machine Dishwasher Garbage Disposal   |
| COMMERCIAL ONLY - TYPE OF DEVELOPMENT  |
| Commercial/Institutional Multi-Family Residences Business  |
| No. of Employees-Occupants-Units (Circle One): Days occupied per week:   |
| Estimated Maximum Daily Water Usage (GPD - Water Bill):  |
| Any Organized Sewage Collection within 300 feet? YESNO   |
| Site Evaluator: J. Flasowski License No. 05/0376 Phone: (979)836-3996  |
| Designer: License No. 05 72 Phone:   |
| Installer: License No Phone:   |
| Owner hereby authorizes the WASHINGTON COUNTY ENVIRONMENTAL INSPECTOR, TCEQ, and TEXAS DEPARTMENT OF HEALTH, their agents and designees, singly or jointly, to enter upon the above described property for the purpose of making soil/site evaluation tests, inspecting the private sewage facility or performing other activities consistent with the water quality programs of Washington County, TCEQ, and Texas Department of Health. This application is void after one year. |
| Signature of Owner Date 11. 28. 05   |

### **Washington County Appraisal District**



#### Home

#### General Information

News

**FAQ** 

#### Searches

· Property ID Search

Account Search

Owner Search

Address Search

Advanced Search

#### **Property Data**

Detail Sheet

History

Datasheet

Bills

#### Other

Taxing Units

Neighborhoods

Abstracts

Subdivisions

Property Detail Sheet (R44751)











#### **Owner Information**

Owner ID: 00000141

Owner Name: ALEXANDER, GEORGE A ETUX Owner Address: ALEXANDER, DIANE H 850 FM 390 E

BRENHAM,TX 77833

Property Address: 850 FM 390 E

#### Parcel Information

A0024 CHRISMAN, HORATIO, TRACT 61, ACRES 10.99, BRENHAM ISD Legal Description:

PORTION OF 68.14 AC

Acreage: 10.99

Cross Reference: 0024-000-06100

**Undivided Interest:** 

**Exemption Codes:** AG (Agriculture Use)

> Entity Codes: **G01 (Washington County)** JC1 (Blinn College)

RD1 (Washington Co Fm)

S01 (Brenham ISD)

Deed Type: Warranty Deed

Deed Book: 1149 Deed Page: 852 Map Page: 98

#### Values Breakdown

2006 Preliminary Value

Land HS: \$18,130 + Land NHS: \$0 + Improvement HS: \$290,950 + \$18,990 + Improvement NHS: Ag Market: \$21,710 Ag Use: \$720 + Timber Market: \$0 Timber Use: \$0 +

> Assessed: \$328,790 =

#### Improvements

| טו          | Type                  | SPIB                              | Segs  | Value      |
|-------------|-----------------------|-----------------------------------|-------|------------|
| lmp1        | R (Residential)       | E1 (E1 - Farm & Ranch Improveme   | nts)7 | \$ 262,440 |
| lmp2        | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvemen  | nts)2 | \$ 14,720  |
| lmp3        | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvement | nts)1 | \$ 750     |
| lmp4        | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvement | nts)1 | \$ 1,530   |
| imp5        | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvement | nts)3 | \$ 2,470   |
| lmp6        | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvement | nts)2 | \$ 11,320  |
| <u>lmp7</u> | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvemen  | nts)2 | \$ 15,590  |
| lmp8        | I (Misc. Improvement) | E1 (E1 - Farm & Ranch Improvement | nts)1 | \$ 1,120   |
|             |                       |                                   |       |            |

Land



Land1

**SPTB** Type Acres

SFR (Single Family ResiderE1 (E1 - Farm & Ranch Improvements) 5.00

\$ 18,130

Market

100 East Main Street, Suite 106 Brenham, Texas 77833 Phone (979) 277-6290 Fax (979) 277-6291

### PLAN DRAWING

|              | Date: 3.21.06   | ossf# 6112   |
|--------------|---|--|
|              | Owner Information:  | Site Evaluator Information:  |
|              | Name: Diane Hlexander   | Name: Tustin Flasowsk. #   |
|              | Mailing Address: FW 390   | Address: 38000ld Chappell Hill Rd  |
|              | City: Srenham State: 1/2ip: 7183  | 3 City: 13 ron h um State: 71 Zip: 77833   |
|              | Property Location Information:  | Installer Information: (circle if same as above)   |
|              | Address: Diane Alexnder   | Name: #  |
| 1            |   | Address:   |
|              | Acreage: 100 yr Floodplain: Y N   | City: State: Zip:  |
|              | Drinking Water: Private Public Slope: F   | lat under 2%_Slight under 5%_Severe over 5%_   |
|              | Show: Compass North, location of soil excavation easements, swimming pools, water lines, and other in | is, ponds, streams, roads, property lines, buildings,  |
|              | wells within 200 feet of the proposed system. Indic   | ate slope or provide contour lines from the structure  |
|              | being served to the farthest location of the proposed   | OSSF.  |
|              |   | en de la companya de |
| : <b>1</b> : |   |  |
| T            |   |  |
| N            |   |  |
|              |   |  |
| •            |   |  |
|              |   |  |
|              |   |  |
| 4            | No.   |  |
|              |   | The land   |
|              | New Jooo  | (Tank Change)  |
| 2            | 0   | on la  |
|              |   |  |
|              | Existing 250  |  |
| :            |   | Pole   |
|              | 5000  | eo   |
|              | 90000   |  |
|              |   |  |
|              |   |  |
|              |   |  |
|              |   |  |
|              | $\lambda \mu = 0$   | 1 Inrul  |
| :            | 4 Bed room  |  |
|              | _ Jualu 5 or  |  |
|              |   |  |
|              |   |  |
|              |   |  |
| 1 000        |   |  |
| W. Roll      |   |  |
| 3            |   |  |
| 8.8          | 1 Inch = 40 Feet  | New Park   |
| 1 to         |   | Plan Drawing   |
|              |   |  |

100 East Main Street, Suite 106 Brenham, Texas 77833 Phone (979) 277-6290 Fax (979) 277-6291

Protecting Washington County by Recycling and Preventing Pollution

### AUTHORIZATION TO CONSTRUCT AN ON-SITE SEWAGE FACILITY

|   | Applica  | tion No.  | 6/12   | ,<br>   |   |
|---|--|---|--|---|---|
| Property Owner(   | Seorge   | and   | Diane 1  | Alexano   | der   |
| Mailing Address   | <u>850</u>   | FM  | 390  | E.  |   |
| City <u>Brenl</u>   |  |   |  |   |   |
| Property Location   |  | 54  | ME   |   |   |
| City  |  | -   |  |   | 3   |
| This serves to notify all and the appropriate fee I from the property owner consideration against the (TCEQ) and Washington the submitted plans.  Any modifications to submitted plans.  Any modifications to submitted plans.  You or your installer must arrange the required in date of issue. If a final is application and fee will in the properties of the | nave been received. The application is standards set for County. Approximately plans ment prior to inspection. The anspection has no | ed by the Won has been orth by the oval is here require appartallation. | Vashington Count reviewed for tech reviewed for tech reviewed for the by granted for the proval by the W  (1) WORKING on to construct is | ty Environmer hnical and adron on Environ e construction  ashington Co  DAY PRIOR valid for one y | ntal Department<br>ministrative<br>mental Quality<br>as shown on<br>ounty  to completion<br>year from the |
| COMMENTS:   |  |   |  |   |   |
|   |  |   |  |   |   |
|   |  |   |  |   |   |
| May Man<br>Application Revi   | ewer   | OS6305  | OS8997   | 3-Z<br>D  | /-06<br>ate   |

100 East Main Street, Suite 106 Brenham, Texas 77833 Phone (979) 277-6290 Fax (979) 277-6291

# ON-SITE SEWAGE FACILITY INSPECTION REPORT FOR CONVENTIONAL SYSTEMS

(Circle One) Standard System ET Beds (Circle One) 10 or more acres under 10 acres

| Property Owner George Alexander Application No. 6/  | 12                        |              |         |
|---|---------------------------|--------------|---------|
| Property Location 850 FM 390 E, Installer J. Flasows K  | _# os                     | <u>72</u>    |         |
| Is a permit required 4" SCH 40  | Y                         | $\sqrt[N]{}$ |         |
| Proper type/size pipe from structure to treatment system - Type of solid pipe: 4" <u>50k 35</u> | V                         | *****        |         |
| Cleanout(s) properly located between structure & 1st tank - Every 50'                           | $\underline{\mathcal{J}}$ |              |         |
| Minimum slope of pipe from structure to 1st tank 1/8" per foot                                  | 1                         |              |         |
| New<br>Tank(s) marked   | $\int$                    | _            |         |
| New Tank access ports within 12" of surface – Proper access port size/location                  | 1                         |              |         |
| Mew Tank(s) and pipe scaled/watertight This Tank  | $\overline{\int}$         |              |         |
| A-B tanks or 2-compartment tank used - Total tank volume: Gallons                               | $ \perp $                 |              |         |
| Minimum drop from inlet to outlet 3" - Tank material: Concet                                    | V_                        | <del></del>  |         |
| Proper type/size pipe from treatment system to disposal - Type of solid pipe: 4" 50R 35         | $\checkmark$              |              |         |
| Minimum drop from tank to trench/bed bottom 12" - Type of perforated pipe:                      | $\nabla$                  | /A_          |         |
| Disposal trenches/beds/components level   | /لاـ                      | 'A           |         |
| Solid pipe-perforated pipe connections triangularly located on drawing                          | _∖\/.                     | A            |         |
| Sufficient disposal area:   | _N1                       | A            |         |
| Proper media - 0.75"-2.0" clean gravel, concrete, or stone - Tire chips 3" maximum              | <u> N/</u>                | A            |         |
| Geotextile fabric properly in place   | <u> </u>                  | $A_{\perp}$  |         |
| Proper backfill - Class Ib, II, or III soil - ET Beds Class II soil only                        | _/\/                      | A            |         |
| All components 5' from buildings, easements, swimming pools, and property lines                 | <del>_</del>              | √ See        | Remarks |
| Disposal area 100' from any private water well - 150' from any public water well                | <u>J</u>                  |              |         |
| Solid pipe 20' from any waterway or any private water well - 50' from any public water well     | <u> </u>                  |              |         |
| Tank(s) 50' from any waterway or any water well   | Ļ                         |              |         |
| Disposal area 75' from any waterway   | $\int_{\mathcal{T}}$      |              |         |
| Does this OSSF satisfy TCEQ/Washington County requirements                                      | $\sqrt{}$                 |              |         |
| Remarks: Modification - Replaced Tank<br>Crosses electrosement - uns not shown on n             | T                         | <del></del>  |         |
| inspected by OS6305 OS8997 May May May Date   | 10115<br>3-22             | -06          |         |
|   |                           |              |         |

100 East Main Street, Suite 106 Brenham, Texas 77833 Phone (979) 277-6290 Fax (979) 277-6291

#### AS BUILT DRAWING

| Date: 3-22-06 OSSF# 6                        | 1/2_                                  |
|--|---------------------------------------|
| Owner: George Alexander Installer: J. Flason | USKI #0572                            |
| Physical Address: 850 FM 390 E. City:        | 0 1                                   |
|  | odplain: YN\                          |
| Slope: Flat under 2% Slight under 5%_X Seve  | / ·-¬                                 |
|  | 1 1                                   |
| 3004 To                                      |                                       |
| 300'4 To<br>FM 390                           | DE.                                   |
|  |                                       |
|  |                                       |
| Ερ 1 CO                                      |                                       |
| 1 Co   |                                       |
| 20 Line 2'11                                 |                                       |
| 2 Comp. 13/ Existing 520                     |                                       |
| Cone Tark 5 4 - co 9 BK                      |                                       |
|  | · · · · · · · · · · · · · · · · · · · |
|  | DW                                    |
|  |                                       |
| 100'   |                                       |
|  | Well                                  |
| OPVOX  |                                       |
| isting                                       | Scriuming Pool                        |
| raintield >                                  |                                       |
|  |                                       |
| • EP   |                                       |
|  |                                       |
|  |                                       |
|  |                                       |
|  |                                       |
|  |                                       |
|  |                                       |
| 1 Inch = 40 Feet                             | As Built Drawing                      |
|  | UP DRITT DISMITS                      |